

Contents

| | | |
|----------|--|-----------|
| 1 | Introduction | 3 |
| 2 | Glasses and the Glass Transition | 7 |
| 2.1 | Supercooled Liquids and the Glassy State | 8 |
| 2.2 | Dynamics near T_g : Strong and Fragile Liquids | 10 |
| 2.3 | Thermodynamic Features of the Glass Transition | 14 |
| 2.4 | Non-exponential Relaxation Functions | 16 |
| 2.5 | Aging in Structural Glasses | 17 |
| 2.6 | The Adam and Gibbs Picture | 20 |
| 2.7 | Further Reading | 22 |
| 3 | Mesoscopic Scale Dielectric Measurements | 23 |
| 3.1 | How Small is a Mesoscopic Sample? | 25 |
| 3.2 | Dielectric Susceptibility in Glasses | 26 |
| 3.3 | Susceptibility in Mesoscopic Samples | 27 |
| 4 | Apparatus and Experimental Technique | 33 |
| 4.1 | Experimental Setup | 34 |
| 4.1.1 | The Atomic Force Microscope | 35 |
| 4.1.2 | The Physics of a Capacitance AFM | 37 |
| 4.1.3 | Dielectric Noise across a Capacitor | 41 |

| | |
|---|------------|
| 4.1.4 Cantilevers and AFM Tips | 45 |
| 4.1.5 Samples | 47 |
| 4.1.6 Detection and Electronics | 50 |
| 4.2 Experimental Method | 53 |
| 4.2.1 Initial Procedure | 55 |
| 4.2.2 Improved Method | 57 |
| 4.2.3 Other Experiments | 62 |
| 5 Results and Analysis | 65 |
| 5.1 Dielectric Noise Measurements | 66 |
| 5.1.1 First Part: Fourier Detection Method | 66 |
| 5.1.2 Second Part: FM Detection Method | 90 |
| 5.2 Contact AFM: Visco-Elastic Measurements | 139 |
| 6 Discussion and Conclusions | 149 |
| A AFM Electric Field Calculation | 157 |
| A.1 Numerical Details | 157 |
| A.2 Results | 162 |
| A.3 AE calculation | 162 |
| B RTS Noise Monte Carlo Simulation | 167 |
| B.1 Exponential Distribution | 167 |
| B.2 Non-exponential Distribution | 168 |