


Contents



Preface

xi

Part 1 First Thoughts on Equilibria and Stability

1. Simple Dynamic Models

- 1.1. **Back and Forth, Up and Down**
Models based on Newton's equations. 3
- 1.2. **What Comes Out Is What Goes In**
Models involving conservation of mass. 7
- 1.3. **Dynamical Systems**
Background information on differential equation models. 10
- 1.4. **Exercises** 12

2. Ordinary Differential Equations

- 2.1. **First-Order Equations (the Case $k = 1$)** 16
- 2.2. **The Case $k = 2$** 19
- 2.3. **The Case $k = 3$** 25
- 2.4. **Exercises** 26

3. Stability of Dynamic Models

- 3.1. **Intuitive background**
Nullclines and heuristics. 29

3.2. Linearization	Behavior of systems about their equilibria, with applications.	31
3.3. Liapunov Functions	Liapunov's theorem, with applications.	43
3.4. Feedback	Controlling unstable equilibria by feedback; the inverted pendulum.	46
3.5. Exercises		51
4. There Is a Better Way		
4.1. Conditions Necessary for Optimality	The maximum principle with application to the inverted pendulum.	55
4.2. Bang–Bang Controls	A class of optimal control problems, with applications.	61
4.3. Exercises		68
A Summary of Part 1		71

Part 2 Further Thoughts and Extensions

5. Motion in Time and Space		
5.1. Conservation of Mass, II	Derivation of a basic partial differential equation modeling the flow of a substance in a single spatial dimension over time. Applications in the next four sections.	75
5.2. Algae Blooms	A model for the growth of algae. The minimum spatial dimension necessary to maintain a sustained population is obtained by separation of variables. Boundary conditions. The use of phase plane methods.	78
5.3. Pollution in Rivers	Coupled linear equations for oxygen depletion in a river due to pollutants. Steady state solutions. Traveling wave solutions.	84
5.4. Highway Traffic	A model for the flow of traffic along a highway. An introduction to characteristics and the propagation of shocks. More on traveling wave solutions. Burger's equation.	89

5.5. A Digression on Traveling Waves	
Comments on traveling wave solutions to Fisher's equation.	98
5.6. Morphogenesis	
A reaction–diffusion model for morphogenesis. A uniform equilibrium distribution of the cells can become unstable thereby leading to a spatially nonhomogeneous pattern. A similar model is discussed that suggests patchy growth of algae in an ocean.	101
5.7. Tidal Dynamics	
The movement of water in estuaries and canals due to ocean tides leads to a pair of nonlinear equations via the principle of conservation of momentum. Traveling wave solutions.	111
5.8. Exercises	116
6. Cycles and Bifurcation	
6.1. Self-Sustained Oscillations	
The spring–mass system of 1.1 is re-examined under Coulomb damping on a moving surface. This leads to limit cycles in a model of a bow moving across a violin string or a brake pad against a moving wheel rim.	121
6.2. When Do Limit Cycles Exist?	
Positive limiting sets of an orbit. Statement and explanation of Poincaré–Bendixson theorem (no proof). Simple examples lead to the bifurcation of an orbit from a stable equilibrium to a stable cycle. A heuristic proof is given of the Hopf bifurcation theorem in the plane.	126
6.3. The Struggle for Life, II	
A more general model of predation, which includes satiation and a model of harvesting fish stocks. Both models lead to limit cycles.	137
6.4. The Flywheel Governor	
Formulation of our first model with three equations, the Watt governor. When the equilibrium is unstable, a limit cycle develops as a Hopf bifurcation.	143
6.5. Exercises	148
7. Bifurcation and Catastrophe	
7.1. Fast and Slow	
In some models, certain variables undergo rapid change as certain other parameters vary slowly. We consider one or two	

parameters. Potential functions and gradient systems. Heuristic treatment (no proof) of Thom’s theorem on fold and cusp catastrophes. Relation to bifurcation. The idea of resilience. Applications in the next three sections. 153

7.2. The Pumping Heart
The Zeeman model of the heart is formulated as a function of stimulus and tension. 162

7.3. Insects and Trees
The Holling–Ludwig–Jones model of budworm infestation of spruce forests as a function of branch size and foliage. 169

7.4. The Earth’s Magnet
A modified Bullard model of the earth’s magnetic field, leading to field reversals. 176

7.5. Exercises
Including a model of algae bloom as a function of nutrient level and tidal flow. 181

8. Chaos

8.1. Not All Attractors Are Limit Cycles or Equilibria
We begin our study of models that display erratic behavior with the Leonard–May model of competition between three groups of participants. 185

8.2. Strange Attractors
The chaotic behavior of a modified version of the geomagnetic equations. 191

8.3. Deterministic or Random?
The discrete logistic equation displays apparently random behavior. This is explained on the basis of symbolic dynamics. 195

8.4. Exercises 204

References and a Guide to Further Readings 207

Ordinary Differential Equations 207

Introductions to Differential Equation Modeling 208

More Advanced Modeling Books 209

Hard to Classify 209

Notes on the Individual Chapters 211

Index 217