

Volume 05.01, February 2007
Petroleum Products and Lubricants (I): D56 - D3230

Standards and Related Materials Contained in this Volume:

[D56-05 Standard Test Method for Flash Point by Tag Closed Cup Tester - \(View Full Text\)](#)

[D61-75\(2004\) Standard Test Method for Softening Point of Pitches \(Cube-in-Water Method\) - \(View Full Text\)](#)

[D71-94\(2004\) Standard Test Method for Relative Density of Solid Pitch and Asphalt \(Displacement Method\) - \(View Full Text\)](#)

[D86-05 Standard Test Method for Distillation of Petroleum Products at Atmospheric Pressure - \(View Full Text\)](#)

[D87-04 Standard Test Method for Melting Point of Petroleum Wax \(Cooling Curve\) - \(View Full Text\)](#)

[D91-02 Standard Test Method for Precipitation Number of Lubricating Oils - \(View Full Text\)](#)

[D92-05a Standard Test Method for Flash and Fire Points by Cleveland Open Cup Tester - \(View Full Text\)](#)

[D93-06 Standard Test Methods for Flash Point by Pensky-Martens Closed Cup Tester - \(View Full Text\)](#)

[D94-02 Standard Test Methods for Saponification Number of Petroleum Products - \(View Full Text\)](#)

[D95-05e1 Standard Test Method for Water in Petroleum Products and Bituminous Materials by Distillation - \(View Full Text\)](#)

[D97-06 Standard Test Method for Pour Point of Petroleum Products - \(View Full Text\)](#)

[D127-05 Standard Test Method for Drop Melting Point of Petroleum Wax, Including Petrolatum - \(View Full Text\)](#)

[D128-98\(2003\)e1 Standard Test Methods for Analysis of Lubricating Grease - \(View Full Text\)](#)

[D129-00\(2005\) Standard Test Method for Sulfur in Petroleum Products \(General Bomb Method\) - \(View Full Text\)](#)

[D130-04e1 Standard Test Method for Corrosiveness to Copper from Petroleum Products by Copper Strip Test - \(View Full Text\)](#)

[D156-02e1 Standard Test Method for Saybolt Color of Petroleum Products \(Saybolt Chromometer Method\) - \(View Full Text\)](#)

[D187-94\(2003\)e1 Standard Test Method for Burning Quality of Kerosine - \(View Full Text\)](#)

[D189-06 Standard Test Method for Conradson Carbon Residue of Petroleum Products - \(View Full Text\)](#)

[D217-02 Standard Test Methods for Cone Penetration of Lubricating Grease - \(View Full Text\)](#)

[D240-02 Standard Test Method for Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter - \(View Full Text\)](#)

[D287-92\(2006\) Standard Test Method for API Gravity of Crude Petroleum and](#)

[Petroleum Products \(Hydrometer Method\) - \(View Full Text\)](#)
[D322-97\(2002\)e1 Standard Test Method for Gasoline Diluent in Used Gasoline Engine Oils by Distillation - \(View Full Text\)](#)
[D323-06 Standard Test Method for Vapor Pressure of Petroleum Products \(Reid Method\) - \(View Full Text\)](#)
[D341-03 Standard Viscosity-Temperature Charts for Liquid Petroleum Products - \(View Full Text\)](#)
[D381-04 Standard Test Method for Gum Content in Fuels by Jet Evaporation - \(View Full Text\)](#)
[D396-06 Standard Specification for Fuel Oils - \(View Full Text\)](#)
[D445-06 Standard Test Method for Kinematic Viscosity of Transparent and Opaque Liquids \(and Calculation of Dynamic Viscosity\) - \(View Full Text\)](#)
[D446-07 Standard Specifications and Operating Instructions for Glass Capillary Kinematic Viscometers - \(View Full Text\)](#)
[D473-02\(2006\) Standard Test Method for Sediment in Crude Oils and Fuel Oils by the Extraction Method - \(View Full Text\)](#)
[D482-03 Standard Test Method for Ash from Petroleum Products - \(View Full Text\)](#)
[D483-04 Standard Test Method for Unulfonated Residue of Petroleum Plant Spray Oils - \(View Full Text\)](#)
[D524-04 Standard Test Method for Ramsbottom Carbon Residue of Petroleum Products - \(View Full Text\)](#)
[D525-05 Standard Test Method for Oxidation Stability of Gasoline \(Induction Period Method\) - \(View Full Text\)](#)
[D565-99\(2005\) Standard Test Method for Carbonizable Substances in White Mineral Oil - \(View Full Text\)](#)
[D566-02 Standard Test Method for Dropping Point of Lubricating Grease - \(View Full Text\)](#)
[D611-04 Standard Test Methods for Aniline Point and Mixed Aniline Point of Petroleum Products and Hydrocarbon Solvents - \(View Full Text\)](#)
[D612-88\(2004\) Standard Test Method for Carbonizable Substances in Paraffin Wax - \(View Full Text\)](#)
[D664-06a Standard Test Method for Acid Number of Petroleum Products by Potentiometric Titration - \(View Full Text\)](#)
[D665-06 Standard Test Method for Rust-Preventing Characteristics of Inhibited Mineral Oil in the Presence of Water - \(View Full Text\)](#)
[D721-06 Standard Test Method for Oil Content of Petroleum Waxes - \(View Full Text\)](#)
[D808-05 Standard Test Method for Chlorine in New and Used Petroleum Products \(Bomb Method\) - \(View Full Text\)](#)
[D873-02 Standard Test Method for Oxidation Stability of Aviation Fuels \(Potential Residue Method\) - \(View Full Text\)](#)
[D874-06 Standard Test Method for Sulfated Ash from Lubricating Oils and Additives - \(View Full Text\)](#)
[D892-06 Standard Test Method for Foaming Characteristics of Lubricating Oils - \(View Full Text\)](#)
[D893-05a Standard Test Method for Insolubles In Used Lubricating Oils - \(View Full Text\)](#)
[D910-06 Standard Specification for Aviation Gasolines - \(View Full Text\)](#)
[D937-04 Standard Test Method for Cone Penetration of Petrolatum - \(View Full Text\)](#)
[D938-05 Standard Test Method for Congealing Point of Petroleum Waxes, Including Petrolatum - \(View Full Text\)](#)

[D942-02 Standard Test Method for Oxidation Stability of Lubricating Greases by the Oxygen Bomb Method - \(View Full Text\)](#)

[D943-04a Standard Test Method for Oxidation Characteristics of Inhibited Mineral Oils - \(View Full Text\)](#)

[D972-02 Standard Test Method for Evaporation Loss of Lubricating Greases and Oils - \(View Full Text\)](#)

[D974-06 Standard Test Method for Acid and Base Number by Color-Indicator Titration - \(View Full Text\)](#)

[D975-06b Standard Specification for Diesel Fuel Oils - \(View Full Text\)](#)

[D976-06 Standard Test Method for Calculated Cetane Index of Distillate Fuels - \(View Full Text\)](#)

[D1015-05 Standard Test Method for Freezing Points of High-Purity Hydrocarbons - \(View Full Text\)](#)

[D1016-05e1 Standard Test Method for Purity of Hydrocarbons from Freezing Points - \(View Full Text\)](#)

[D1018-00\(2005\) Standard Test Method for Hydrogen In Petroleum Fractions - \(View Full Text\)](#)

[D1025-00\(2004\) Standard Test Method for Nonvolatile Residue of Polymerization Grade Butadiene - \(View Full Text\)](#)

[D1091-00\(2005\) Standard Test Methods for Phosphorus in Lubricating Oils and Additives - \(View Full Text\)](#)

[D1092-05 Standard Test Method for Measuring Apparent Viscosity of Lubricating Greases - \(View Full Text\)](#)

[D1093-04 Standard Test Method for Acidity of Hydrocarbon Liquids and Their Distillation Residues - \(View Full Text\)](#)

[D1094-00\(2005\) Standard Test Method for Water Reaction of Aviation Fuels - \(View Full Text\)](#)

[D1157-91\(2004\) Standard Test Method for Total Inhibitor Content \(TBC\) of Light Hydrocarbons - \(View Full Text\)](#)

[D1159-01 Standard Test Method for Bromine Numbers of Petroleum Distillates and Commercial Aliphatic Olefins by Electrometric Titration - \(View Full Text\)](#)

[D1160-06 Standard Test Method for Distillation of Petroleum Products at Reduced Pressure - \(View Full Text\)](#)

[D1217-93\(2003\)e1 Standard Test Method for Density and Relative Density \(Specific Gravity\) of Liquids by Bingham Pycnometer - \(View Full Text\)](#)

[D1218-02 Standard Test Method for Refractive Index and Refractive Dispersion of Hydrocarbon Liquids - \(View Full Text\)](#)

[D1250-04 Standard Guide for Use of the Petroleum Measurement Tables - \(View Full Text\)](#)

[D1263-94\(2005\)e1 Standard Test Method for Leakage Tendencies of Automotive Wheel Bearing Greases - \(View Full Text\)](#)

[D1264-03e1 Standard Test Method for Determining the Water Washout Characteristics of Lubricating Greases - \(View Full Text\)](#)

[D1265-05 Standard Practice for Sampling Liquefied Petroleum \(LP\) Gases \(Manual Method\) - \(View Full Text\)](#)

[D1266-98\(2003\)e1 Standard Test Method for Sulfur in Petroleum Products \(Lamp Method\) - \(View Full Text\)](#)

[D1267-02 Standard Test Method for Gage Vapor Pressure of Liquefied Petroleum \(LP\) Gases \(LP-Gas Method\) - \(View Full Text\)](#)

[D1298-99\(2005\) Standard Test Method for Density, Relative Density \(Specific](#)

[Gravity\), or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method - \(View Full Text\)](#)

[D1318-00\(2005\) Standard Test Method for Sodium in Residual Fuel Oil \(Flame Photometric Method\) - \(View Full Text\)](#)

[D1319-03e1 Standard Test Method for Hydrocarbon Types in Liquid Petroleum Products by Fluorescent Indicator Adsorption - \(View Full Text\)](#)

[D1321-04 Standard Test Method for Needle Penetration of Petroleum Waxes - \(View Full Text\)](#)

[D1322-97\(2002\)e1 Standard Test Method for Smoke Point of Kerosine and Aviation Turbine Fuel - \(View Full Text\)](#)

[D1401-02 Standard Test Method for Water Separability of Petroleum Oils and Synthetic Fluids - \(View Full Text\)](#)

[D1403-02 Standard Test Methods for Cone Penetration of Lubricating Grease Using One-Quarter and One-Half Scale Cone Equipment - \(View Full Text\)](#)

[D1404/D1404M-99\(2003\) Standard Test Method for Estimation of Deleterious Particles in Lubricating Grease - \(View Full Text\)](#)

[D1405-01\(2006\) Standard Test Method for Estimation of Net Heat of Combustion of Aviation Fuels - \(View Full Text\)](#)

[D1465-04 Standard Test Method for Blocking and Picking Points of Petroleum Wax - \(View Full Text\)](#)

[D1478-02 Standard Test Method for Low-Temperature Torque of Ball Bearing Grease - \(View Full Text\)](#)

[D1480-02e1 Standard Test Method for Density and Relative Density \(Specific Gravity\) of Viscous Materials by Bingham Pycnometer - \(View Full Text\)](#)

[D1481-02 Standard Test Method for Density and Relative Density \(Specific Gravity\) of Viscous Materials by Lipkin Bicapillary Pycnometer - \(View Full Text\)](#)

[D1500-04a Standard Test Method for ASTM Color of Petroleum Products \(ASTM Color Scale\) - \(View Full Text\)](#)

[D1550-94\(2005\) Standard ASTM Butadiene Measurement Tables - \(View Full Text\)](#)

[D1552-03 Standard Test Method for Sulfur in Petroleum Products \(High-Temperature Method\) - \(View Full Text\)](#)

[D1655-06d Standard Specification for Aviation Turbine Fuels - \(View Full Text\)](#)

[D1657-02 Standard Test Method for Density or Relative Density of Light Hydrocarbons by Pressure Hydrometer - \(View Full Text\)](#)

[D1662-92\(2002\) Standard Test Method for Active Sulfur in Cutting Oils - \(View Full Text\)](#)

[D1740-01 Standard Test Method for Luminometer Numbers of Aviation Turbine Fuels - \(View Full Text\)](#)

[D1742-06 Standard Test Method for Oil Separation from Lubricating Grease During Storage - \(View Full Text\)](#)

[D1743-05ae1 Standard Test Method for Determining Corrosion Preventive Properties of Lubricating Greases - \(View Full Text\)](#)

[D1747-99\(2004\)e1 Standard Test Method for Refractive Index of Viscous Materials - \(View Full Text\)](#)

[D1748-02 Standard Test Method for Rust Protection by Metal Preservatives in the Humidity Cabinet - \(View Full Text\)](#)

[D1796-04 Standard Test Method for Water and Sediment in Fuel Oils by the Centrifuge Method \(Laboratory Procedure\) - \(View Full Text\)](#)

[D1831-00\(2006\) Standard Test Method for Roll Stability of Lubricating Grease - \(View Full Text\)](#)

[D1832-04 Standard Test Method for Peroxide Number of Petroleum Wax - \(View Full Text\)](#)

[D1833-87\(2004\) Standard Test Method for Odor of Petroleum Wax - \(View Full Text\)](#)

[D1835-05 Standard Specification for Liquefied Petroleum \(LP\) Gases - \(View Full Text\)](#)

[D1837-02a Standard Test Method for Volatility of Liquefied Petroleum \(LP\) Gases - \(View Full Text\)](#)

[D1838-06 Standard Test Method for Copper Strip Corrosion by Liquefied Petroleum \(LP\) Gases - \(View Full Text\)](#)

[D1839-91\(2005\) Standard Test Method for Amyl Nitrate in Diesel Fuels - \(View Full Text\)](#)

[D1840-03 Standard Test Method for Naphthalene Hydrocarbons in Aviation Turbine Fuels by Ultraviolet Spectrophotometry - \(View Full Text\)](#)

[D2001-92\(2002\) Standard Test Method for Depentanization of Gasoline and Naphthas - \(View Full Text\)](#)

[D2007-03 Standard Test Method for Characteristic Groups in Rubber Extender and Processing Oils and Other Petroleum-Derived Oils by the Clay-Gel Absorption Chromatographic Method - \(View Full Text\)](#)

[D2008-91\(2006\) Standard Test Method for Ultraviolet Absorbance and Absorptivity of Petroleum Products - \(View Full Text\)](#)

[D2068-04 Standard Test Method for Filter Plugging Tendency of Distillate Fuel Oils - \(View Full Text\)](#)

[D2070-91\(2006\) Standard Test Method for Thermal Stability of Hydraulic Oils - \(View Full Text\)](#)

[D2156-94\(2003\) Standard Test Method for Smoke Density in Flue Gases from Burning Distillate Fuels - \(View Full Text\)](#)

[D2157-94\(2003\) Standard Test Method for Effect of Air Supply on Smoke Density in Flue Gases From Burning Distillate Fuels - \(View Full Text\)](#)

[D2158-05 Standard Test Method for Residues in Liquefied Petroleum \(LP\) Gases - \(View Full Text\)](#)

[D2161-05 Standard Practice for Conversion of Kinematic Viscosity to Saybolt Universal Viscosity or to Saybolt Furol Viscosity - \(View Full Text\)](#)

[D2162-06 Standard Practice for Basic Calibration of Master Viscometers and Viscosity Oil Standards - \(View Full Text\)](#)

[D2265-06 Standard Test Method for Dropping Point of Lubricating Grease Over Wide Temperature Range - \(View Full Text\)](#)

[D2266-01 Standard Test Method for Wear Preventive Characteristics of Lubricating Grease \(Four-Ball Method\) - \(View Full Text\)](#)

[D2268-93\(2003\)e1 Standard Test Method for Analysis of High-Purity *n*-Heptane and Isooctane by Capillary Gas Chromatography - \(View Full Text\)](#)

[D2269-99\(2005\) Standard Test Method for Evaluation of White Mineral Oils by Ultraviolet Absorption - \(View Full Text\)](#)

[D2270-04 Standard Practice for Calculating Viscosity Index From Kinematic Viscosity at 40 and 100°C - \(View Full Text\)](#)

[D2272-02 Standard Test Method for Oxidation Stability of Steam Turbine Oils by Rotating Pressure Vessel - \(View Full Text\)](#)

[D2273-05 Standard Test Method for Trace Sediment in Lubricating Oils - \(View Full Text\)](#)

[D2274-03a Standard Test Method for Oxidation Stability of Distillate Fuel Oil \(Accelerated Method\) - \(View Full Text\)](#)

[D2276-06 Standard Test Method for Particulate Contaminant in Aviation Fuel by Line Sampling - \(View Full Text\)](#)

[D2318-98\(2003\) Standard Test Method for Quinoline-Insoluble \(QI\) Content of Tar and Pitch - \(View Full Text\)](#)

[D2319-98\(2003\) Standard Test Method for Softening Point of Pitch \(Cube-in-Air Method\) - \(View Full Text\)](#)

[D2320-98\(2003\) Standard Test Method for Density \(Relative Density\) of Solid Pitch \(Pycnometer Method\) - \(View Full Text\)](#)

[D2384-83\(2004\) Standard Test Methods for Traces of Volatile Chlorides in Butane-Butene Mixtures - \(View Full Text\)](#)

[D2386-06 Standard Test Method for Freezing Point of Aviation Fuels - \(View Full Text\)](#)

[D2392-96\(2006\) Standard Test Method for Color Of Dyed Aviation Gasolines - \(View Full Text\)](#)

[D2415-98\(2003\) Standard Test Method for Ash in Coal Tar and Pitch - \(View Full Text\)](#)

[D2416-84\(2004\) Standard Test Method for Coking Value of Tar and Pitch \(Modified Conradson\) - \(View Full Text\)](#)

[D2420-91\(2001\) Standard Test Method for Hydrogen Sulfide In Liquefied Petroleum \(LP\) Gases \(Lead Acetate Method\) - \(View Full Text\)](#)

[D2421-02 Standard Practice for Interconversion of Analysis of C₅ and Lighter Hydrocarbons to Gas-Volume, Liquid-Volume, or Weight Basis - \(View Full Text\)](#)

[D2422-97\(2002\) Standard Classification of Industrial Fluid Lubricants by Viscosity System - \(View Full Text\)](#)

[D2423-90\(2002\) Standard Test Method for Surface Wax on Waxed Paper or Paperboard - \(View Full Text\)](#)

[D2425-04 Standard Test Method for Hydrocarbon Types in Middle Distillates by Mass Spectrometry - \(View Full Text\)](#)

[D2426-93\(2004\)e1 Standard Test Method for Butadiene Dimer and Styrene in Butadiene Concentrates by Gas Chromatography - \(View Full Text\)](#)

[D2427-06 Standard Test Method for Determination of C₂ through C₅ Hydrocarbons in Gasolines by Gas Chromatography - \(View Full Text\)](#)

[D2500-05 Standard Test Method for Cloud Point of Petroleum Products - \(View Full Text\)](#)

[D2501-91\(2005\) Standard Test Method for Calculation of Viscosity-Gravity Constant \(VGC\) of Petroleum Oils - \(View Full Text\)](#)

[D2502-04 Standard Test Method for Estimation of Molecular Weight \(Relative Molecular Mass\) of Petroleum Oils From Viscosity Measurements - \(View Full Text\)](#)

[D2503-92\(2002\)e1 Standard Test Method for Relative Molecular Mass \(Molecular Weight\) of Hydrocarbons by Thermoelectric Measurement of Vapor Pressure - \(View Full Text\)](#)

[D2504-88\(2004\)e1 Standard Test Method for Noncondensable Gases in C₂ and Lighter Hydrocarbon Products by Gas Chromatography - \(View Full Text\)](#)

[D2505-88\(2004\)e1 Standard Test Method for Ethylene, Other Hydrocarbons, and Carbon Dioxide in High-Purity Ethylene by Gas Chromatography - \(View Full Text\)](#)

[D2509-03 Standard Test Method for Measurement of Load-Carrying Capacity of Lubricating Grease \(Timken Method\) - \(View Full Text\)](#)

[D2510-94\(2006\) Standard Test Method for Adhesion of Solid Film Lubricants - \(View Full Text\)](#)

[D2511-93\(2003\) Standard Test Method for Thermal Shock Sensitivity of Solid Film](#)

[Lubricants - \(View Full Text\)](#)
[D2532-03 Standard Test Method for Viscosity and Viscosity Change After Standing at Low Temperature of Aircraft Turbine Lubricants - \(View Full Text\)](#)
[D2533-99 Standard Test Method for Vapor-Liquid Ratio of Spark-Ignition Engine Fuels - \(View Full Text\)](#)
[D2534-88\(2004\) Standard Test Method for Coefficient of Kinetic Friction for Wax Coatings - \(View Full Text\)](#)
[D2549-02 Standard Test Method for Separation of Representative Aromatics and Nonaromatics Fractions of High-Boiling Oils by Elution Chromatography - \(View Full Text\)](#)
[D2593-93\(2004\)e1 Standard Test Method for Butadiene Purity and Hydrocarbon Impurities by Gas Chromatography - \(View Full Text\)](#)
[D2595-96\(2002\)e1 Standard Test Method for Evaporation Loss of Lubricating Greases Over Wide-Temperature Range - \(View Full Text\)](#)
[D2596-97\(2002\)e1 Standard Test Method for Measurement of Extreme-Pressure Properties of Lubricating Grease \(Four-Ball Method\) - \(View Full Text\)](#)
[D2597-94\(2004\) Standard Test Method for Analysis of Demethanized Hydrocarbon Liquid Mixtures Containing Nitrogen and Carbon Dioxide by Gas Chromatography - \(View Full Text\)](#)
[D2598-02 Standard Practice for Calculation of Certain Physical Properties of Liquefied Petroleum \(LP\) Gases from Compositional Analysis - \(View Full Text\)](#)
[D2603-01 Test Method for Sonic Shear Stability of Polymer-Containing Oils - \(View Full Text\)](#)
[D2619-95\(2002\)e1 Standard Test Method for Hydrolytic Stability of Hydraulic Fluids \(Beverage Bottle Method\) - \(View Full Text\)](#)
[D2622-05 Standard Test Method for Sulfur in Petroleum Products by Wavelength Dispersive X-ray Fluorescence Spectrometry - \(View Full Text\)](#)
[D2624-06a Standard Test Methods for Electrical Conductivity of Aviation and Distillate Fuels - \(View Full Text\)](#)
[D2625-94\(2003\) Standard Test Method for Endurance \(Wear\) Life and Load-Carrying Capacity of Solid Film Lubricants \(Falex Pin and Vee Method\) - \(View Full Text\)](#)
[D2638-06 Standard Test Method for Real Density of Calcined Petroleum Coke by Helium Pycnometer - \(View Full Text\)](#)
[D2649-04 Standard Test Method for Corrosion Characteristics of Solid Film Lubricants - \(View Full Text\)](#)
[D2650-04 Standard Test Method for Chemical Composition of Gases By Mass Spectrometry - \(View Full Text\)](#)
[D2669-06 Standard Test Method for Apparent Viscosity of Petroleum Waxes Compounded with Additives \(Hot Melts\) - \(View Full Text\)](#)
[D2670-95\(2004\) Standard Test Method for Measuring Wear Properties of Fluid Lubricants \(Falex Pin and Vee Block Method\) - \(View Full Text\)](#)
[D2709-96\(2006\) Standard Test Method for Water and Sediment in Middle Distillate Fuels by Centrifuge - \(View Full Text\)](#)
[D2710-99\(2004\)e1 Standard Test Method for Bromine Index of Petroleum Hydrocarbons by Electrometric Titration - \(View Full Text\)](#)
[D2711-01a Standard Test Method for Demulsibility Characteristics of Lubricating Oils - \(View Full Text\)](#)
[D2712-91\(2003\)e1 Standard Test Method for Hydrocarbon Traces in Propylene Concentrates By Gas Chromatography - \(View Full Text\)](#)
[D2713-91\(2001\) Standard Test Method for Dryness of Propane \(Valve Freeze Method\)](#)

[- \(View Full Text\)](#)

[D2714-94\(2003\) Standard Test Method for Calibration and Operation of the Falex Block-on-Ring Friction and Wear Testing Machine - \(View Full Text\)](#)

[D2715-92\(2002\) Standard Test Method for Volatilization Rates of Lubricants in Vacuum - \(View Full Text\)](#)

[D2717-95\(2005\) Standard Test Method for Thermal Conductivity of Liquids - \(View Full Text\)](#)

[D2764-99\(2004\)e1 Standard Test Method for Dimethylformamide-Insoluble \(DMF-I\) Content of Tar and Pitch - \(View Full Text\)](#)

[D2766-95\(2005\) Standard Test Method for Specific Heat of Liquids and Solids - \(View Full Text\)](#)

[D2779-92\(2002\) Standard Test Method for Estimation of Solubility of Gases in Petroleum Liquids - \(View Full Text\)](#)

[D2780-92\(2002\)e1 Standard Test Method for Solubility of Fixed Gases in Liquids - \(View Full Text\)](#)

[D2782-02e1 Standard Test Method for Measurement of Extreme-Pressure Properties of Lubricating Fluids \(Timken Method\) - \(View Full Text\)](#)

[D2783-03 Standard Test Method for Measurement of Extreme-Pressure Properties of Lubricating Fluids \(Four-Ball Method\) - \(View Full Text\)](#)

[D2784-06 Standard Test Method for Sulfur in Liquefied Petroleum Gases \(Oxy-Hydrogen Burner or Lamp\) - \(View Full Text\)](#)

[D2786-91\(2006\) Standard Test Method for Hydrocarbon Types Analysis of Gas-Oil Saturates Fractions by High Ionizing Voltage Mass Spectrometry - \(View Full Text\)](#)

[D2789-95\(2005\) Standard Test Method for Hydrocarbon Types in Low Olefinic Gasoline by Mass Spectrometry - \(View Full Text\)](#)

[D2878-95\(2005\) Standard Test Method for Estimating Apparent Vapor Pressures and Molecular Weights of Lubricating Oils - \(View Full Text\)](#)

[D2879-97\(2002\)e1 Standard Test Method for Vapor Pressure-Temperature Relationship and Initial Decomposition Temperature of Liquids by Isoteniscope - \(View Full Text\)](#)

[D2880-03 Standard Specification for Gas Turbine Fuel Oils - \(View Full Text\)](#)

[D2881-03 Standard Classification for Metal Working Fluids and Related Materials - \(View Full Text\)](#)

[D2883-95\(2005\) Standard Test Method for Reaction Threshold Temperature of Liquid and Solid Materials - \(View Full Text\)](#)

[D2884-93\(2002\) Standard Test Method for Yield Stress of Heterogeneous Propellants by Cone Penetration Method - \(View Full Text\)](#)

[D2887-06a Standard Test Method for Boiling Range Distribution of Petroleum Fractions by Gas Chromatography - \(View Full Text\)](#)

[D2889-95\(2005\)e1 Standard Test Method for Calculation of True Vapor Pressures of Petroleum Distillate Fuels - \(View Full Text\)](#)

[D2890-92\(2003\) Standard Test Method for Calculation of Liquid Heat Capacity of Petroleum Distillate Fuels - \(View Full Text\)](#)

[D2892-05 Standard Test Method for Distillation of Crude Petroleum \(15-Theoretical Plate Column\) - \(View Full Text\)](#)

[D2893-04 Standard Test Method for Oxidation Characteristics of Extreme-Pressure Lubrication Oils - \(View Full Text\)](#)

[D2896-07 Standard Test Method for Base Number of Petroleum Products by Potentiometric Perchloric Acid Titration - \(View Full Text\)](#)

[D2962-97\(2002\) Standard Test Method for Calculating Volume-Temperature Correction For Coal-Tar Pitches - \(View Full Text\)](#)

[D2981-94\(2003\) Standard Test Method for Wear Life of Solid Film Lubricants in Oscillating Motion - \(View Full Text\)](#)
[D2982-98\(2004\) Standard Test Methods for Detecting Glycol-Base Antifreeze in Used Lubricating Oils - \(View Full Text\)](#)
[D2983-04a Standard Test Method for Low-Temperature Viscosity of Lubricants Measured by Brookfield Viscometer - \(View Full Text\)](#)
[D3104-99\(2005\) Standard Test Method for Softening Point of Pitches \(Mettler Softening Point Method\) - \(View Full Text\)](#)
[D3115-95\(2005\) Standard Test Method for Explosive Reactivity of Lubricants with Aerospace Alloys Under High Shear - \(View Full Text\)](#)
[D3117-03 Standard Test Method for Wax Appearance Point of Distillate Fuels - \(View Full Text\)](#)
[D3120-06 Standard Test Method for Trace Quantities of Sulfur in Light Liquid Petroleum Hydrocarbons by Oxidative Microcoulometry - \(View Full Text\)](#)
[D3227-04a Standard Test Method for \(Thiol Mercaptan\) Sulfur in Gasoline, Kerosine, Aviation Turbine, and Distillate Fuels \(Potentiometric Method\) - \(View Full Text\)](#)
[D3228-05 Standard Test Method for Total Nitrogen in Lubricating Oils and Fuel Oils by Modified Kjeldahl Method - \(View Full Text\)](#)
[D3230-06 Standard Test Method for Salts in Crude Oil \(Electrometric Method\) - \(View Full Text\)](#)

[SI Quick Reference Guide: International System of Units \(SI\) - *The Modern Metric System* - \(View Full Text\)](#)

Withdrawn Standards

D1367 Standard Test Method for Lubricating Qualities of Graphites (Withdrawn 2006) No Replacement
D1834 Standard Test Method for 20° Specular Gloss of Waxed Paper (Withdrawn 2004) No Replacement
D2163 Standard Test Method for Analysis of Liquefied Petroleum (LP) Gases and Propene Concentrates by Gas Chromatography (Withdrawn 2005) No Replacement
D2271 Standard Test Method for Preliminary Examination of Hydraulic Fluids (Wear Test) (Withdrawn 2004) No Replacement
D2569 Standard Test Method for Distillation of Pitch (Withdrawn 2006) No Replacement
D2895 Standard Test Method for Gloss Retention of Waxed Paper and Paperboard After Storage at 40°C (104°F) (Withdrawn 2004) No Replacement