

Volume 15.02, April 2007
Glass; Ceramic Whitewares

Standards and Related Materials Contained in this Volume:

- [C146-94a\(2004\) Standard Test Methods for Chemical Analysis of Glass Sand - \(View Full Text\)](#)
- [C147-86\(2005\) Standard Test Methods for Internal Pressure Strength of Glass Containers - \(View Full Text\)](#)
- [C148-00\(2006\) Standard Test Methods for Polariscopic Examination of Glass Containers - \(View Full Text\)](#)
- [C149-86\(2005\) Standard Test Method for Thermal Shock Resistance of Glass Containers - \(View Full Text\)](#)
- [C158-02 Standard Test Methods for Strength of Glass by Flexure \(Determination of Modulus of Rupture\) - \(View Full Text\)](#)
- [C162-05 Standard Terminology of Glass and Glass Products - \(View Full Text\)](#)
- [C169-92\(2005\) Standard Test Methods for Chemical Analysis of Soda-Lime and Borosilicate Glass - \(View Full Text\)](#)
- [C224-78\(2004\)e1 Standard Practice for Sampling Glass Containers - \(View Full Text\)](#)
- [C225-85\(2004\) Standard Test Methods for Resistance of Glass Containers to Chemical Attack - \(View Full Text\)](#)
- [C242-01 Standard Terminology of Ceramic Whitewares and Related Products - \(View Full Text\)](#)
- [C322-03 Standard Practice for Sampling Ceramic Whiteware Clays - \(View Full Text\)](#)
- [C323-56\(2006\) Standard Test Methods for Chemical Analysis of Ceramic Whiteware Clays - \(View Full Text\)](#)
- [C324-01e1 Standard Test Method for Free Moisture in Ceramic Whiteware Clays - \(View Full Text\)](#)
- [C325-81\(1997\)e1 Standard Test Method for Wet Sieve Analysis of Ceramic Whiteware Clays - \(View Full Text\)](#)
- [C326-03 Standard Test Method for Drying and Firing Shrinkages of Ceramic Whiteware Clays - \(View Full Text\)](#)
- [C329-88\(2006\) Standard Test Method for Specific Gravity of Fired Ceramic Whiteware Materials - \(View Full Text\)](#)
- [C336-71\(2005\) Standard Test Method for Annealing Point and Strain Point of Glass by Fiber Elongation - \(View Full Text\)](#)
- [C338-93\(2003\) Standard Test Method for Softening Point of Glass - \(View Full Text\)](#)
- [C368-88\(2006\) Standard Test Method for Impact Resistance of Ceramic Tableware - \(View Full Text\)](#)
- [C370-88\(2006\) Standard Test Method for Moisture Expansion of Fired Whiteware Products - \(View Full Text\)](#)
- [C371-89\(2003\) Standard Test Method for Wire-Cloth Sieve Analysis of Nonplastic Ceramic Powders - \(View Full Text\)](#)
- [C372-94\(2001\)e1 Standard Test Method for Linear Thermal Expansion of Porcelain Enamel and Glaze Frits and Fired Ceramic Whiteware Products by the Dilatometer Method - \(View Full Text\)](#)
- [C373-88\(2006\) Standard Test Method for Water Absorption, Bulk Density, Apparent Porosity, and Apparent Specific Gravity of Fired Whiteware Products - \(View Full Text\)](#)
- [C408-88\(2006\) Standard Test Method for Thermal Conductivity of Whiteware](#)

[Ceramics - \(View Full Text\)](#)

[C424-93\(2006\) Standard Test Method for Craze Resistance of Fired Glazed](#)

[Whitewares by Autoclave Treatment - \(View Full Text\)](#)

[C429-01\(2006\) Standard Test Method for Sieve Analysis of Raw Materials for Glass](#)

[Manufacture - \(View Full Text\)](#)

[C482-02 Standard Test Method for Bond Strength of Ceramic Tile to Portland Cement -](#)

[\(View Full Text\)](#)

[C484-99\(2003\) Standard Test Method for Thermal Shock Resistance of Glazed](#)

[Ceramic Tile - \(View Full Text\)](#)

[C485-83\(2003\)e1 Standard Test Method for Measuring Warpage of Ceramic Tile -](#)

[\(View Full Text\)](#)

[C499-78\(2003\) Standard Test Method for Facial Dimensions and Thickness of Flat,](#)

[Rectangular Ceramic Wall and Floor Tile - \(View Full Text\)](#)

[C501-84\(2002\) Standard Test Method for Relative Resistance to Wear of Unglazed](#)

[Ceramic Tile by the Taber Abraser - \(View Full Text\)](#)

[C502-04 Standard Test Method for Wedging of Flat, Rectangular Ceramic Wall and](#)

[Floor Tile - \(View Full Text\)](#)

[C554-93\(2006\) Standard Test Method for Craze Resistance of Fired Glazed Ceramic](#)

[Whitewares by a Thermal Shock Method - \(View Full Text\)](#)

[C584-81\(2006\) Standard Test Method for Specular Gloss of Glazed Ceramic](#)

[Whitewares and Related Products - \(View Full Text\)](#)

[C598-93\(2003\) Standard Test Method for Annealing Point and Strain Point of Glass by](#)

[Beam Bending - \(View Full Text\)](#)

[C600-85\(2005\) Standard Test Method of Thermal Shock Test on Glass Pipe - \(View](#)

[Full Text\)](#)

[C601-85\(2005\) Standard Test Method for Pressure Test on Glass Pipe - \(View Full](#)

[Text\)](#)

[C609-90\(2000\) Standard Test Method for Measurement of Small Color Differences](#)

[Between Ceramic Wall or Floor Tile - \(View Full Text\)](#)

[C623-92\(2005\) Standard Test Method for Young's Modulus, Shear Modulus, and](#)

[Poisson's Ratio for Glass and Glass-Ceramics by Resonance - \(View Full Text\)](#)

[C627-93\(1999\)e1 Standard Test Method for Evaluating Ceramic Floor Tile Installation](#)

[Systems Using the Robinson-Type Floor Tester - \(View Full Text\)](#)

[C648-04 Standard Test Method for Breaking Strength of Ceramic Tile - \(View Full](#)

[Text\)](#)

[C650-04 Standard Test Method for Resistance of Ceramic Tile to Chemical Substances](#)

[- \(View Full Text\)](#)

[C657-93\(2003\) Standard Test Method for D-C Volume Resistivity of Glass - \(View](#)

[Full Text\)](#)

[C674-88\(2006\) Standard Test Methods for Flexural Properties of Ceramic Whiteware](#)

[Materials - \(View Full Text\)](#)

[C675-91\(2006\) Standard Test Method for Alkali Resistance of Ceramic Decorations on](#)

[Returnable Beverage Glass Containers - \(View Full Text\)](#)

[C676-04 Standard Test Method for Detergent Resistance of Ceramic Decorations on](#)

[Glass Tableware - \(View Full Text\)](#)

[C689-03a Standard Test Method for Modulus of Rupture of Unfired Clays - \(View Full](#)

[Text\)](#)

[C690-03 Standard Test Method for Particle Size Distribution of Alumina or Quartz by](#)

[Electric Sensing Zone Technique - \(View Full Text\)](#)

[C693-93\(2003\) Standard Test Method for Density of Glass by Buoyancy - \(View Full](#)

[Text\)](#)

[C724-91\(2005\) Standard Test Method for Acid Resistance of Ceramic Decorations on Architectural-Type Glass - \(View Full Text\)](#)

[C729-05 Standard Test Method for Density of Glass by the Sink-Float Comparator - \(View Full Text\)](#)

[C730-98\(2003\) Standard Test Method for Knoop Indentation Hardness of Glass - \(View Full Text\)](#)

[C735-04 Standard Test Method for Acid Resistance of Ceramic Decorations on Returnable Beer and Beverage Glass Containers - \(View Full Text\)](#)

[C738-94\(2006\) Standard Test Method for Lead and Cadmium Extracted from Glazed Ceramic Surfaces - \(View Full Text\)](#)

[C770-98\(2003\) Standard Test Method for Measurement of Glass Stress—Optical Coefficient - \(View Full Text\)](#)

[C773-88\(2006\) Standard Test Method for Compressive \(Crushing\) Strength of Fired Whiteware Materials - \(View Full Text\)](#)

[C777-04 Standard Test Method for Sulfide Resistance of Ceramic Decorations on Glass - \(View Full Text\)](#)

[C813-90\(2004\) Standard Test Method for Hydrophobic Contamination on Glass by Contact Angle Measurement - \(View Full Text\)](#)

[C824-91\(2005\) Standard Practice for Specimen Preparation for Determination of Linear Thermal Expansion of Vitreous Glass Enamels and Glass Enamel Frits by the Dilatometer Method - \(View Full Text\)](#)

[C829-81\(2005\) Standard Practices for Measurement of Liquidus Temperature of Glass by the Gradient Furnace Method - \(View Full Text\)](#)

[C837-99\(2003\) Standard Test Method for Methylene Blue Index of Clay - \(View Full Text\)](#)

[C848-88\(2006\) Standard Test Method for Young's Modulus, Shear Modulus, and Poisson's Ratio For Ceramic Whitewares by Resonance - \(View Full Text\)](#)

[C849-88\(2006\) Standard Test Method for Knoop Indentation Hardness of Ceramic Whitewares - \(View Full Text\)](#)

[C866-77\(2006\) Standard Test Method for Filtration Rate of Ceramic Whiteware Clays - \(View Full Text\)](#)

[C867-94\(2000\) Standard Test Method for Soluble Sulfate in Ceramic Whiteware Clays \(Photometric Method\) - \(View Full Text\)](#)

[C895-87\(2003\) Standard Test Method for Lead and Cadmium Extracted from Glazed Ceramic Tile - \(View Full Text\)](#)

[C912-93\(2003\) Standard Practice for Designing a Process for Cleaning Technical Glasses - \(View Full Text\)](#)

[C925-79\(2000\) Standard Test Method for Precision Electroformed Wet Sieve Analysis of Nonplastic Ceramic Powders - \(View Full Text\)](#)

[C927-80\(2004\) Standard Test Method for Lead and Cadmium Extracted from the Lip and Rim Area of Glass Tumblers Externally Decorated with Ceramic Glass Enamels - \(View Full Text\)](#)

[C949-80\(2000\) Standard Test Method for Porosity in Vitreous Whitewares by Dye Penetration - \(View Full Text\)](#)

[C958-92\(2000\) Standard Test Method for Particle Size Distribution of Alumina or Quartz by X-Ray Monitoring of Gravity Sedimentation - \(View Full Text\)](#)

[C965-96\(2002\) Standard Practice for Measuring Viscosity of Glass Above the Softening Point - \(View Full Text\)](#)

[C978-04 Standard Test Method for Photoelastic Determination of Residual Stress in a](#)

[Transparent Glass Matrix Using a Polarizing Microscope and Optical Retardation Compensation Procedures - \(View Full Text\)](#)

[C1023-87\(1999\) Standard Practice for Labeling Ceramic Art Materials for Chronic Adverse Health Hazards - \(View Full Text\)](#)

[C1026-87\(2002\) Standard Test Method for Measuring the Resistance of Ceramic Tile to Freeze-Thaw Cycling - \(View Full Text\)](#)

[C1027-99\(2004\) Standard Test Method for Determining Visible Abrasion Resistance of Glazed Ceramic Tile - \(View Full Text\)](#)

[C1028-06 Standard Test Method for Determining the Static Coefficient of Friction of Ceramic Tile and Other Like Surfaces by the Horizontal Dynamometer Pull-Meter Method - \(View Full Text\)](#)

[C1036-06 Standard Specification for Flat Glass - \(View Full Text\)](#)

[C1048-04 Standard Specification for Heat-Treated Flat Glass—Kind HS, Kind FT Coated and Uncoated Glass - \(View Full Text\)](#)

[C1053-00\(2005\) Standard Specification for Borosilicate Glass Pipe and Fittings for Drain, Waste, and Vent \(DWV\) Applications - \(View Full Text\)](#)

[C1069-86\(2004\)e1 Standard Test Method for Specific Surface Area of Alumina or Quartz by Nitrogen Adsorption - \(View Full Text\)](#)

[C1070-01 Standard Test Method for Determining Particle Size Distribution of Alumina or Quartz by Laser Light Scattering - \(View Full Text\)](#)

[C1172-03 Standard Specification for Laminated Architectural Flat Glass - \(View Full Text\)](#)

[C1182-91\(2001\) Standard Test Method for Determining the Particle Size Distribution of Alumina by Centrifugal Photosedimentation - \(View Full Text\)](#)

[C1203-04 Standard Test Method for Quantitative Determination of Alkali Resistance of a Ceramic-Glass Enamel - \(View Full Text\)](#)

[C1243-93\(2003\) Standard Test Method for Relative Resistance to Deep Abrasive Wear of Unglazed Ceramic Tile by Rotating Disc - \(View Full Text\)](#)

[C1256-93\(2003\) Standard Practice for Interpreting Glass Fracture Surface Features - \(View Full Text\)](#)

[C1279-05 Standard Test Method for Non-Destructive Photoelastic Measurement of Edge and Surface Stresses in Annealed, Heat-Strengthened, and Fully Tempered Flat Glass - \(View Full Text\)](#)

[C1300-95\(2001\) Standard Test Method for Linear Thermal Expansion of Glaze Frits and Ceramic Whiteware Materials by the Interferometric Method - \(View Full Text\)](#)

[C1349-04 Standard Specification for Architectural Flat Glass Clad Polycarbonate - \(View Full Text\)](#)

[C1350M-96\(2003\) Standard Test Method for Measurement of Viscosity of Glass Between Softening Point and Annealing Range \(Approximately \$10^8\$ Pa·s to Approximately \$10^{13}\$ Pa·s\) by Beam Bending \(Metric\) - \(View Full Text\)](#)

[C1351M-96\(2002\) Standard Test Method for Measurement of Viscosity of Glass Between \$10^4\$ Pa·s and \$10^8\$ Pa·s by Viscous Compression of a Solid Right Cylinder \[Metric\] - \(View Full Text\)](#)

[C1376-03 Standard Specification for Pyrolytic and Vacuum Deposition Coatings on Flat Glass - \(View Full Text\)](#)

[C1377-97\(2003\)e1 Standard Test Method for Calibration of Surface/Stress Measuring Devices - \(View Full Text\)](#)

[C1378-04 Standard Test Method for Determination of Resistance to Staining - \(View Full Text\)](#)

[C1422-99\(2005\)e1 Standard Specification for Chemically Strengthened Flat Glass -](#)

[\(View Full Text\)](#)

[C1426-99\(2004\) Standard Practices for Verification and Calibration of Polarimeters -](#)

[\(View Full Text\)](#)

[C1443-99\(2005\) Standard Specification for Glasses, Portlight, Circular, Fully Tempered](#)

[- \(View Full Text\)](#)

[C1464-06 Standard Specification for Bent Glass - \(View Full Text\)](#)

[C1466-00 Standard Test Method for Graphite Furnace Atomic Absorption](#)

[Spectrometric Determination of Lead and Cadmium Extracted from Ceramic Foodware](#)

[- \(View Full Text\)](#)

[C1503-01 Standard Specification for Silvered Flat Glass Mirror - \(View Full Text\)](#)

[C1505-01 Standard Test Method for Determination of Breaking Strength of Ceramic](#)

[Tiles by Three-Point Loading - \(View Full Text\)](#)

[C1509-02 Standard Specification for Beaded Process Glass Pipe and Fittings - \(View](#)

[Full Text\)](#)

[C1510-01 Standard Test Method for Color and Color Difference of Whitewares by](#)

[Abridged Spectrophotometry - \(View Full Text\)](#)

[C1545-02 Practice for Dispersing Pigments and Other Materials into Water-Based](#)

[Suspensions with a High Intensity Mixer - \(View Full Text\)](#)

[C1605-04 Standard Test Methods for Chemical Analysis of Ceramic Whiteware](#)

[Materials Using Wavelength Dispersive X-Ray Fluorescence Spectrometry - \(View Full](#)

[Text\)](#)

[C1606-04 Standard Test Method for Sampling Protocol for TCLP Testing of Container](#)

[Glassware - \(View Full Text\)](#)

[C1607-06 Standard Test Method for Determination of "Microwave Safe for Reheating"](#)

[for Ceramicware - \(View Full Text\)](#)

[C1648-06 Standard Guide for Choosing a Method for Determining the Index of](#)

[Refraction and Dispersion of Glass - \(View Full Text\)](#)

[C1652/C1652M-06 Standard Test Method for Measuring Optical Distortion in Flat](#)

[Glass Products Using Digital Photography of Grids - \(View Full Text\)](#)

[D116-86\(2006\) Standard Test Methods for Vitrified Ceramic Materials for Electrical](#)

[Applications - \(View Full Text\)](#)

[D2442-75\(2001\) Standard Specification for Alumina Ceramics for Electrical and](#)

[Electronic Applications - \(View Full Text\)](#)

[F14-80\(2005\) Standard Practice for Making and Testing Reference Glass-Metal Bead-](#)

[Seal - \(View Full Text\)](#)

[F79-69\(2005\) Standard Specification for Type 101 Sealing Glass - \(View Full Text\)](#)

[F105-72\(2005\) Standard Specification for Type 58 Borosilicate Sealing Glass - \(View](#)

[Full Text\)](#)

[F109-04 Standard Terminology Relating to Surface Imperfections on Ceramics - \(View](#)

[Full Text\)](#)

[F140-98\(2003\) Standard Practice for Making Reference Glass-Metal Butt Seals and](#)

[Testing for Expansion Characteristics by Polarimetric Methods - \(View Full Text\)](#)

[F144-80\(2005\) Standard Practice for Making Reference Glass-Metal Sandwich Seal and](#)

[Testing for Expansion Characteristics by Polarimetric Methods - \(View Full Text\)](#)

[F218-05 Standard Test Method for Analyzing Stress in Glass - \(View Full Text\)](#)

[SI Quick Reference Guide: International System of Units \(SI\) - *The Modern Metric*](#)

[System - \(View Full Text\)](#)

Withdrawn Standards

C483 Standard Test Method for Electrical Resistance of Conductive Ceramic Tile
(Withdrawn 2004) No Replacement