

# Contents

<i>Preface</i>	vii
1. Introduction	1
2. Classical Black Holes	7
2.1 Modeling the Gravitational Collapse . . . . .	7
2.1.1 The Oppenheimer–Snyder model . . . . .	11
2.1.2 Non-spherical collapse . . . . .	18
2.2 The Schwarzschild Black Hole . . . . .	20
2.2.1 Eddington–Finkelstein coordinates . . . . .	20
2.2.2 Kruskal coordinates . . . . .	23
2.3 Causal Structure and Penrose Diagrams . . . . .	26
2.3.1 Minkowski space . . . . .	27
2.3.2 Schwarzschild spacetime . . . . .	29
2.4 Kruskal and Locally Inertial Coordinates at the Horizons . . . . .	32
2.4.1 Redshift factors and surface gravity . . . . .	36
2.5 Charged Black Holes . . . . .	39
2.6 The Extremal Reissner–Nordström Black Hole . . . . .	46
2.7 Rotating Black Holes . . . . .	50
2.7.1 Energy extraction from rotating black holes: the Penrose process . . . . .	54
2.8 Trapped Surfaces, Apparent and Event Horizons . . . . .	56
2.8.1 The area law theorem . . . . .	59
2.9 The Laws of Black Hole Mechanics . . . . .	62
2.10 Stringy Black Holes . . . . .	66

3.	The Hawking Effect	73
3.1	Canonical Quantization in Minkowski Space . . . . .	73
3.2	Quantization in Curved Spacetimes . . . . .	75
3.2.1	Bogolubov transformations and particle production . . . . .	77
3.3	Hawking Radiation in Vaidya Spacetime . . . . .	81
3.3.1	Ingoing and outgoing modes . . . . .	85
3.3.2	Wave packets . . . . .	89
3.3.3	Wick rotation . . . . .	93
3.3.4	Planck spectrum . . . . .	96
3.3.5	Uncorrelated thermal radiation . . . . .	98
3.3.6	Where are the correlations? . . . . .	101
3.3.7	Thermal density matrix . . . . .	106
3.4	Including the Backscattering . . . . .	107
3.4.1	Waves in the Schwarzschild geometry . . . . .	108
3.4.2	Late-time basis to accommodate backscattering . . . . .	111
3.4.3	Thermal radiation and grey-body factors . . . . .	114
3.4.4	Estimations for the luminosity . . . . .	116
3.4.4.1	Emission of massless and massive particles .	118
3.5	Importance of the Backreaction . . . . .	118
3.6	Late-Time Independence on the Details of the Collapse . . . . .	119
3.6.1	The example of two shock waves . . . . .	119
3.6.2	Geometric optics approximation . . . . .	122
3.6.3	General collapse . . . . .	125
3.6.4	Adding angular momentum and charge . . . . .	126
3.7	Black Hole Thermodynamics . . . . .	128
3.8	Physical Implications of Black Hole Radiance and the Information Loss Paradox . . . . .	131
3.8.1	Black hole evaporation . . . . .	131
3.8.2	Breakdown of quantum predictability . . . . .	132
3.8.3	Alternatives to restore quantum predictability . . . . .	137
4.	Near-Horizon Approximation and Conformal Symmetry	145
4.1	Rindler Space . . . . .	146
4.2	Conformal Symmetry, Stress Tensor and Particle Number . . . . .	148
4.2.1	The normal ordered stress “tensor” operator . . . . .	153
4.2.2	The $\text{SO}(d,2)$ conformal group and Möbius transformations . . . . .	154
4.2.2.1	Infinitesimal transformations . . . . .	156

4.2.3	The particle number operator . . . . .	157
4.3	Radiation in Rindler Space: Hawking and Unruh Effects . . . . .	159
4.3.1	The Hawking effect . . . . .	161
4.3.1.1	Correlation functions and thermal radiation	163
4.3.2	Radiation through the horizon . . . . .	165
4.3.3	The Unruh effect . . . . .	166
4.3.3.1	Unruh modes . . . . .	169
4.3.3.2	Möbius invariance of the vacuum state . . . . .	171
4.3.4	Three different vacuum states . . . . .	172
4.4	Anti-de Sitter Space as a Near-Horizon Geometry . . . . .	173
4.4.1	Extremal black holes . . . . .	174
4.4.2	Near-extremal black holes . . . . .	176
4.5	Radiation in Anti-de Sitter Space: the Hawking Effect . . . . .	177
4.5.1	Three vacuum states . . . . .	183
4.6	The Moving-Mirror Analogy for the Hawking Effect . . . . .	183
4.6.1	Exponential trajectory: thermal radiation . . . . .	185
4.6.2	Radiationless trajectories . . . . .	187
4.6.2.1	Hyperbolic trajectories . . . . .	188
4.6.3	Asymptotically inertial trajectories and unitarity . . . . .	189
5.	Stress Tensor, Anomalies and Effective Actions	193
5.1	Relating the Virasoro and Trace Anomalies via Locally Inertial Coordinates . . . . .	195
5.2	The Polyakov Effective Action . . . . .	203
5.2.1	The role of the Weyl-invariant effective action . . . . .	206
5.3	Choice of the Quantum State . . . . .	208
5.3.1	Boulware state . . . . .	209
5.3.2	Hartle–Hawking state . . . . .	210
5.3.3	The “in” and Unruh vacuum states: the Hawking flux	212
5.3.3.1	“in” vacuum state . . . . .	212
5.3.3.2	Unruh state . . . . .	214
5.4	Including the Backscattering in the Stress Tensor: the s-wave	216
5.4.1	Two-dimensional symmetries . . . . .	218
5.4.2	The normal ordered stress tensor . . . . .	219
5.4.2.1	Transformation laws . . . . .	220
5.4.3	The covariant quantum stress tensor . . . . .	222
5.4.4	Effective action . . . . .	225
5.4.4.1	Anomaly induced effective action . . . . .	225
5.4.4.2	The Weyl-invariant effective action . . . . .	226

5.4.5	Quantum states and Hawking flux . . . . .	229
5.4.5.1	Boulware state . . . . .	230
5.4.5.2	Hartle–Hawking state . . . . .	231
5.4.5.3	The “in” and Unruh vacuum states: Hawking flux with backscattering . . . . .	232
5.5	Beyond the <i>s</i> -wave Approximation . . . . .	234
5.6	The Problem of Backreaction . . . . .	235
5.6.1	Backreaction equations from spherical reduction . .	235
5.6.2	The problem of determining the state-dependent functions . . . . .	238
5.6.3	Returning to the near-horizon approximation . . .	241
6.	Models for Evaporating Black Holes	243
6.1	The Near Horizon Approximation . . . . .	245
6.1.1	Schwarzschild . . . . .	245
6.1.2	Near-extremal Reissner–Nordström black holes: the JT model . . . . .	248
6.1.3	Near-extremal dilaton black holes . . . . .	249
6.1.3.1	Einstein frame . . . . .	250
6.1.3.2	String frame: the CGHS model . . . . .	252
6.2	The CGHS Model . . . . .	253
6.2.1	The CGHS black hole . . . . .	253
6.2.1.1	Free field . . . . .	255
6.2.1.2	Linear dilaton vacuum . . . . .	256
6.2.1.3	Black hole solutions . . . . .	257
6.2.1.4	CGHS and four-dimensional dilaton black holes .	259
6.2.1.5	CGHS and Schwarzschild black holes . . . . .	260
6.2.2	Including matter fields . . . . .	261
6.2.2.1	Dynamical black hole solutions . . . . .	263
6.2.2.2	Singularities, event and apparent horizons .	264
6.2.3	Bogolubov coefficients and Hawking radiation . .	265
6.2.4	Quantum states for the CGHS black hole . . . .	270
6.2.4.1	Boulware state . . . . .	271
6.2.4.2	Hartle–Hawking state . . . . .	272
6.2.4.3	Unruh state . . . . .	273
6.2.4.4	“in” vacuum state . . . . .	273
6.3	The Problem of Backreaction in the CGHS Model . . . .	274
6.3.1	State-dependent functions for evaporating black holes	276
6.3.2	The RST model . . . . .	278

6.3.2.1	Liouville fields . . . . .	279
6.3.2.2	General solution . . . . .	280
6.3.2.3	Semiclassical static solutions . . . . .	281
6.3.2.4	Backreaction in the Unruh state . . . . .	283
6.3.3	Black hole evaporation in the RST model . . . . .	286
6.3.3.1	Information loss in the RST model . . . . .	290
6.3.3.2	Is the picture of RST black hole evaporation generic? . . . . .	295
6.4	The Semiclassical JT Model . . . . .	296
6.4.1	Extremal solution . . . . .	298
6.4.2	Semiclassical static solutions . . . . .	299
6.4.3	General solutions . . . . .	301
6.4.4	Black hole evaporation in the JT model . . . . .	303
6.4.4.1	First approximation for the state-dependent functions . . . . .	303
6.4.4.2	Exact treatment for the state-dependent functions . . . . .	308
6.4.5	Beyond the near-horizon approximation and Hawking radiation . . . . .	313
6.4.6	Information loss in the JT model . . . . .	315
6.4.7	Unitarity in the semiclassical approximation? . . . . .	316
	<i>Bibliography</i>	319
	<i>Index</i>	331