

Volume 02.04, June 2007

Nonferrous Metals - Nickel, Cobalt, Lead, Tin, Zinc, Cadmium, Precious, Reactive, Refractory Metals and Alloys; Materials for Thermostats, Electrical Heating and Resistance Contacts, and Connectors

Standards and Related Materials Contained in this Volume:

- [B6-06 Standard Specification for Zinc - \(View Full Text\)](#)
- [B23-00\(2005\) Standard Specification for White Metal Bearing Alloys \(Known Commercially as "Babbitt Metal"\) - \(View Full Text\)](#)
- [B29-03 Standard Specification for Refined Lead - \(View Full Text\)](#)
- [B32-04 Standard Specification for Solder Metal - \(View Full Text\)](#)
- [B39-79\(2004\) Standard Specification for Nickel - \(View Full Text\)](#)
- [B63-90\(2001\) Standard Test Method for Resistivity of Metallically Conducting Resistance and Contact Materials - \(View Full Text\)](#)
- [B69-01a\(2005\) Standard Specification for Rolled Zinc - \(View Full Text\)](#)
- [B70-90\(2007\) Standard Test Method for Change of Resistance With Temperature of Metallic Materials for Electrical Heating - \(View Full Text\)](#)
- [B76-90\(2007\) Standard Test Method for Accelerated Life of Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating - \(View Full Text\)](#)
- [B77-81\(2001\) Standard Test Method for Thermoelectric Power of Electrical-Resistance Alloys - \(View Full Text\)](#)
- [B78-90\(2007\) Standard Test Method of Accelerated Life of Iron-Chromium-Aluminum Alloys for Electrical Heating - \(View Full Text\)](#)
- [B84-90\(2001\) Standard Test Method for Temperature-Resistance Constants of Alloy Wires for Precision Resistors - \(View Full Text\)](#)
- [B86-06 Standard Specification for Zinc and Zinc-Aluminum \(ZA\) Alloy Foundry and Die Castings - \(View Full Text\)](#)
- [B102-00\(2005\) Standard Specification for Lead- and Tin-Alloy Die Castings - \(View Full Text\)](#)
- [B106-96\(2002\)e1 Standard Test Methods for Flexivity of Thermostat Metals - \(View Full Text\)](#)
- [B114-90\(2001\) Standard Test Method for Temperature-Resistance Constants of Sheet Materials for Shunts and Precision Resistors - \(View Full Text\)](#)
- [B127-05 Standard Specification for Nickel-Copper Alloy \(UNS N04400\) Plate, Sheet, and Strip - \(View Full Text\)](#)
- [B160-05 Standard Specification for Nickel Rod and Bar - \(View Full Text\)](#)
- [B161-05 Standard Specification for Nickel Seamless Pipe and Tube - \(View Full Text\)](#)
- [B162-99\(2005\) Standard Specification for Nickel Plate, Sheet, and Strip - \(View Full Text\)](#)
- [B163-04 Standard Specification for Seamless Nickel and Nickel Alloy Condenser and Heat-Exchanger Tubes - \(View Full Text\)](#)
- [B164-03 Standard Specification for Nickel-Copper Alloy Rod, Bar, and Wire - \(View Full Text\)](#)
- [B165-05 Standard Specification for Nickel-Copper Alloy \(UNS N04400\)* Seamless](#)

[Pipe and Tube - \(View Full Text\)](#)

[B166-06 Standard Specification for Nickel-Chromium-Iron Alloys \(UNS N06600, N06601, N06603, N06690, N06693, N06025, and N06045\)* and Nickel-Chromium-Cobalt-Molybdenum Alloy \(UNS N06617\) Rod, Bar, and Wire - \(View Full Text\)](#)

[B167-06 Standard Specification for Nickel-Chromium-Iron Alloys \(UNS N06600, N06601, N06603, N06690, N06693, N06025, and N06045\)* and Nickel-Chromium-Cobalt-Molybdenum Alloy \(UNS N06617\) Seamless Pipe and Tube - \(View Full Text\)](#)

[B168-06 Standard Specification for Nickel-Chromium-Iron Alloys \(UNS N06600, N06601, N06603, N06690, N06693, N06025, and N06045\) and Nickel-Chromium-Cobalt-Molybdenum Alloy \(UNS N06617\) Plate, Sheet, and Strip - \(View Full Text\)](#)

[B223-03 Standard Test Method for Modulus of Elasticity of Thermostat Metals \(Cantilever Beam Method\) - \(View Full Text\)](#)

[B237-01\(2006\) Standard Specification for Refined Antimony - \(View Full Text\)](#)

[B240-06 Standard Specification for Zinc and Zinc-Aluminum \(ZA\) Alloys in Ingot Form for Foundry and Die Castings - \(View Full Text\)](#)

[B265-06b Standard Specification for Titanium and Titanium Alloy Strip, Sheet, and Plate - \(View Full Text\)](#)

[B267-90\(2001\) Standard Specification for Wire for Use In Wire-Wound Resistors - \(View Full Text\)](#)

[B277-95\(2006\) Standard Test Method for Hardness of Electrical Contact Materials - \(View Full Text\)](#)

[B299-01 Standard Specification for Titanium Sponge - \(View Full Text\)](#)

[B327-01\(2005\) Standard Specification for Master Alloys Used in Making Zinc Die Casting Alloys - \(View Full Text\)](#)

[B333-03 Standard Specification for Nickel-Molybdenum Alloy Plate, Sheet, and Strip - \(View Full Text\)](#)

[B335-03 Standard Specification for Nickel-Molybdenum Alloy Rod - \(View Full Text\)](#)

[B338-06a Standard Specification for Seamless and Welded Titanium and Titanium Alloy Tubes for Condensers and Heat Exchangers - \(View Full Text\)](#)

[B339-00\(2005\) Standard Specification for Pig Tin - \(View Full Text\)](#)

[B344-01 Standard Specification for Drawn or Rolled Nickel-Chromium and Nickel-Chromium-Iron Alloys for Electrical Heating Elements - \(View Full Text\)](#)

[B348-06a Standard Specification for Titanium and Titanium Alloy Bars and Billets - \(View Full Text\)](#)

[B349/B349M-03 Standard Specification for Zirconium Sponge and Other Forms of Virgin Metal for Nuclear Application - \(View Full Text\)](#)

[B350/B350M-02\(2006\) Standard Specification for Zirconium and Zirconium Alloy Ingots for Nuclear Application - \(View Full Text\)](#)

[B351/B351M-02 Standard Specification for Hot-Rolled and Cold-Finished Zirconium and Zirconium Alloy Bars, Rod, and Wire for Nuclear Application - \(View Full Text\)](#)

[B352/B352M-02\(2006\) Standard Specification for Zirconium and Zirconium Alloy Sheet, Strip, and Plate for Nuclear Application - \(View Full Text\)](#)

[B353-02 Standard Specification for Wrought Zirconium and Zirconium Alloy Seamless and Welded Tubes for Nuclear Service \(Except Nuclear Fuel Cladding\) - \(View Full Text\)](#)

[B362-91\(2003\) Standard Test Method for Mechanical Torque Rate of Spiral Coils of Thermostat Metal - \(View Full Text\)](#)

[B363-06a Standard Specification for Seamless and Welded Unalloyed Titanium and Titanium Alloy Welding Fittings - \(View Full Text\)](#)

[B364-96\(2002\) Standard Specification for Tantalum and Tantalum Alloy Ingots - \(View](#)

[Full Text](#))

[B365-98\(2004\) Standard Specification for Tantalum and Tantalum Alloy Rod and Wire - \(View Full Text\)](#)

[B366-04be1 Standard Specification for Factory-Made Wrought Nickel and Nickel Alloy Fittings - \(View Full Text\)](#)

[B367-06 Standard Specification for Titanium and Titanium Alloy Castings - \(View Full Text\)](#)

[B381-06a Standard Specification for Titanium and Titanium Alloy Forgings - \(View Full Text\)](#)

[B386-03 Standard Specification for Molybdenum and Molybdenum Alloy Plate, Sheet, Strip, and Foil - \(View Full Text\)](#)

[B387-90\(2001\) Standard Specification for Molybdenum and Molybdenum Alloy Bar, Rod, and Wire - \(View Full Text\)](#)

[B388-06 Standard Specification for Thermostat Metal Sheet and Strip - \(View Full Text\)](#)

[B389-81\(2004\) Standard Test Method for Thermal Deflection Rate of Spiral and Helical Coils of Thermostat Metal - \(View Full Text\)](#)

[B391-03 Standard Specification for Niobium and Niobium Alloy Ingots - \(View Full Text\)](#)

[B392-03 Standard Specification for Niobium and Niobium Alloy Bar, Rod, and Wire - \(View Full Text\)](#)

[B393-05 Standard Specification for Niobium and Niobium Alloy Strip, Sheet, and Plate - \(View Full Text\)](#)

[B394-03 Standard Specification for Niobium and Niobium Alloy Seamless and Welded Tubes - \(View Full Text\)](#)

[B407-04 Standard Specification for Nickel-Iron-Chromium Alloy Seamless Pipe and Tube - \(View Full Text\)](#)

[B408-06 Standard Specification for Nickel-Iron-Chromium Alloy Rod and Bar - \(View Full Text\)](#)

[B409-06 Standard Specification for Nickel-Iron-Chromium Alloy Plate, Sheet, and Strip - \(View Full Text\)](#)

[B413-97a\(2003\) Standard Specification for Refined Silver - \(View Full Text\)](#)

[B418-06 Standard Specification for Cast and Wrought Galvanic Zinc Anodes - \(View Full Text\)](#)

[B423-05 Standard Specification for Nickel-Iron-Chromium-Molybdenum-Copper Alloy \(UNS N08825 and N08221\)* Seamless Pipe and Tube - \(View Full Text\)](#)

[B424-05 Standard Specification for Ni-Fe-Cr-Mo-Cu Alloy \(UNS N08825 and UNS N08221\)* Plate, Sheet, and Strip - \(View Full Text\)](#)

[B425-99\(2005\) Standard Specification for Ni-Fe-Cr-Mo-Cu Alloy \(UNS N08825 and UNS N08221\) Rod and Bar - \(View Full Text\)](#)

[B434-06 Standard Specification for Nickel-Molybdenum-Chromium-Iron Alloys \(UNS N10003, UNS N10242\)* Plate, Sheet, and Strip - \(View Full Text\)](#)

[B435-06 Standard Specification for UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Plate, Sheet, and Strip - \(View Full Text\)](#)

[B440-00\(2005\) Standard Specification for Cadmium - \(View Full Text\)](#)

[B443-00\(2005\) Standard Specification for Nickel-Chromium-Molybdenum-Columbium Alloy \(UNS N06625\) and Nickel-Chromium-Molybdenum-Silicon Alloy \(UNS N06219\)* Plate, Sheet, and Strip - \(View Full Text\)](#)

[B444-06 Standard Specification for Nickel-Chromium-Molybdenum-Columbium Alloys \(UNS N06625 and UNS N06852\) and Nickel-Chromium-Molybdenum-Silicon](#)

[Alloy \(UNS N06219\) Pipe and Tube - \(View Full Text\)](#)
[B446-03 Standard Specification for Nickel-Chromium-Molybdenum-Columbium Alloy \(UNS N06625\), Nickel-Chromium-Molybdenum-Silicon Alloy \(UNS N06219\), and Nickel-Chromium-Molybdenum-Tungsten Alloy \(UNS N06650\)* Rod and Bar - \(View Full Text\)](#)
[B462-06 Specification for Forged or Rolled UNS N06030,N06022,N06035,N06200,N06059,N06686,N08020,N08024,N08026,N08367,N10276,N10665, N10675,N10629, N08031,N06045, N06025, & R20033 Alloy Pipe Flanges, Forged Fitting, & Valves & Parts for Corrosive - \(View Full Text\)](#)
[B463-04 Standard Specification for UNS N08020, UNS N08026, and UNS N08024 Alloy Plate, Sheet, and Strip - \(View Full Text\)](#)
[B464-05 Standard Specification for Welded UNS N08020, N08024, and N08026 Alloy Pipe - \(View Full Text\)](#)
[B468-04 Standard Specification for Welded UNS N08020, N08024, and N08026 Alloy Tubes - \(View Full Text\)](#)
[B472-04a Standard Specification for Nickel Alloy Billets and Bars for Reforging - \(View Full Text\)](#)
[B473-96\(2002\)e1 Standard Specification for UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Bar and Wire - \(View Full Text\)](#)
[B474-03 Standard Specification for Electric Fusion Welded Nickel and Nickel Alloy Pipe - \(View Full Text\)](#)
[B475-96\(2002\)e1 Standard Specification for UNS N08020, UNS N08024, and UNS N08026 Nickel Alloy Round Weaving Wire - \(View Full Text\)](#)
[B476-01\(2006\) Standard Specification for General Requirements for Wrought Precious Metal Electrical Contact Materials - \(View Full Text\)](#)
[B477-97\(2002\) Standard Specification for Gold-Silver-Nickel Electrical Contact Alloy - \(View Full Text\)](#)
[B478-85\(2003\) Standard Test Method for Cross Curvature of Thermostat Metals - \(View Full Text\)](#)
[B493-01\(2003\) Standard Specification for Zirconium and Zirconium Alloy Forgings - \(View Full Text\)](#)
[B494/B494M-03 Standard Specification for Primary Zirconium - \(View Full Text\)](#)
[B495-05 Standard Specification for Zirconium and Zirconium Alloy Ingots - \(View Full Text\)](#)
[B497-00\(2006\) Standard Guide for Measuring Voltage Drop on Closed Arcing Contacts - \(View Full Text\)](#)
[B511-01\(2005\) Standard Specification for Nickel-Iron-Chromium-Silicon Alloy Bars and Shapes - \(View Full Text\)](#)
[B512-04 Standard Specification for Nickel-Chromium-Silicon Alloy \(UNS N08330\) Billets and Bars - \(View Full Text\)](#)
[B514-05 Standard Specification for Welded Nickel-Iron-Chromium Alloy Pipe - \(View Full Text\)](#)
[B515-95\(2002\) Standard Specification for Welded UNS N08120, UNS N08800, UNS N08810, and UNS N08811 Alloy Tubes - \(View Full Text\)](#)
[B516-03 Standard Specification for Welded Nickel-Chromium-Iron Alloy \(UNS N06600, UNS N06603, UNS N06025, and UNS N06045\) Tubes - \(View Full Text\)](#)
[B517-05 Standard Specification for Welded Nickel-Chromium-Iron-Alloy \(UNS N06600, UNS N06603, UNS N06025, and UNS N06045\) Pipe - \(View Full Text\)](#)
[B521-98\(2004\) Standard Specification for Tantalum and Tantalum Alloy Seamless and Welded Tubes - \(View Full Text\)](#)

[B522-01\(2006\) Standard Specification for Gold-Silver-Platinum Electrical Contact Alloy - \(View Full Text\)](#)

[B523/B523M-06 Standard Specification for Seamless and Welded Zirconium and Zirconium Alloy Tubes - \(View Full Text\)](#)

[B535-06 Standard Specification for Nickel-Iron-Chromium-Silicon Alloys \(UNS N08330 and N08332\) Seamless Pipe and Tube - \(View Full Text\)](#)

[B536-02 Standard Specification for Nickel-Iron-Chromium-Silicon Alloys \(UNS N08330 and N08332\) Plate, Sheet, and Strip - \(View Full Text\)](#)

[B539-02e1 Standard Test Methods for Measuring Resistance of Electrical Connections \(Static Contacts\) - \(View Full Text\)](#)

[B540-97\(2002\) Standard Specification for Palladium Electrical Contact Alloy - \(View Full Text\)](#)

[B541-01\(2006\) Standard Specification for Gold Electrical Contact Alloy - \(View Full Text\)](#)

[B542-04 Standard Terminology Relating to Electrical Contacts and Their Use - \(View Full Text\)](#)

[B546-04 Standard Specification for Electric Fusion-Welded Ni-Cr-Co-Mo Alloy \(UNS N06617\), Ni-Fe-Cr-Si Alloys \(UNS N08330 and UNS N08332\), Ni-Cr-Fe-Al Alloy \(UNS N06603\), Ni-Cr-Fe Alloy \(UNS N06025\), and Ni-Cr-Fe-Si Alloy \(UNS N06045\) Pipe - \(View Full Text\)](#)

[B550/B550M-02 Standard Specification for Zirconium and Zirconium Alloy Bar and Wire - \(View Full Text\)](#)

[B551/B551M-04e1 Standard Specification for Zirconium and Zirconium Alloy Strip, Sheet, and Plate - \(View Full Text\)](#)

[B560-00\(2005\) Standard Specification for Modern Pewter Alloys - \(View Full Text\)](#)

[B561-94\(2005\) Standard Specification for Refined Platinum - \(View Full Text\)](#)

[B562-95\(2005\) Standard Specification for Refined Gold - \(View Full Text\)](#)

[B563-01\(2006\) Standard Specification for Palladium-Silver-Copper Electrical Contact Alloy - \(View Full Text\)](#)

[B564-06a Standard Specification for Nickel Alloy Forgings - \(View Full Text\)](#)

[B572-06 Standard Specification for UNS N06002, UNS N06230, UNS N12160, and UNS R30556 Rod - \(View Full Text\)](#)

[B573-06 Standard Specification for Nickel-Molybdenum-Chromium-Iron Alloys \(UNS N10003, N10242\)* Rod - \(View Full Text\)](#)

[B574-06e1 Standard Specification for Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Molybdenum-Chromium-Tantalum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Rod - \(View Full Text\)](#)

[B575-06 Standard Specification for Low-Carbon Nickel-Chromium-Molybdenum, Low-Carbon Nickel-Chromium-Molybdenum-Copper, Low-Carbon Nickel-Chromium-Molybdenum-Tantalum, and Low-Carbon Nickel-Chromium-Molybdenum-Tungsten Alloy Plate, Sheet, and Strip - \(View Full Text\)](#)

[B576-94\(2005\) Standard Guide for Arc Erosion Testing of Electrical Contact Materials - \(View Full Text\)](#)

[B581-02 Standard Specification for Nickel-Chromium-Iron-Molybdenum-Copper Alloy Rod - \(View Full Text\)](#)

[B582-02 Standard Specification for Nickel-Chromium-Iron-Molybdenum-Copper Alloy Plate, Sheet, and Strip - \(View Full Text\)](#)

[B589-94\(2005\) Standard Specification for Refined Palladium - \(View Full Text\)](#)

[B596-89\(2006\) Standard Specification for Gold-Copper Alloy Electrical Contact](#)

[Material - \(View Full Text\)](#)

[B599-92\(2003\)e1 Standard Specification for Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy \(UNS N08700\) Plate, Sheet, and Strip - \(View Full Text\)](#)

[B600-91\(2002\)e1 Standard Guide for Descaling and Cleaning Titanium and Titanium Alloy Surfaces - \(View Full Text\)](#)

[B603-90\(2001\) Standard Specification for Drawn or Rolled Iron-Chromium-Aluminum Alloys for Electrical Heating Elements - \(View Full Text\)](#)

[B613-76\(2006\) Standard Guide for Preparing Specifications for Miniature Brushes of Composite Materials for Sliding Electric Contacts - \(View Full Text\)](#)

[B614-05 Standard Practice for Descaling and Cleaning Zirconium and Zirconium Alloy Surfaces - \(View Full Text\)](#)

[B615-79\(2006\) Standard Practice for Measuring Electrical Contact Noise in Sliding Electrical Contacts - \(View Full Text\)](#)

[B616-96\(2006\) Standard Specification for Refined Rhodium - \(View Full Text\)](#)

[B617-98\(2004\) Standard Specification for Coin Silver Electrical Contact Alloy - \(View Full Text\)](#)

[B619-06 Standard Specification for Welded Nickel and Nickel-Cobalt Alloy Pipe - \(View Full Text\)](#)

[B620-03 Standard Specification for Nickel-Iron-Chromium-Molybdenum Alloy \(UNS N08320\) Plate, Sheet, and Strip - \(View Full Text\)](#)

[B621-02\(2006\) Standard Specification for Nickel-Iron-Chromium-Molybdenum Alloy \(UNS N08320\) Rod - \(View Full Text\)](#)

[B622-06 Standard Specification for Seamless Nickel and Nickel-Cobalt Alloy Pipe and Tube - \(View Full Text\)](#)

[B625-05 Standard Specification for UNS N08925, UNS N08031, UNS N08932, UNS N08926, UNS N08354, and UNS R20033 Plate, Sheet, and Strip - \(View Full Text\)](#)

[B626-06 Standard Specification for Welded Nickel and Nickel-Cobalt Alloy Tube - \(View Full Text\)](#)

[B628-98\(2004\) Standard Specification for Silver-Copper Eutectic Electrical Contact Alloy - \(View Full Text\)](#)

[B631-93\(2004\) Standard Specification for Silver-Tungsten Electrical Contact Materials - \(View Full Text\)](#)

[B637-06 Standard Specification for Precipitation-Hardening Nickel Alloy Bars, Forgings, and Forging Stock for High-Temperature Service - \(View Full Text\)](#)

[B639-02 Standard Specification for Precipitation Hardening Cobalt-Containing Alloys \(UNS R30155 and UNS R30816\) Rod, Bar, Forgings, and Forging Stock for High-Temperature Service - \(View Full Text\)](#)

[B649-06 Standard Specification for Ni-Fe-Cr-Mo-Cu-N Low-Carbon Alloys \(UNS N08925, UNS N08031, UNS N08354, and UNS N08926\), and Cr-Ni-Fe-N Low-Carbon Alloy \(UNS R20033\) Bar and Wire, and Ni-Cr-Fe-Mo-N Alloy \(UNS N08936\) Wire - \(View Full Text\)](#)

[B652/B652M-04 Standard Specification for Niobium-Hafnium Alloy Ingots - \(View Full Text\)](#)

[B653/B653M-06 Standard Specification for Seamless and Welded Zirconium and Zirconium Alloy Welding Fittings - \(View Full Text\)](#)

[B654/B654M-04 Standard Specification for Niobium-Hafnium Alloy Foil, Sheet, Strip, and Plate - \(View Full Text\)](#)

[B655/B655M-04 Standard Specification for Niobium-Hafnium Alloy Bar, Rod, and Wire - \(View Full Text\)](#)

[B658/B658M-06 Standard Specification for Seamless and Welded Zirconium and](#)

[Zirconium Alloy Pipe - \(View Full Text\)](#)
[B662-94\(2006\) Standard Specification for Silver-Molybdenum Electrical Contact Material - \(View Full Text\)](#)
[B663-94\(2006\) Standard Specification for Silver-Tungsten Carbide Electrical Contact Material - \(View Full Text\)](#)
[B664-90\(2006\) Standard Specification for 80 % Silver-20 % Graphite Sliding Contact Material - \(View Full Text\)](#)
[B667-97\(2003\)e1 Standard Practice for Construction and Use of a Probe for Measuring Electrical Contact Resistance - \(View Full Text\)](#)
[B668-05 Standard Specification for UNS N08028 Seamless Pipe and Tube - \(View Full Text\)](#)
[B670-02 Standard Specification for Precipitation-Hardening Nickel Alloy \(UNS N07718\) Plate, Sheet, and Strip for High-Temperature Service - \(View Full Text\)](#)
[B671-81\(2005\) Standard Specification for Refined Iridium - \(View Full Text\)](#)
[B672-02 Standard Specification for Nickel-Iron-Chromium-Molybdenum-Columbium Stabilized Alloy \(UNS N08700\) Bar and Wire - \(View Full Text\)](#)
[B673-05e1 Standard Specification for UNS N08925, UNS N08354, and UNS N08926 Welded Pipe - \(View Full Text\)](#)
[B674-05 Standard Specification for UNS N08925, UNS N08354, and UNS N08926 Welded Tube - \(View Full Text\)](#)
[B675-02 Standard Specification for UNS N08367 Welded Pipe - \(View Full Text\)](#)
[B676-03 Standard Specification for UNS N08367 Welded Tube - \(View Full Text\)](#)
[B677-05 Standard Specification for UNS N08925, UNS N08354, and UNS N08926 Seamless Pipe and Tube - \(View Full Text\)](#)
[B683-01\(2006\) Standard Specification for Pure Palladium Electrical Contact Material - \(View Full Text\)](#)
[B684-97\(2002\) Standard Specification for Platinum-Iridium Electrical Contact Materials - \(View Full Text\)](#)
[B685-01\(2006\) Standard Specification for Palladium-Copper Electrical Contact Material - \(View Full Text\)](#)
[B688-96\(2004\) Standard Specification for Chromium-Nickel-Molybdenum-Iron \(UNS N08366 and UNS N08367\) Plate, Sheet, and Strip - \(View Full Text\)](#)
[B690-02 Standard Specification for Iron-Nickel-Chromium-Molybdenum Alloys \(UNS N08366 and UNS N08367\) Seamless Pipe and Tube - \(View Full Text\)](#)
[B691-02 Standard Specification for Iron-Nickel-Chromium-Molybdenum Alloys \(UNS N08366 and UNS N08367\) Rod, Bar, and Wire - \(View Full Text\)](#)
[B692-90\(2006\) Standard Specification for 75 % Silver-25 % Graphite Sliding Contact Material - \(View Full Text\)](#)
[B693-91\(2006\) Standard Specification for Silver-Nickel Electrical Contact Materials - \(View Full Text\)](#)
[B702-93\(2004\) Standard Specification for Copper-Tungsten Electrical Contact Material - \(View Full Text\)](#)
[B704-03 Standard Specification for Welded UNS N06625, UNS N06219 and UNS N08825 Alloy Tubes - \(View Full Text\)](#)
[B705-05 Standard Specification for Nickel-Alloy \(UNS N06625, N06219 and N08825\) Welded Pipe - \(View Full Text\)](#)
[B708-05 Standard Specification for Tantalum and Tantalum Alloy Plate, Sheet, and Strip - \(View Full Text\)](#)
[B709-04 Standard Specification for Iron-Nickel-Chromium-Molybdenum Alloy \(UNS N08028\)* Plate, Sheet, and Strip - \(View Full Text\)](#)

[B710-04 Standard Specification for Nickel-Iron-Chromium-Silicon Alloy Welded Pipe - \(View Full Text\)](#)

[B712-93\(2006\) Standard Guide for Determination of Sodium and Potassium Content For Silver-Cadmium Oxide Contact Materials - \(View Full Text\)](#)

[B717-96\(2006\) Standard Specification for Refined Ruthenium - \(View Full Text\)](#)

[B718-00\(2006\) Standard Specification for Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy \(UNS N06333\) Plate, Sheet, and Strip - \(View Full Text\)](#)

[B719-00\(2005\) Standard Specification for Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy \(UNS N06333\) Bar - \(View Full Text\)](#)

[B722-06 Standard Specification for Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy \(UNS N06333\) Seamless Pipe and Tube - \(View Full Text\)](#)

[B723-00\(2005\) Standard Specification for Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy \(UNS N06333\) Welded Pipe - \(View Full Text\)](#)

[B725-05 Standard Specification for Welded Nickel \(UNS N02200/UNS N02201\) and Nickel Copper Alloy \(UNS N04400\) Pipe - \(View Full Text\)](#)

[B726-02\(2006\) Standard Specification for Nickel-Chromium-Molybdenum-Cobalt-Tungsten-Iron-Silicon Alloy \(UNS N06333\) Welded Tube - \(View Full Text\)](#)

[B729-05 Standard Specification for Seamless UNS N08020, UNS N08026, and UNS N08024 Nickel-Alloy Pipe and Tube - \(View Full Text\)](#)

[B731-96\(2006\) Standard Specification for 60 % Palladium-40 % Silver Electrical Contact Material - \(View Full Text\)](#)

[B735-06 Standard Test Method for Porosity in Gold Coatings on Metal Substrates by Nitric Acid Vapor - \(View Full Text\)](#)

[B737-05 Standard Specification for Hot-Rolled and/or Cold-Finished Hafnium Rod and Wire - \(View Full Text\)](#)

[B739-03 Standard Specification for Nickel-Iron-Chromium-Silicon Alloy Welded Tube - \(View Full Text\)](#)

[B742-90\(2006\) Standard Specification for Fine Silver Electrical Contact Fabricated Material - \(View Full Text\)](#)

[B749-03 Standard Specification for Lead and Lead Alloy Strip, Sheet, and Plate Products - \(View Full Text\)](#)

[B750-03 Standard Specification for GALFAN \(Zinc-5 % Aluminum-Mischmetal\) Alloy in Ingot Form for Hot-Dip Coatings - \(View Full Text\)](#)

[B751-03 Standard Specification for General Requirements for Nickel and Nickel Alloy Welded Tube - \(View Full Text\)](#)

[B752-06 Standard Specification for Castings, Zirconium-Base, Corrosion Resistant, for General Application - \(View Full Text\)](#)

[B753-01 Standard Specification for Thermostat Component Alloys - \(View Full Text\)](#)

[B755-00\(2006\) Standard Specification for Nickel-Chromium-Molybdenum-Tungsten Alloys \(UNS N06110\) Plate, Sheet, and Strip - \(View Full Text\)](#)

[B756-00\(2006\) Standard Specification for Nickel-Chromium-Molybdenum-Tungsten Alloy \(UNS N06110\) Rod and Bar - \(View Full Text\)](#)

[B757-00\(2006\) Standard Specification for Nickel-Chromium-Molybdenum-Tungsten-Alloys \(UNS N06110\) Welded Pipe - \(View Full Text\)](#)

[B758-00\(2006\) Standard Specification for Nickel-Chromium-Molybdenum-Tungsten Alloys \(UNS N06110\) Welded Tube - \(View Full Text\)](#)

[B759-00\(2006\) Standard Specification for Nickel-Chromium-Molybdenum-Tungsten Alloys \(UNS N06110\) Pipe and Tube - \(View Full Text\)](#)

[B760-86\(1999\) Standard Specification for Tungsten Plate, Sheet, and Foil - \(View Full Text\)](#)

[B772-97\(2003\) Standard Guide for Specifying the Chemical Compositions for Electrical Contact Materials \(Arcing and Nonarcing\) - \(View Full Text\)](#)

[B773-96\(2002\)e1 Standard Guide for Ultrasonic C-Scan Bond Evaluation of Brazed or Welded Electrical Contact Assemblies - \(View Full Text\)](#)

[B774-00\(2005\) Standard Specification for Low Melting Point Alloys - \(View Full Text\)](#)

[B775-02 Standard Specification for General Requirements for Nickel and Nickel Alloy Welded Pipe - \(View Full Text\)](#)

[B776-06 Standard Specification for Hafnium and Hafnium Alloy Strip, Sheet, and Plate - \(View Full Text\)](#)

[B777-99 Standard Specification for Tungsten Base, High-Density Metal - \(View Full Text\)](#)

[B780-98\(2004\) Standard Specification for 75% Silver, 24.5% Copper, 0.5% Nickel Electrical Contact Alloy - \(View Full Text\)](#)

[B781-93a\(2006\) Standard Guide for Silver-Cadmium Oxide Contact Material - \(View Full Text\)](#)

[B792-01\(2005\)e1 Standard Specification for Zinc Alloys in Ingot Form for Slush Casting - \(View Full Text\)](#)

[B793-03 Standard Specification for Zinc Casting Alloy Ingot for Sheet Metal Forming Dies and Plastic Injection Molds - \(View Full Text\)](#)

[B794-97\(2003\) Standard Test Method for Durability Wear Testing of Separable Electrical Connector Systems Using Electrical Resistance Measurements - \(View Full Text\)](#)

[B798-95\(2005\) Standard Test Method for Porosity in Gold or Palladium Coatings on Metal Substrates by Gel-Bulk Electrography - \(View Full Text\)](#)

[B799-95\(2005\) Standard Test Method for Porosity in Gold and Palladium Coatings by Sulfurous Acid/Sulfur-Dioxide Vapor - \(View Full Text\)](#)

[B804-02 Standard Specification for UNS N08367 and UNS N08926 Welded Pipe - \(View Full Text\)](#)

[B805-06 Standard Specification for Precipitation Hardening Nickel Alloys Bar and Wire - \(View Full Text\)](#)

[B808-05 Standard Test Method for Monitoring of Atmospheric Corrosion Chambers by Quartz Crystal Microbalances - \(View Full Text\)](#)

[B810-01a\(2006\) Standard Test Method for Calibration of Atmospheric Corrosion Test Chambers by Change in Mass of Copper Coupons - \(View Full Text\)](#)

[B811-02 Standard Specification for Wrought Zirconium Alloy Seamless Tubes for Nuclear Reactor Fuel Cladding - \(View Full Text\)](#)

[B812-96\(2002\)e1 Standard Test Method for Resistance to Environmental Degradation of Electrical Pressure Connections Involving Aluminum and Intended for Residential Applications - \(View Full Text\)](#)

[B814-06 Standard Specification for Nickel-Chromium-Iron-Molybdenum-Tungsten Alloy \(UNS N06920\) Plate, Sheet, and Strip - \(View Full Text\)](#)

[B815-02\(2006\) Standard Specification for Cobalt-Chromium-Nickel-Molybdenum-Tungsten Alloy \(UNS R31233\) Rod - \(View Full Text\)](#)

[B818-03 Standard Specification for Cobalt-Chromium-Nickel-Molybdenum-Tungsten Alloy \(UNS R31233\) Plate, Sheet and Strip - \(View Full Text\)](#)

[B825-02 Standard Test Method for Coulometric Reduction of Surface Films on Metallic Test Samples - \(View Full Text\)](#)

[B826-03 Standard Test Method for Monitoring Atmospheric Corrosion Tests by Electrical Resistance Probes - \(View Full Text\)](#)

[B827-05 Standard Practice for Conducting Mixed Flowing Gas \(MFG\) Environmental](#)

[Tests - \(View Full Text\)](#)

[B829-04a Standard Specification for General Requirements for Nickel and Nickel Alloys Seamless Pipe and Tube - \(View Full Text\)](#)

[B833-06 Standard Specification for Zinc and Zinc Alloy Wire for Thermal Spraying \(Metallizing\) for the Corrosion Protection of Steel - \(View Full Text\)](#)

[B834-95\(2003\) Standard Specification for Pressure Consolidated Powder Metallurgy Iron-Nickel-Chromium-Molybdenum \(UNS N08367\) and Nickel-Chromium-Molybdenum-Columbium \(Nb\) \(UNS N06625\) Alloy Pipe Flanges, Fittings, Valves, and Parts - \(View Full Text\)](#)

[B844-98\(2004\) Standard Guide for Silver-Tin Oxide Contact Material - \(View Full Text\)](#)

[B845-97\(2003\) Standard Guide for Mixed Flowing Gas \(MFG\) Tests for Electrical Contacts - \(View Full Text\)](#)

[B852-01 Standard Specification for Continuous Galvanizing Grade \(CGG\) Zinc Alloys for Hot-Dip Galvanizing of Sheet Steel - \(View Full Text\)](#)

[B854-98\(2004\) Standard Guide for Measuring Electrical Contact Intermittences - \(View Full Text\)](#)

[B860-05 Standard Specification for Zinc Master Alloys for Use in Hot Dip Galvanizing - \(View Full Text\)](#)

[B861-06a Standard Specification for Titanium and Titanium Alloy Seamless Pipe - \(View Full Text\)](#)

[B862-06be1 Standard Specification for Titanium and Titanium Alloy Welded Pipe - \(View Full Text\)](#)

[B863-06a Standard Specification for Titanium and Titanium Alloy Wire - \(View Full Text\)](#)

[B865-04 Standard Specification for Precipitation Hardening Nickel-Copper-Aluminum Alloy \(UNS N05500\) Bar, Rod, Wire, Forgings, and Forging Stock - \(View Full Text\)](#)

[B868-96\(2002\)e3 Standard Practice for Contact Performance Classification of Electrical Connection Systems - \(View Full Text\)](#)

[B872-06 Standard Specification for Precipitation-Hardening Nickel Alloys Plate, Sheet, and Strip - \(View Full Text\)](#)

[B878-97\(2003\) Standard Test Method for Nanosecond Event Detection for Electrical Contacts and Connectors - \(View Full Text\)](#)

[B880-03 Standard Specification for General Requirements for Chemical Check Analysis Limits for Nickel, Nickel Alloys, and Cobalt Alloys - \(View Full Text\)](#)

[B884-05 Standard Specification for Niobium-Titanium Alloy Billets, Bar, and Rod for Superconducting Applications - \(View Full Text\)](#)

[B885-97\(2003\) Standard Test Method for Presence of Foreign Matter on Printed Wiring Board Contacts - \(View Full Text\)](#)

[B891-98\(2004\) Standard Specification for Seamless and Welded Titanium and Titanium Alloy Condenser and Heat Exchanger Tubes With Integral Fins - \(View Full Text\)](#)

[B892-03 Standard Specification for ACuZinc5 \(Zinc-Copper-Aluminum\) Alloy in Ingot Form for Die Castings - \(View Full Text\)](#)

[B894-03 Standard Specification for ACuZinc5 \(Zinc-Copper-Aluminum\) Alloy Die Castings - \(View Full Text\)](#)

[B896-99\(2005\) Standard Test Methods for Evaluating Connectability Characteristics of Electrical Conductor Materials - \(View Full Text\)](#)

[B897-03 Standard Specification for Configuration of Zinc and Zinc Alloy Jumbo and Block Ingot - \(View Full Text\)](#)

[B898-05e1 Standard Specification for Reactive and Refractory Metal Clad Plate - \(View Full Text\)](#)

[B899-06 Standard Terminology Relating to Non-ferrous Metals and Alloys - \(View Full Text\)](#)

[B906-02\(2006\) Standard Specification for General Requirements for Flat-Rolled Nickel and Nickel Alloys Plate, Sheet, and Strip - \(View Full Text\)](#)

[B907-05 Standard Specification for Zinc, Tin and Cadmium Base Alloys Used as Solders - \(View Full Text\)](#)

[B908-03 Standard Practice for the Use of Color Codes for Zinc Casting Alloy Ingot - \(View Full Text\)](#)

[B913-05 Standard Test Method for Evaluation of Crimped Electrical Connections to 16-Gauge and Smaller Diameter Stranded and Solid Conductors - \(View Full Text\)](#)

[B914-03e2 Standard Practice for Color Codes on Zinc and Zinc Alloy Ingot for Use in Hot-Dip Galvanizing of Steel - \(View Full Text\)](#)

[B920-01\(2006\) Standard Practice for Porosity in Gold and Palladium Alloy Coatings on Metal Substrates by Vapors of Sodium Hypochlorite Solution - \(View Full Text\)](#)

[B924-02\(2006\) Standard Specification for Seamless and Welded Nickel Alloy Condenser and Heat Exchanger Tubes With Integral Fins - \(View Full Text\)](#)

[B932-04 Standard Specification for Low-Carbon Nickel-Chromium-Molybdenum-Gadolinium Alloy Plate, Sheet, and Strip - \(View Full Text\)](#)

[B942-05 Standard Guide for Specification and Quality Assurance for the Electrical Contact Performance of Crimped Wire Terminations - \(View Full Text\)](#)

[B943-05 Standard Specification for Zinc and Tin Alloy Wire Used in Thermal Spraying for Electronic Applications - \(View Full Text\)](#)

[B949-06 Standard Specification for General Requirements for Zinc and Zinc Alloy Products - \(View Full Text\)](#)

[G2/G2M-06 Standard Test Method for Corrosion Testing of Products of Zirconium, Hafnium, and Their Alloys in Water at 680°F \[360°C\] or in Steam at 750°F \[400°C\] - \(View Full Text\)](#)

[SI Quick Reference Guide: International System of Units \(SI\) - *The Modern Metric System* - \(View Full Text\)](#)

Withdrawn Standards

B741 Standard Test Method for Porosity In Gold Coatings On Metal Substrates By Paper Electrography (Withdrawn 2005) No Replacement