

Contents

Preface	v
Acknowledgments	vii
List of Contributors	xxiii
List of Abbreviations	xxv
List of Symbols	xxix
For Students and Beginners	xxxv
Softwares for Simulation	xxxvii
Table of Values of Related Physical Constants	xli
Table of Electron Wavelength	xliii
1. Introduction	1
<i>N. Tanaka</i>	
1.1 Need for electron nanoprobe imaging	1
1.2 Comparison of TEM, SEM, and STEM	2
1.3 Advantages of STEM	5
1.4 Application possibilities of STEM	5
1.5 Brief introduction to the chapters in this book	6
References	7
2. Historical Survey of the Development of STEM Instruments	9
<i>N. Tanaka</i>	
2.1 STEM from the 1930s to the 1960s	9
2.2 Crewe's STEM	10
2.3 Crewe's high-voltage STEM with aberration correction	14
2.4 The STEMs of Strojnik, Le Poole, and Jouffrey	15
2.5 Vacuum Generators' STEM	17
2.6 Cowley's HB-5 STEM	18
2.7 Hitachi STEM	20

2.8	The Cavendish HB-5 STEM	21
2.9	The Cornell STEM	21
2.10	The Oak Ridge HB-501 STEM	22
2.11	The IBM STEM	22
2.12	Hitachi HD-2000 STEM	23
2.13	Krivanek's aberration corrector	23
2.14	The IBM and Oak Ridge HB-501 STEM with aberration corrector	23
2.15	The Oak Ridge 300 kV STEM with aberration corrector	25
2.16	The Daresbury STEM	25
2.17	The 200 kV TEM-based STEM by JEOL and FEI	25
2.18	The Oxford and Nagoya double-corrected STEM	27
2.19	The 300 kV STEM at Jülich and Berkeley	27
2.20	The Japanese aberration corrector for 200 kV STEM	29
2.21	The advanced aberration-corrected TEM/STEM by JEOL	30
2.22	The 300 kV TEM/STEM in the R005 project	31
2.23	Hitachi aberration-corrected STEM	32
2.24	The 200 kV dedicated STEM by NION	32
2.25	The Japanese national project TEM/STEM for lower voltages	32
2.26	High-voltage environmental STEM in Nagoya University	33
	References	34

PART 1: BASIC KNOWLEDGE OF STEM

3. Basics of STEM	41	
<i>N. Tanaka and K. Saitoh</i>		
3.1	Basic knowledge of imaging by electrons	41
3.2	Basic features of STEM imaging	45
3.3	Fine electron probe formation in geometrical optics	47
3.4	Wave optics for focusing by a convex lens and its wave aberration	50
3.5	Basic design of STEM and its components	55
3.6	Incoherent imaging in ADF-STEM	60
3.6.1	Cowley's explanation	61
3.6.2	Nellist's explanation	63

3.7	Reciprocity between STEM and TEM	65
3.8	Imaging modes of STEM	67
3.9	Various kinds of image contrast in STEM and their theories	69
3.9.1	Bright field contrast and lattice images with phase contrast	69
3.9.2	Crewe's Z-contrast and its elemental mapping	70
3.9.3	Pennycook's Z^{2-x} contrast in ADF-STEM	72
3.9.4	Depth-sectioning images in STEM	75
3.9.5	ABF-STEM	76
3.9.6	EELS and EDX elemental mapping in STEM	77
3.9.7	Secondary electron imaging in STEM	81
3.9.8	Scanning confocal electron microscopy (SCEM)	81
3.10	Prototypes of STEM	82
3.11	Calculation of STEM image intensity	83
3.11.1	Cowley-Moodie method	84
3.11.2	Bethe method	91
Supplement: Basic knowledge of electron diffraction and convergent-beam electron diffraction		92
S.1	Kinematical theory of electron diffraction	93
S.2	Convergent-beam electron diffraction	98
References		103

4. Application of STEM to Nanomaterials and Biological Specimens **109**

N. Shibata, S.D. Findlay, Y. Ikuhara and N. Tanaka

4.1	Single crystal imaging by STEM	109
4.1.1	Direct imaging of complex crystals	109
4.1.2	Direct dopant imaging in single crystals	112
4.1.3	Light element imaging	116
4.2	Interface characterization by STEM	120
4.2.1	Interfaces studied by ADF-STEM	120
4.2.2	Interface basics: General concepts	121
4.2.2.1	Grain boundary character	121
4.2.2.2	Coincidence site lattice theory and the structure unit	122
4.2.3	Materials interfaces	124

4.2.3.1	Grain boundaries in ceramic materials	124
4.2.3.2	Grain boundary characterization of silicon nitride ceramics	124
4.2.3.3	Grain boundary characterization in alumina ceramics	126
4.2.3.4	Grain boundary characterization in metals	132
4.2.4	Hetero interfaces	134
4.2.4.1	Importance of hetero interfaces	134
4.2.4.2	Si-SiO ₂ crystalline-amorphous interfaces	134
4.2.4.3	Silicon-silicide hetero interfaces	135
4.2.4.4	Au-TiO ₂ heterogeneous catalysis interfaces	137
4.2.4.5	Superlattices	142
4.2.5	Quantification of STEM images of interfaces	146
4.2.5.1	Quantitative structural analysis of a twin boundary in α -Zn ₇ Sb ₂ O ₁₂	146
4.2.5.2	Compositional analysis at an interface in a superlattice	146
4.2.5.3	Absolute scale intensity measurements and compositional analysis in Al _x Ga _{1-x} N/GaN	149
4.2.5.4	A model-based method for quantification	149
4.2.6	Summary of studies on single crystals and interfaces	151
4.3	Imaging of atoms and clusters by STEM	152
4.3.1	Isolated single atoms	152
4.3.2	Small particles	154
4.3.3	Gold clusters embedded in MgO	154
4.3.4	Carbon nanotubes	154
4.3.5	Vanadium clusters in Si-V alloys	155
4.3.6	Partially ordered Ni-Mo and Au-Ge alloys	157
4.3.7	Metal atoms in carbon nanotubes	158
4.3.8	Cobalt clusters in amorphous Al ₂ O ₃	158
4.3.9	Antimony atoms in silicon	159

4.3.10	Gold clusters on an amorphous carbon film and their movement	161
4.3.11	Series of contrast of single atoms such as Au, Ag, Ge, Cu, and Si in ADF-STEM	161
4.3.12	Observation of arsenic atoms in silicon crystals	161
4.3.13	Platinum clusters on amorphous carbon films in a fuel cell	162
4.4	Biological specimens imaged by STEM	163
4.4.1	DNA	163
4.4.2	Ferritin and tobacco mosaic virus	164
4.4.3	Organic molecules	165
4.4.4	STEM observation of cells and organelles with EELS	165
4.4.5	Recent trial for low-dose STEM imaging	168
	References	169

PART 2: THEORIES OF STEM IMAGING

5.	Theory for HAADF-STEM and its Image Simulation	179
	<i>K. Watanabe</i>	
5.1	Wave functions of electron probe	179
5.1.1	Convergent probe intensity	180
5.1.2	Contrast transfer function	181
5.1.3	Chromatic aberration	183
5.1.4	Spatial incoherence	185
5.1.5	Channeling of the convergent electron probe	185
5.2	High-angle electron scattering	188
5.2.1	Crystal potential	188
5.2.2	Imaginary potential (Yoshioka term)	191
5.2.3	Imaginary potential for thermal diffuse scattering	193
5.3	Formulations for dynamical diffraction in STEM imaging	196
5.3.1	Bloch wave method	197
5.4	Formulations for inelastic scattering of electrons in STEM imaging	203
5.4.1	String model	204
5.4.2	Cross-section expression	205

5.4.3	Imaginary potential method for crystal diffraction in STEM imaging	207
5.4.4	Combining with the layer-by-layer method	208
5.4.5	Non-locality in HAADF-STEM images	210
5.5	Examples of simulated HAADF-STEM images	211
5.5.1	Semi-quantitative comparison between experimental C_s -uncorrected HAADF-STEM images and simulations	211
5.5.2	Semi-quantitative comparison between experimental C_s -corrected HAADF-STEM images and simulations	213
	References	215
6.	Theory for Annular Bright Field STEM Imaging	217
	<i>S.D. Findlay, N. Shibata and Y. Ikuhara</i>	
6.1	Overview	217
6.2	What is annular bright field STEM?	218
6.3	Comparison between bright field, annular bright field, and annular dark field-STEM	218
6.4	Theory of image formation in annular bright field STEM	219
6.4.1	Precedents	219
6.4.2	S-state model description	220
6.4.3	Limitations of the s-state model	224
6.5	Conceptual picture	226
6.6	Discussion and summary	227
	References	229
7.	Electron Energy-Loss Spectroscopy in STEM and its Imaging	231
	<i>K. Kimoto</i>	
7.1	Brief introduction to EELS	231
7.2	Combination of EELS and electron microscopy	233
7.3	Instrumentation for EELS in STEM	236
7.3.1	Electron optics	236
7.3.2	Software and hardware	238
7.3.3	Miscellaneous practical factors: stability and environment of microscope	240

7.4	Spatial resolution of EELS in STEM	240
7.4.1	Pioneering studies on image contrast formed by inelastically scattered electrons	240
7.4.2	Decisive parameters for high spatial-resolution EELS imaging in STEM	241
7.4.3	Delocalization in elastic scattering: incident probe propagation	242
7.4.4	Delocalization in inelastic scattering (1): conventional impact parameter	244
7.4.5	Delocalization in inelastic scattering (2): non-locality	245
7.5	Experimental results of high spatial-resolution observation	247
7.6	Summary and future prospects	251
	References	253
8.	Density Functional Theory for ELNES in STEM-EELS	257
	<i>T. Mizoguchi</i>	
8.1	Overview	257
8.2	Basics of ELNES calculation	258
8.3	Theoretical calculation of ELNES	260
8.3.1	ELNES calculation with the all-electron method	260
8.3.2	ELNES calculation with the pseudopotential method	264
8.3.3	ELNES calculation with momentum transfer vector	266
8.3.4	Interpretation of ELNES by overlap population diagram	270
8.4	Summary	277
	References	279

PART 3: ADVANCED METHODS IN STEM

9.	Aberration Correction in STEM	283
	<i>H. Sawada</i>	

9.1	Multipole-type aberration correctors in electron microscopes	283
9.1.1	Round lens and multipole for aberration corrector	283
9.1.2	Review of an octupole–quadrupole-type C_s corrector	286
9.2	Hexapole-type C_s corrector	288
9.2.1	Review of a hexapole-type C_s corrector	288
9.2.1.1	Hexapole field	289
9.2.1.2	Primary suggestion for derivation of C_s by two hexapoles and drift space	290
9.2.1.3	Negative C_s by two hexapoles and drift space	292
9.2.1.4	Negative C_s by a thick hexapole field	293
9.2.1.5	8f-type hexapole C_s corrector for TEM	294
9.2.1.6	Hexapole-type C_s corrector for STEM	295
9.2.2	Mechanism of C_s correction	296
9.2.3	Practical hexapole-type aberration corrector for STEM	299
9.2.4	Extended hexapole-type correctors	300
9.3	Summary	300
	Supplement: Lens action for electrons by rotationally symmetrical distribution of a magnetic field	301
	References	304
10.	Secondary Electron Microscopy in STEM	307
	<i>H. Inada and Y. Zhu</i>	
10.1	Basic components of SEM for better resolution	307
10.1.1	Development of electron source	309
10.1.2	Design of the objective lens	310
10.1.3	Detector design	312
10.1.4	Diffraction-limited resolution	313
10.1.5	Chromatic aberration and the stability of the microscope	314
10.2	Characteristics of secondary electrons for imaging	315
10.2.1	Interaction of electrons and specimens	315
10.2.1.1	Secondary electrons	316

10.2.1.2	Backscattered electrons	317
10.2.1.3	Characteristic X-rays	317
10.2.1.4	Auger electrons	317
10.2.1.5	Cathode luminescence	318
10.2.2	Energy spectrum of interaction of electrons and specimens	318
10.2.3	Electron scattering in specimens	319
10.2.4	Secondary electron generation	320
10.3	High-resolution SE imaging	321
10.3.1	High-resolution in-lens FE-SEM	321
10.3.2	High-resolution SE imaging with STEM	323
10.3.2.1	Cambridge work	323
10.3.2.2	The MIDAS project in Arizona	325
10.3.2.3	The UHV-STEM project in Japan	328
10.3.3	Application of high-voltage SEM as an inspection tool for semiconductors	329
10.4	Atomic-resolution SE imaging and recent progress in STEM	330
10.4.1	Aberration-corrected STEM with SE detectors	330
10.4.2	Experimental apparatus	331
10.4.3	SE image of isolated uranium single atoms	332
10.4.4	Image contrast for heavy and light atoms	333
10.4.5	Study of the origin of SE signals with specimen bias	336
10.4.6	Mechanism of atomic resolution SE imaging	338
10.5	Summary and future prospects	340
	References	341
11.	Scanning Confocal Electron Microscopy	345
	<i>K. Mitsuishi and M. Takeguchi</i>	
11.1	Overview	345
11.2	Image formation and depth sectioning	353
11.2.1	Point spread function	354
11.2.2	Three-dimensional amplitude point spread function (3D-APSF)	356

11.2.3	3D-PSF and 3D-CTF of confocal systems	360
11.2.4	Multislice description of PSF	363
11.2.5	HAADF-STEM PSF	364
11.2.6	Intensity point spread function	366
11.3	Simulation of SCEM images	366
11.3.1	Image of a single atom	366
11.3.2	Dynamical image simulations of SCEM	368
11.4	Extension of SCEM	372
11.4.1	ADF-SCEM	373
11.4.2	Energy-filtered SCEM	378
11.5	Summary	380
	References	381
12.	Electron Tomography in STEM	383
	<i>N. Tanaka</i>	
12.1	Principles of three-dimensional reconstruction	383
12.1.1	Mathematical basis of X-ray computed tomography	383
12.1.2	The problem of the Fourier space reconstruction approach	386
12.1.3	Back-projection method	386
12.1.4	Resolution of tomography	388
12.1.5	Other requirements for obtaining projected images	389
12.2	Application of TEM images to electron tomography	390
12.3	Application of ADF-STEM images to electron tomography	391
12.4	Application of energy-filtered images to electron tomography	392
12.5	Actual examples of ADF-STEM tomography	395
12.6	Examples of reconstruction using energy-filtered images in STEM	398
12.7	Summary and future prospects	398
	References	400

13.	Electron Holography and Lorentz Electron Microscopy in STEM	403
	<i>N. Tanaka</i>	
13.1	Holography in STEM	403
13.1.1	In-line STEM holography (Gabor's scheme)	406
13.1.2	In-line STEM holography far out of focus (Fraunhofer's scheme)	407
13.1.3	In-line STEM holography with a configured detector (Veneklasen's scheme)	408
13.1.4	In-line dark field holography (Konnert's scheme)	409
13.1.5	STEM equivalent to off-axis TEM holography	410
13.1.6	Modulated Gabor-type holography	411
13.1.7	Leuthner's scheme in STEM holography	412
13.1.8	Far-out-of-focus off-axis STEM holography	413
13.1.9	Off-axis form of Veneklasen's scheme in STEM	413
13.1.10	Off-axis dark field STEM holography	414
13.2	Lorentz electron microscopy in STEM	415
13.2.1	Basic knowledge of electrons moving in a magnetic field	415
13.2.2	The differential phase contrast method in STEM	416
13.2.3	Scanning interference electron microscopy in STEM	418
13.2.4	Experimental results using both of the methods and quantification	420
13.3	Summary	421
	References	422
14.	Recent Topics and Future Prospects in STEM	425
	<i>N. Tanaka</i>	
14.1	Image resolution determined by probe size	425
14.2	Chromatic aberration correction in electron microscopes	427
14.3	Simulation for quantitative estimation of ADF-STEM and ABF-STEM images	427
14.4	Development of elemental analysis using EDX	428
14.5	Other signal detection for STEM images	428

14.6	Electron tomography in STEM	430
14.6.1	Ordinary electron tomography	430
14.6.2	Depth-sectioning method in ADF-STEM	430
14.6.3	Confocal imaging mode in STEM	431
14.6.4	Discrete tomography	431
14.7	Advancement of imaging theories	432
14.8	Towards lower-voltage STEM	432
14.9	<i>In-situ</i> observation and high-resolution observation in gas and liquid atmospheres	433
14.10	Pulsed electron beam in STEM for time-resolved observation and its new possibility	434
14.11	Coincidence electron microscopy in STEM	435
14.12	Use of spin-polarized electron beams and vortex electron beams	435
14.13	Final remarks: What materials and phenomena will be observed by STEM?	436
	References	436

Appendices

A1	Fourier Transforms for TEM and STEM	443
	<i>N. Tanaka</i>	
	References	451
A2	Inelastic Scattering Coefficient and Mixed Dynamical Form Factor	453
	<i>N. Tanaka</i>	
	References	460
A3	Ronchigram and Geometrical Aberrations in STEM	461
	<i>H. Sawada</i>	
	References	484
A4	Coherent Convergent-Beam Electron Diffraction in STEM	487
	<i>K. Saitoh</i>	
	References	495

A5	Double Resolution in STEM and Ptychography	497
	<i>K. Saitoh</i>	
	References	501
A6	Multislice Method for STEM Image Simulation	503
	<i>K. Mitsuishi and K. Ishizuka</i>	
	References	520
A7	Introduction to Bethe's Dynamical Diffraction Theory	523
	<i>N. Tanaka</i>	
	References	527
A8	Dynamical Diffraction Theory by Van Dyck	529
	<i>N. Tanaka and S.D. Findlay</i>	
	References	534
A9	Frozen Phonon Method for TDS Calculation in STEM Image Simulation	537
	<i>K. Saitoh</i>	
	References	541
A10	Relativistic Correction in Electron Microscopy	543
	<i>K. Watanabe</i>	
	References	546
	Author Index	547
	Subject Index	553