

## CONTENTS

### SYMBOLS, TRANSFORMATIONS, AND ABBREVIATIONS xix

|                                                               |    |
|---------------------------------------------------------------|----|
| 1. INTRODUCTION                                               | 1  |
| 2. THE DYNAMICS OF NUCLEAR SPIN SYSTEMS                       | 9  |
| 2.1. Equation of motion                                       | 9  |
| 2.1.1. Density operator                                       | 9  |
| 2.1.1.1. Density operator equation                            | 12 |
| 2.1.1.2. Expectation values                                   | 13 |
| 2.1.1.3. Schrödinger and Heisenberg representation            | 13 |
| 2.1.1.4. Reduced spin density operator                        | 14 |
| 2.1.2. Explicit matrix representation of the master equations | 15 |
| 2.1.3. Liouville operator space                               | 17 |
| 2.1.4. Superoperators                                         | 19 |
| 2.1.4.1. Commutator superoperators                            | 20 |
| 2.1.4.2. Unitary transformation superoperators                | 20 |
| 2.1.4.3. Projection superoperators                            | 21 |
| 2.1.4.4. General representation of superoperators             | 23 |
| 2.1.4.5. Matrix representation of a superoperator             | 23 |
| 2.1.4.6. Eigenvalues and eigenoperators of superoperators     | 24 |
| 2.1.4.7. Superoperator algebra                                | 25 |
| 2.1.5. Products of Cartesian spin operators                   | 25 |
| 2.1.5.1 Systems of spins $I = \frac{1}{2}$                    | 26 |
| 2.1.5.2 Systems containing spins $S > \frac{1}{2}$            | 29 |
| 2.1.6. Products involving shift operators                     | 32 |
| 2.1.7. Polarization operators                                 | 33 |
| 2.1.8. Cartesian single-transition operators                  | 34 |
| 2.1.9. Single-transition shift operators                      | 38 |
| 2.1.10. Irreducible tensor operators                          | 40 |
| 2.1.11. Coherence transfer                                    | 43 |
| 2.2. The nuclear spin Hamiltonian                             | 44 |
| 2.2.1. Interactions of nuclear spins                          | 44 |
| 2.2.1.1. Interactions linear in the spin operators            | 44 |
| 2.2.1.2. Interactions bilinear in the spin operators          | 46 |
| 2.2.1.3. Interactions quadratic in the spin operators         | 48 |
| 2.3. The relaxation superoperator                             | 49 |
| 2.3.1. Semi-classical relaxation theory                       | 50 |
| 2.3.1.1. Restriction to secular contributions                 | 52 |
| 2.3.1.2. Extreme narrowing                                    | 52 |
| 2.3.2. Matrix representation of the relaxation superoperator  | 53 |
| 2.3.3. Specific relaxation mechanisms                         | 55 |
| 2.3.3.1. First-rank relaxation mechanisms                     | 55 |
| 2.3.3.2. Second-rank relaxation mechanisms                    | 56 |
| 2.4. Spin dynamics due to chemical reactions                  | 57 |
| 2.4.1. Description of reaction networks in classical kinetics | 58 |

|          |                                                                                |     |
|----------|--------------------------------------------------------------------------------|-----|
| 2.4.2.   | Exchange in systems without spin–spin couplings                                | 60  |
| 2.4.2.1. | Modified Bloch equations for first-order reactions                             | 61  |
| 2.4.2.2. | Higher-order reactions for spin systems without spin–spin couplings            | 63  |
| 2.4.3.   | Density operator description of exchanging systems with spin–spin couplings    | 64  |
| 2.4.4.   | Density operator equation and exchange superoperator for first-order reactions | 68  |
| 3.       | MANIPULATION OF NUCLEAR SPIN HAMILTONIANS                                      | 70  |
| 3.1.     | The tools for manipulations                                                    | 70  |
| 3.2.     | Average Hamiltonian theory                                                     | 71  |
| 3.2.1.   | Exact calculation of $\mathcal{H}$                                             | 72  |
| 3.2.2.   | Cumulant expansion of the propagator                                           | 72  |
| 3.2.3.   | Averaging by time-dependent perturbations                                      | 75  |
| 3.2.4.   | Truncation of internal Hamiltonians                                            | 79  |
| 3.2.5.   | Floquet theory                                                                 | 81  |
| 3.3.     | Average Hamiltonian due to aperiodic perturbations                             | 83  |
| 3.3.1.   | General condition for an average Hamiltonian                                   | 84  |
| 3.3.2.   | Average Hamiltonian in spin-echo experiments                                   | 86  |
| 3.3.3.   | Cancellation of irrelevant terms                                               | 88  |
| 4.       | ONE-DIMENSIONAL FOURIER SPECTROSCOPY                                           | 91  |
| 4.1.     | Response theory                                                                | 92  |
| 4.1.1.   | Linear response theory                                                         | 93  |
| 4.1.2.   | Time and frequency domains                                                     | 96  |
| 4.1.3.   | Linear data-processing                                                         | 99  |
| 4.1.3.1. | Apodization                                                                    | 101 |
| 4.1.3.2. | Resolution enhancement                                                         | 106 |
| 4.1.4.   | Non-linear response theory                                                     | 109 |
| 4.1.5.   | Quantum-mechanical response theory                                             | 111 |
| 4.1.6.   | Stochastic response theory                                                     | 112 |
| 4.2.     | Classical description of Fourier spectroscopy                                  | 115 |
| 4.2.1.   | Bloch equations in the rotating frame                                          | 116 |
| 4.2.2.   | Ideal pulse experiment                                                         | 118 |
| 4.2.3.   | Off-resonance effects due to finite pulse amplitude                            | 119 |
| 4.2.4.   | Longitudinal interference in repetitive pulse experiments                      | 124 |
| 4.2.5.   | Transverse interference in repetitive pulse experiments                        | 125 |
| 4.2.6.   | Remedies for phase and intensity anomalies due to transverse interference      | 131 |
| 4.2.6.1. | Quenching of transverse magnetization by magnetic field gradient pulses        | 131 |
| 4.2.6.2. | Scrambling of transverse interference by random pulse intervals                | 132 |
| 4.2.6.3. | Quadriga Fourier spectroscopy                                                  | 132 |
| 4.2.6.4. | Four-phase Fourier spectroscopy                                                | 133 |
| 4.2.6.5. | Phase-alternated pulse sequences                                               | 133 |

|          |                                                                             |     |
|----------|-----------------------------------------------------------------------------|-----|
| 4.2.7.   | Remedies for anomalies due to non-ideal pulses: composite pulses            | 133 |
| 4.2.7.1. | Minimum residual $M_z$ component after a $\pi/2$ -pulse                     | 136 |
| 4.2.7.2. | Minimum phase dispersion of transverse magnetization after a $\pi/2$ -pulse | 137 |
| 4.2.7.3. | Accurate inversion: sequences optimized by calculation of trajectories      | 137 |
| 4.2.7.4. | Recursive expansion procedures                                              | 140 |
| 4.2.7.5. | Accurate refocusing                                                         | 144 |
| 4.2.7.6. | Composite $z$ -pulses                                                       | 145 |
| 4.2.7.7. | Cyclic composite pulses                                                     | 146 |
| 4.3      | Sensitivity of Fourier spectroscopy                                         | 148 |
| 4.3.1.   | Signal-to-noise ratio of Fourier spectra                                    | 148 |
| 4.3.1.1. | The signal                                                                  | 148 |
| 4.3.1.2. | The noise                                                                   | 150 |
| 4.3.1.3. | The sensitivity                                                             | 151 |
| 4.3.1.4. | Optimization of the weighting function                                      | 152 |
| 4.3.1.5. | Optimization of the signal energy                                           | 153 |
| 4.3.2.   | Signal-to-noise ratio in slow-passage spectra                               | 155 |
| 4.3.3.   | Sensitivity comparison of Fourier and slow-passage experiments              | 156 |
| 4.3.4.   | Sensitivity enhancement by recycling of magnetization                       | 157 |
| 4.4.     | Quantum-mechanical description of Fourier spectroscopy                      | 158 |
| 4.4.1.   | Density operator formalism applied to Fourier spectroscopy                  | 159 |
| 4.4.2.   | Equivalence of slow-passage and Fourier spectroscopy                        | 162 |
| 4.4.2.1. | Fourier spectroscopy                                                        | 163 |
| 4.4.2.2. | Slow-passage spectroscopy                                                   | 163 |
| 4.4.2.3. | Comparison of Fourier and slow-passage spectra                              | 164 |
| 4.4.3.   | Fourier spectroscopy of non-equilibrium systems                             | 165 |
| 4.4.4.   | Selective and semi-selective pulses                                         | 171 |
| 4.4.5.   | Identification of the terms in the density operator                         | 173 |
| 4.4.6.   | Composite rotations                                                         | 177 |
| 4.4.6.1. | Intervals with a central refocusing pulse                                   | 177 |
| 4.4.6.2. | Bilinear rotations with transverse components                               | 178 |
| 4.4.6.3. | Sequences without ‘sandwich symmetry’                                       | 178 |
| 4.4.6.4. | Phase cycles                                                                | 179 |
| 4.4.6.5. | Phase shifts and r.f. rotation angles                                       | 179 |
| 4.4.6.6. | Heteronuclear systems                                                       | 180 |
| 4.5.     | Heteronuclear polarization transfer                                         | 180 |
| 4.5.1.   | Transfer of spin order                                                      | 182 |
| 4.5.2.   | Polarization transfer by nuclear Overhauser effect                          | 184 |
| 4.5.3.   | Cross-polarization in the rotating frame                                    | 185 |
| 4.5.4.   | Adiabatic polarization transfer                                             | 191 |
| 4.5.5.   | Polarization transfer by radio-frequency pulses                             | 192 |
| 4.5.6.   | Editing procedures based on polarization transfer                           | 198 |
| 4.6.     | Investigation of dynamic processes, relaxation, and chemical exchange       | 201 |

|          |                                                                            |     |
|----------|----------------------------------------------------------------------------|-----|
| 4.6.1.   | Longitudinal relaxation                                                    | 202 |
| 4.6.1.1. | Inversion recovery methods                                                 | 203 |
| 4.6.1.2. | Saturation recovery methods                                                | 204 |
| 4.6.1.3. | Progressive saturation                                                     | 205 |
| 4.6.1.4. | Selective perturbations                                                    | 205 |
| 4.6.2.   | Transverse relaxation                                                      | 206 |
| 4.6.3.   | Chemical reactions and exchange processes                                  | 209 |
| 4.6.3.1. | One-sided first-order reaction                                             | 211 |
| 4.6.3.2. | Two-sided first-order reaction                                             | 215 |
| 4.6.3.3. | Transient chemical reactions with coupled spin systems                     | 217 |
| 4.6.3.4. | Experimental preparation of chemical non-equilibrium states                | 219 |
| 4.7.     | Fourier double resonance                                                   | 220 |
| 4.7.1.   | Theoretical formulation of Fourier double resonance                        | 222 |
| 4.7.1.1. | Double-resonance irradiation during detection                              | 223 |
| 4.7.1.2. | Continuous Fourier double resonance                                        | 225 |
| 4.7.2.   | Fourier double resonance of two coupled spins $I = 1/2$                    | 226 |
| 4.7.2.1. | Strong coupling                                                            | 226 |
| 4.7.2.2. | Weak coupling                                                              | 227 |
| 4.7.3.   | Spin tickling                                                              | 230 |
| 4.7.4.   | Spin decoupling treated by average Hamiltonian theory                      | 232 |
| 4.7.4.1. | Heteronuclear spin decoupling                                              | 233 |
| 4.7.4.2. | Off-resonance decoupling                                                   | 234 |
| 4.7.5.   | Time-shared decoupling                                                     | 236 |
| 4.7.6.   | Broadband decoupling and scaling of heteronuclear interactions             | 237 |
| 4.7.6.1. | Multiple-pulse decoupling techniques                                       | 238 |
| 4.7.6.2. | Scaling of heteronuclear couplings                                         | 238 |
| 4.7.7.   | Illusions of decoupling                                                    | 239 |
| 5.       | MULTIPLE-QUANTUM TRANSITIONS                                               | 242 |
| 5.1.     | Number of transitions                                                      | 244 |
| 5.2.     | Detection of multiple-quantum transitions by continuous-wave NMR           | 247 |
| 5.2.1.   | Intensity of multiple-quantum transitions                                  | 250 |
| 5.2.2.   | Saturation of multiple-quantum transitions                                 | 251 |
| 5.2.3.   | Level shift of multiple-quantum transitions                                | 252 |
| 5.2.4.   | Line-widths of multiple-quantum transitions                                | 254 |
| 5.2.5.   | Applications of CW multiple-quantum NMR                                    | 255 |
| 5.3.     | Time-domain multiple-quantum spectroscopy                                  | 256 |
| 5.3.1.   | Excitation and detection of multiple-quantum coherence                     | 257 |
| 5.3.1.1. | Non-selective pulses                                                       | 258 |
| 5.3.1.2. | Selective single-quantum pulses                                            | 261 |
| 5.3.1.3. | Selective multiple-quantum pulses                                          | 261 |
| 5.3.1.4. | Spin-connectivity selective excitation                                     | 263 |
| 5.3.1.5. | Selective excitation of specific orders                                    | 265 |
| 5.3.2.   | Offset-dependence of multiple-quantum frequencies and separation of orders | 265 |
| 5.3.3.   | Structure of multiple-quantum spectra                                      | 270 |
| 5.3.4.   | Multiple-quantum double resonance                                          | 273 |

|          |                                                                                              |     |
|----------|----------------------------------------------------------------------------------------------|-----|
| 5.4.     | Relaxation of multiple-quantum coherence                                                     | 274 |
| 5.4.1.   | Correlated external random fields                                                            | 274 |
| 5.4.2.   | Quadrupolar relaxation                                                                       | 276 |
| 5.4.3.   | Measurement of multiple-quantum relaxation rates and effects of magnetic field inhomogeneity | 278 |
| 6.       | TWO-DIMENSIONAL FOURIER SPECTROSCOPY                                                         | 283 |
| 6.1.     | Basic principles                                                                             | 283 |
| 6.2.     | Formal theory of two-dimensional spectroscopy                                                | 287 |
| 6.2.1.   | Explicit matrix representation                                                               | 289 |
| 6.2.2.   | Expansion of the density operator in single-transition operators                             | 291 |
| 6.3.     | Coherence transfer pathways                                                                  | 292 |
| 6.3.1.   | Selection of pathways                                                                        | 294 |
| 6.3.2.   | Multiple transfer                                                                            | 298 |
| 6.4.     | Two-dimensional Fourier transformation                                                       | 301 |
| 6.4.1.   | Properties of the complex two-dimensional Fourier transformation                             | 302 |
| 6.4.1.1. | Vector notation                                                                              | 302 |
| 6.4.1.2. | Similarity theorem                                                                           | 303 |
| 6.4.1.3. | Convolution theorem                                                                          | 303 |
| 6.4.1.4. | Power theorem                                                                                | 304 |
| 6.4.1.5. | Projection cross-section theorem                                                             | 304 |
| 6.4.1.6. | Kramers–Kronig relations in two dimensions                                                   | 306 |
| 6.4.2.   | Hypercomplex two-dimensional Fourier transformation                                          | 307 |
| 6.5.     | Peak shapes in two-dimensional spectra                                                       | 309 |
| 6.5.1.   | Basic peakshapes                                                                             | 310 |
| 6.5.2.   | Inhomogeneous broadening and interference of neighbouring peaks                              | 312 |
| 6.5.3.   | Techniques for obtaining pure two-dimensional absorption peaks                               | 317 |
| 6.5.3.1. | Real Fourier transformation in $t_1$                                                         | 317 |
| 6.5.3.2. | Time-reversal in a complementary experiment                                                  | 323 |
| 6.5.3.3. | Combination of two experiments in quadrature                                                 | 323 |
| 6.5.4.   | Absolute-value spectra                                                                       | 326 |
| 6.5.5.   | Projections of two-dimensional spectra                                                       | 327 |
| 6.5.6.   | Two-dimensional filtering                                                                    | 329 |
| 6.5.6.1. | Matched filter                                                                               | 331 |
| 6.5.6.2. | Lorentz–Gauss transformation                                                                 | 331 |
| 6.5.6.3. | Pseudo-echo transformation                                                                   | 333 |
| 6.6.     | Manipulations of two-dimensional spectra                                                     | 336 |
| 6.6.1.   | Shearing transformations                                                                     | 336 |
| 6.6.2.   | Delayed acquisition                                                                          | 338 |
| 6.6.3.   | Time-proportional phase increments                                                           | 340 |
| 6.6.4.   | Symmetrization                                                                               | 341 |
| 6.6.5.   | Pattern recognition                                                                          | 343 |
| 6.6.6.   | Single-channel detection                                                                     | 346 |
| 6.7.     | Operator terms and multiplet structures in two-dimensional spectra                           | 347 |
| 6.8.     | Sensitivity of two-dimensional spectra                                                       | 349 |
| 6.8.1.   | The signal envelope                                                                          | 349 |

## CONTENTS

|          |                                                                                                            |     |
|----------|------------------------------------------------------------------------------------------------------------|-----|
| 6.8.2.   | Thermal noise and $t_1$ -noise                                                                             | 351 |
| 6.8.3.   | Sensitivity                                                                                                | 352 |
| 6.8.4.   | Comparison of the sensitivities of one- and two-dimensional experiments                                    | 353 |
| 6.8.5.   | Optimization of two-dimensional experiments                                                                | 354 |
| 6.8.5.1. | Low resolution in the $\omega_1$ -domain                                                                   | 355 |
| 6.8.5.2. | High resolution in the $\omega_1$ -domain                                                                  | 355 |
| 6.8.5.3. | Practical recommendations                                                                                  | 357 |
| 7.       | TWO-DIMENSIONAL SEPARATION OF INTERACTIONS                                                                 | 358 |
| 7.1.     | Basic principles                                                                                           | 358 |
| 7.2.     | Separation of chemical shifts and scalar couplings in isotropic phase                                      | 360 |
| 7.2.1.   | Homonuclear systems                                                                                        | 360 |
| 7.2.2.   | Two-dimensional separation in heteronuclear systems                                                        | 366 |
| 7.2.2.1. | Separation of $S$ -spin multiplets and $S$ -spin chemical shifts                                           | 367 |
| 7.2.2.2. | Removal of the chemical shifts from the $\omega_1$ -domain by shearing of the two-dimensional spectrum     | 368 |
| 7.2.2.3. | Separation of $S$ -spin multiplets vs. $S$ -spin chemical shifts by refocusing and gated coupling          | 369 |
| 7.2.2.4. | Separation of $S$ -spin multiplets vs. $S$ -spin chemical shifts by refocusing and inversion of $I$ nuclei | 370 |
| 7.2.2.5. | Separation of $S$ -spin multiplets due to coupling to a selected $I$ -spin vs. $S$ -spin chemical shifts   | 370 |
| 7.2.2.6. | Separation of long-range $IS$ couplings vs. $S$ -spin chemical shifts                                      | 370 |
| 7.2.2.7. | Separation of one-bond $IS$ couplings vs. $S$ -spin chemical shifts                                        | 372 |
| 7.2.2.8. | Artifacts                                                                                                  | 373 |
| 7.2.2.9. | Pure two-dimensional absorption                                                                            | 374 |
| 7.2.3.   | Strong coupling effects in refocusing experiments                                                          | 374 |
| 7.2.4.   | Echo modulation by non-resonant nuclei                                                                     | 381 |
| 7.3.     | Separation of chemical shifts and dipolar couplings in oriented phase                                      | 383 |
| 7.3.1.   | Homonuclear separated local field spectra                                                                  | 383 |
| 7.3.2.   | Heteronuclear separated local field spectra                                                                | 384 |
| 7.3.3.   | Correlation of chemical shielding and dipolar coupling tensors in static powders                           | 387 |
| 7.3.3.1. | Full simulation of powder spectra                                                                          | 390 |
| 7.3.3.2. | Ridge plots                                                                                                | 391 |
| 7.3.4.   | Separation of $\mathcal{H}_{IS}$ and $\mathcal{H}_{zs}$ under magic-angle spinning conditions              | 393 |
| 7.4.     | Separation of isotropic and anisotropic chemical shifts                                                    | 396 |
| 7.4.1.   | Rotation-synchronized pulses                                                                               | 397 |
| 7.4.2.   | Synchronous sampling with scaling                                                                          | 397 |
| 7.4.3.   | Magic-angle flipping                                                                                       | 398 |
| 7.4.4.   | Magic-angle hopping                                                                                        | 399 |

## CONTENTS

|          |                                                                                                |     |
|----------|------------------------------------------------------------------------------------------------|-----|
| 8.       | TWO-DIMENSIONAL CORRELATION METHODS BASED ON COHERENCE TRANSFER                                | 400 |
| 8.1.     | Coherence transfer in two-dimensional correlation spectroscopy: amplitudes and selection rules | 402 |
| 8.2.     | Homonuclear two-dimensional correlation spectroscopy                                           | 405 |
| 8.2.1.   | Weakly coupled two-spin systems                                                                | 406 |
| 8.2.2.   | Applications to complicated spectra                                                            | 411 |
| 8.2.3.   | Connectivity and multiplet effects in weakly coupled systems                                   | 414 |
| 8.2.4.   | Strong coupling in two-dimensional correlation spectroscopy                                    | 422 |
| 8.2.5.   | Magnetic equivalence                                                                           | 426 |
| 8.3.     | Modified two-dimensional correlation experiments                                               | 427 |
| 8.3.1.   | Delayed acquisition: spin-echo correlation spectroscopy                                        | 428 |
| 8.3.2.   | Constant-time correlation spectroscopy: $\omega_1$ -decoupling                                 | 429 |
| 8.3.3.   | Filtering and editing                                                                          | 431 |
| 8.3.3.1. | Multiple-quantum filtering                                                                     | 434 |
| 8.3.3.2. | $p$ -Spin-filters                                                                              | 438 |
| 8.3.3.3. | Filtering according to coupling network connectivity                                           | 438 |
| 8.3.4.   | Relayed coherence transfer                                                                     | 440 |
| 8.3.5.   | Coherence transfer by an average Hamiltonian in total correlation spectroscopy                 | 444 |
| 8.4.     | Homonuclear two-dimensional multiple-quantum spectroscopy                                      | 449 |
| 8.4.1.   | Excitation and detection of multiple-quantum coherence                                         | 449 |
| 8.4.2.   | Double-quantum spectra of two-spin systems                                                     | 451 |
| 8.4.3.   | Multiple-quantum spectra of scalar-coupled networks in isotropic phase                         | 456 |
| 8.4.4.   | Multiple-quantum spectra of dipole-coupled nuclei in anisotropic phase                         | 463 |
| 8.4.5.   | Double-quantum spectra of quadrupolar nuclei with $S = 1$ in anisotropic phase                 | 465 |
| 8.5.     | Heteronuclear coherence transfer                                                               | 467 |
| 8.5.1.   | Sensitivity considerations                                                                     | 468 |
| 8.5.2.   | Coherence transfer pathways                                                                    | 470 |
| 8.5.3.   | Heteronuclear two-dimensional correlation spectroscopy in isotropic phase                      | 471 |
| 8.5.3.1. | Transfer of in-phase magnetization                                                             | 473 |
| 8.5.3.2. | Broadband decoupling                                                                           | 474 |
| 8.5.3.3. | Decoupling by refocusing pulses                                                                | 475 |
| 8.5.3.4. | Bilinear rotation decoupling                                                                   | 475 |
| 8.5.3.5. | Editing of heteronuclear correlation spectra                                                   | 477 |
| 8.5.4.   | Relayed heteronuclear correlation spectroscopy                                                 | 479 |
| 8.5.5.   | Heteronuclear correlation experiments involving double transfer                                | 482 |
| 8.5.6.   | Heteronuclear correlation in solids                                                            | 485 |
| 9.       | DYNAMIC PROCESSES STUDIED BY TWO-DIMENSIONAL EXCHANGE SPECTROSCOPY                             | 490 |
| 9.1.     | Polarization transfer in one- and two-dimensional methods                                      | 490 |
| 9.2.     | Selection of coherence transfer pathways                                                       | 494 |

|                   |                                                                              |     |
|-------------------|------------------------------------------------------------------------------|-----|
| 9.3.              | Cross-relaxation and exchange in systems without resolved couplings          | 495 |
| 9.3.1.            | Slow exchange                                                                | 498 |
| 9.3.2.            | Two-site systems                                                             | 499 |
| 9.3.3.            | Multiple-site exchange                                                       | 500 |
| 9.4.              | Two-dimensional exchange spectroscopy in coupled spin systems                | 501 |
| 9.4.1.            | Density operator treatment                                                   | 502 |
| 9.4.2.            | Zero-quantum interference                                                    | 503 |
| 9.4.3.            | Longitudinal scalar or dipolar order                                         | 506 |
| 9.4.4.            | Suppression of $J$ cross-peaks                                               | 506 |
| 9.5.              | Two-dimensional exchange difference spectroscopy                             | 508 |
| 9.6.              | Determination of rate constants by 'accordion' spectroscopy                  | 510 |
| 9.7.              | Cross-relaxation and nuclear Overhauser effects                              | 516 |
| 9.7.1.            | Intramolecular cross-relaxation                                              | 517 |
| 9.7.2.            | Intramolecular cross-relaxation in a two-spin system                         | 519 |
| 9.7.3.            | Intramolecular cross-relaxation in a system with equivalent spins            | 521 |
| 9.7.4.            | Intermolecular cross-relaxation                                              | 522 |
| 9.7.5.            | Cross-relaxation in the slow-motion limit: applications to macromolecules    | 523 |
| 9.8.              | Chemical exchange                                                            | 528 |
| 9.9.              | Indirect detection of longitudinal relaxation in multilevel spin systems     | 530 |
| 9.10.             | Dynamic processes in solids                                                  | 533 |
| 10.               | <b>NUCLEAR MAGNETIC RESONANCE IMAGING</b>                                    | 539 |
| 10.1.             | Classification of imaging techniques                                         | 541 |
| 10.2.             | Sequential point techniques                                                  | 542 |
| 10.2.1.           | Sensitive point technique                                                    | 542 |
| 10.2.2.           | Field focusing NMR (FONAR) and topical NMR                                   | 544 |
| 10.3.             | Sequential line technique                                                    | 545 |
| 10.3.1.           | Sensitive line or multiple sensitive point method                            | 545 |
| 10.3.2.           | Line scan technique                                                          | 547 |
| 10.3.3.           | Echo line imaging                                                            | 548 |
| 10.4.             | Sequential plane technique                                                   | 548 |
| 10.4.1.           | Projection-reconstruction technique                                          | 549 |
| 10.4.2.           | Fourier imaging                                                              | 553 |
| 10.4.3.           | Spin-warp imaging                                                            | 554 |
| 10.4.4.           | Rotating-frame imaging                                                       | 556 |
| 10.4.5.           | Planar and multiplanar imaging                                               | 557 |
| 10.4.6.           | Echo planar imaging                                                          | 559 |
| 10.5.             | Comparison of sensitivity and performance time of various imaging techniques | 560 |
| 10.5.1.           | Sensitivity                                                                  | 560 |
| 10.5.2.           | Performance time                                                             | 563 |
| <b>REFERENCES</b> |                                                                              | 565 |
| <b>INDEX</b>      |                                                                              | 597 |