

Contents

List of Acronyms *xiii*

Preface to Second Edition *xix*

1	Introduction to Satellite Communications	<i>1</i>
1.1	Early History of Satellite Communications	<i>3</i>
1.1.1	SCORE	<i>3</i>
1.1.2	ECHO	<i>3</i>
1.1.3	COURIER	<i>4</i>
1.1.4	WESTFORD	<i>4</i>
1.1.5	TELSTAR	<i>4</i>
1.1.6	RELAY	<i>4</i>
1.1.7	SYNCOM	<i>5</i>
1.1.8	EARLYBIRD	<i>5</i>
1.1.9	APPLICATIONS TECHNOLOGY SATELLITE-1, ATS-1	<i>5</i>
1.1.10	ATS-3	<i>5</i>
1.1.11	ATS-5	<i>6</i>
1.1.12	ANIK A	<i>6</i>
1.1.13	ATS-6	<i>6</i>
1.1.14	CTS	<i>8</i>
1.2	Some Basic Communications Satellite System Definitions	<i>9</i>
1.2.1	Satellite Communications Segments	<i>9</i>
1.2.1.1	Space Segment	<i>9</i>
1.2.1.2	Ground Segment	<i>9</i>
1.2.2	Satellite Link Parameters	<i>10</i>
1.2.3	Satellite Orbits	<i>11</i>
1.2.3.1	Geosynchronous Orbit (GSO or GEO)	<i>11</i>
1.2.3.2	Low Earth Orbit (LEO)	<i>12</i>
1.2.3.3	Medium Earth Orbit (MEO)	<i>12</i>
1.2.3.4	High Earth Orbit (HEO)	<i>12</i>
1.2.4	Frequency Band Designations	<i>13</i>
1.3	Overview of Book Structure and Topics	<i>13</i>
	References	<i>15</i>

2	Satellite Orbits	17
2.1	Kepler's Laws	18
2.2	Orbital Parameters	19
2.3	Orbits in Common Use	22
2.3.1	Geostationary Orbit	23
2.3.2	Low Earth Orbit	25
2.3.3	Medium Earth Orbit	26
2.3.4	Highly Elliptical Orbit	26
2.3.5	Polar Orbit	27
2.4	Geometry of GSO Links	27
2.4.1	Range to Satellite	29
2.4.2	Elevation Angle to Satellite	29
2.4.3	Azimuth Angle to Satellite	30
2.4.4	Sample Calculation	31
	References	33
	Problems	33
3	Satellite Subsystems	35
3.1	Satellite Bus	36
3.1.1	Physical Structure	37
3.1.1.1	Spin Stabilization	37
3.1.1.2	Three-Axis Stabilization	38
3.1.2	Power Subsystem	38
3.1.3	Attitude Control	39
3.1.4	Orbital Control	39
3.1.5	Thermal Control	41
3.1.6	Electronic Propulsion Satellites	42
3.1.7	Tracking, Telemetry, Command, and Monitoring	43
3.2	Satellite Payload	45
3.2.1	Transponder	45
3.2.1.1	Frequency Translation Transponder	45
3.2.1.2	On-Board Processing Transponder	46
3.2.2	Antennas	47
	References	48
4	The RF Link	49
4.1	Transmission Fundamentals	49
4.1.1	Effective Isotropic Radiated Power	51
4.1.2	Power Flux Density	51
4.1.3	Antenna Gain	52
4.1.3.1	Circular Parabolic Reflector Antenna	53
4.1.3.2	Beamwidth	53
4.1.4	Free-Space Path Loss	55
4.1.5	Basic Link Equation for Received Power	56
4.1.5.1	Sample Calculation for Ku-Band Link	57
4.2	System Noise	59
4.2.1	Noise Figure	61
4.2.2	Noise Temperature	63

4.2.2.1	Active Devices	63
4.2.2.2	Passive Devices	64
4.2.2.3	Receiver Antenna Noise	65
4.2.3	System Noise Temperature	66
4.2.3.1	Sample Calculation for System Noise Temperature	68
4.2.4	Figure of Merit	69
4.3	Link Performance Parameters	70
4.3.1	Carrier-to-Noise Ratio	70
4.3.2	Carrier-to-Noise Density	72
4.3.3	Energy-per-Bit to Noise Density	72
	Reference	73
	Problems	73
5	Link System Performance	75
5.1	Link Considerations	75
5.1.1	Fixed Antenna Size Link	76
5.1.2	Fixed Antenna Gain Link	77
5.1.3	Fixed Antenna Gain, Fixed Antenna Size Link	77
5.2	Uplink	79
5.2.1	Multiple Carrier Operation	81
5.3	Downlink	81
5.4	Percent of Time Performance Specifications	82
	References	84
	Problems	85
6	Transmission Impairments	87
6.1	Radiowave Frequency and Space Communications	87
6.2	Radiowave Propagation Mechanisms	89
6.2.1	Absorption	90
6.2.2	Scattering	90
6.2.3	Refraction	90
6.2.4	Diffraction	90
6.2.5	Multipath	90
6.2.6	Scintillation	90
6.2.7	Fading	90
6.2.8	Frequency Dispersion	90
6.3	Propagation Below About 3 GHz	92
6.3.1	Ionospheric Scintillation	95
6.3.2	Polarization Rotation	97
6.3.3	Group Delay	98
6.3.4	Dispersion	99
6.4	Propagation Above About 3 GHz	100
6.4.1	Rain Attenuation	101
6.4.1.1	Spatial Structure of Rain	101
6.4.1.2	Classical Description for Rain Attenuation	102
6.4.1.3	Attenuation and Rain Rate	104
6.4.2	Gaseous Attenuation	105
6.4.3	Cloud and Fog Attenuation	107

6.4.3.1	Specific Attenuation for Clouds	107	8	Rain Fade Mitigation	205
6.4.3.2	Total Cloud Attenuation	108	8.1	Power Restoral Techniques	205
6.4.4	Depolarization	108	8.1.1	Beam Diversity	206
6.4.4.1	Rain Depolarization	110	8.1.2	Power Control	207
6.4.4.2	Ice Depolarization	113	8.1.2.1	Uplink Power Control	208
6.4.5	Tropospheric Scintillation	114	8.1.2.2	Downlink Power Control	211
6.4.5.1	Scintillation Parameters	116	8.1.3	Site Diversity	211
6.4.5.2	Amplitude Scintillation Measurements	116	8.1.3.1	Diversity Gain and Diversity Improvement	212
6.5	Radio Noise	117	8.1.3.2	Diversity System Design and Performance	217
6.5.1	Specification of Radio Noise	119	8.1.3.3	Site Diversity Processing	224
6.5.2	Noise From Atmospheric Gases	121	8.1.3.4	Considerations When Modeling Site Diversity	225
6.5.3	Sky Noise Due To Rain	124	8.1.4	Orbit Diversity	227
6.5.4	Sky Noise Due to Clouds	125	8.2	Signal Modification Restoral Techniques	229
6.5.5	Noise From Extra-Terrestrial Sources	126	8.2.1	Frequency Diversity	230
6.5.5.1	Cosmic Background Noise	127	8.2.2	Bandwidth Reduction	231
6.5.5.2	Solar Noise	131	8.2.3	Time-Delayed Transmission Diversity	231
6.5.5.3	Lunar Noise	133	8.2.4	Adaptive Coding and Modulation	231
6.5.5.4	Radio Stars	134	8.3	Summary	232
	References	134		References	232
	Problems	135		Problems	233
7	Propagation Effects Modeling and Prediction	138	9	The Composite Link	235
7.1	Atmospheric Gases	138	9.1	Frequency Translation (FT) Satellite	236
7.1.1	Leibe Complex Refractivity Model	139	9.1.1	Uplink	236
7.1.2	ITU-R Gaseous Attenuation Models	140	9.1.2	Downlink	238
7.1.2.1	ITU-R Line-by-line Calculation	140	9.1.3	Composite Carrier-to-Noise Ratio	238
7.1.2.2	ITU-R Gaseous Attenuation Approximation Method	145	9.1.3.1	Carrier-to-Noise Density	242
7.2	Clouds and Fog	152	9.1.3.2	Energy-Per-Bit to Noise Density Ratio	242
7.2.1	ITU-R Cloud Attenuation Model	153	9.1.4	Performance Implications	243
7.2.2	Slobin Cloud Model	155	9.1.5	Path Losses and Link Performance	244
7.3	Rain Attenuation	162	9.2	On-Board Processing (OBP) Satellite	248
7.3.1	ITU-R Rain Attenuation Model	162	9.2.1	OBP Uplink and Downlink	250
7.3.2	Crane Rain Attenuation Models	176	9.2.2	Composite OBP Performance	250
7.3.2.1	Crane Global Rain Model	177	9.2.2.1	Binary FSK Link	251
7.3.2.2	Crane Two Component Rain Attenuation Model	182	9.3	Comparison of FT and OBP Performance	252
7.4	Depolarization	187	9.4	Intermodulation Noise	255
7.4.1	Rain Depolarization Modeling	188	9.5	Link Design Summary	257
7.4.1.1	ITU-R Depolarization Model	188		References	258
7.4.2	Ice Depolarization Modeling	190		Problems	258
7.4.2.1	Tsolakis and Stutzman T-Matrix Model	190	10	Satellite Communications Signal Processing	261
7.4.2.2	ITU-R Ice Depolarization Estimation	193	10.1	Analog Systems	261
7.5	Tropospheric Scintillation	194	10.1.1	Analog Baseband Formatting	262
7.5.1	Karasawa Scintillation Model	194	10.1.2	Analog Source Combining	264
7.5.2	ITU-R Scintillation Model	197	10.1.3	Analog Modulation	264
7.5.3	van de Camp Cloud Scintillation Model	199	10.2	Digital Baseband Formatting	270
	References	201	10.2.1	PCM Bandwidth Requirements	273
	Problems	203			

10.2.2	Nearly Instantaneous Companding (NIC)	273
10.2.3	Adaptive Delta Modulation (ADM) or Continuously Variable Slope Delta Modulation (CVSD)	273
10.2.4	Adaptive Differential PCM (ADPCM)	274
10.3	Digital Source Combining	274
10.4	Digital Carrier Modulation	275
10.4.1	Binary Phase Shift Keying	278
10.4.2	Quadrature Phase Shift Keying	280
10.4.3	Higher Order Phase Modulation	283
10.5	Summary	283
	Reference	284
	Problems	284
11	Satellite Multiple Access	286
11.1	Frequency Division Multiple Access	289
11.1.1	PCM/TDM/PSK/FDMA	290
11.1.2	PCM/SCPC/PSK/FDMA	292
11.2	Time Division Multiple Access	293
11.2.1	PCM/TDM/PSK/TDMA	294
11.2.2	TDMA Frame Efficiency	295
11.2.2.1	Sample Calculation for Frame Efficiency	296
11.2.3	TDMA Capacity	296
11.2.3.1	Sample Calculation for Channel Capacity	298
11.2.4	Satellite Switched TDMA	299
11.3	Code Division Multiple Access	303
11.3.1	Direct Sequence Spread Spectrum	306
11.3.2	Frequency Hopping Spread Spectrum	309
11.3.3	CDMA Processing Gain	310
11.3.4	CDMA Capacity	312
11.3.4.1	Sample Calculation for the CDMA Channel Capacity	313
	References	314
	Problems	314
12	The Mobile Satellite Channel	316
12.1	Mobile Channel Propagation	316
12.1.1	Reflection	317
12.1.2	Diffraction	318
12.1.3	Scattering	318
12.2	Narrowband Channel	321
12.2.1	Path Loss Factor	323
12.2.2	Shadow Fading	327
12.2.2.1	Empirical Roadside Shadowing Model	328
12.2.2.2	ITU-R Roadside Building Shadowing Model	331
12.2.3	Multipath Fading	333
12.2.3.1	Mountain Environment Multipath Model	338
12.2.3.2	Roadside Trees Multipath Model	339
12.2.4	Blockage	340
12.2.4.1	ITU-R Building Blockage Model	340
12.2.4.2	Hand Held Terminal Blockage	344
12.2.5	Mixed Propagation Conditions	346
12.3	Wideband Channel	348
12.4	Multi-Satellite Mobile Links	351
12.4.1	Uncorrelated Fading	351
12.4.1.1	Multi-Satellite GSO Network	351
12.4.1.2	Multi-Satellite NGSO Network	352
12.4.2	Correlated Fading	353
	References	355
13	Spectrum Management in Satellite Communications	357
13.1	Spectrum Management Functions and Activities	357
13.1.1	International Spectrum Management	358
13.1.2	World Radiocommunication Conference (WRC)	361
13.1.3	Frequency Allocation Process	361
13.1.4	Spectrum Management in the United States	365
13.1.4.1	Federal Communications Commission (FCC)	366
13.1.4.2	National Telecommunications and Information Administration (NTIA)	366
13.1.4.3	FCC and NTIA Dual Organization Structure	367
13.2	Methods of Radio Spectrum Sharing	368
13.2.1	Frequency Separation	369
13.2.2	Spatial Separation	371
13.2.3	Time Separation	372
13.2.4	Signal Separation	372
13.3	Spectrum Efficiency Metrics	372
13.3.1	Spectrum Utilization Factor (U)	373
13.3.2	Spectrum Utilization Efficiency (SUE)	373
	References	374
	Problems	374
14	Interference Mitigation in Satellite Communications	376
14.1	Interference Designations	376
14.2	Modes of Interference for Satellite Services Networks	377
14.2.1	Interference Between Space and Terrestrial Services Systems	377
14.2.2	Interference Between Space Services Networks	378
14.2.3	Interference Between Space Services Networks with Reverse Band Allocations	379
14.3	Interference Propagation Mechanisms	379
14.3.1	Line-of-Sight Interference	381
14.3.2	Diffraction	382
14.3.3	Tropospheric Scatter	383
14.3.4	Surface Ducting and Layer Reflection	383
14.3.5	Hydrometeor (Rain) Scatter	384
14.4	Interference and the RF Link	386
14.4.1	Single Interferer (pfld)	387
14.4.2	Multiple Interferers (epfld)	387

14.5	Coordination for Interference Mitigation	388
14.5.1	Radio-Climate Zones	390
14.5.2	Distance Limits	391
14.5.3	Coordination Distance for Mode (1) Propagation	392
14.5.4	Coordination Distance for Mode (2) Propagation	393
14.5.5	ITU-R Coordination Procedures for Satellite and Terrestrial Services	394
	References	395
	Problems	396
15	High Throughput Satellites	398
15.1	Evolution of Satellite Broadband	399
15.2	Multiple Beam Antennas and Frequency Reuse	401
15.2.1	Multiple Beam Antenna Array Design	402
15.2.1.1	Total Available Bandwidth	404
15.2.1.2	Frequency Reuse Factor	404
15.2.1.3	Capacity	404
15.2.2	Adjacent Beam SIR	406
15.3	HTS Ground Systems Infrastructure	412
15.3.1	Network Architectures	412
15.3.1.1	STAR Network	412
15.3.1.2	MESH Network	413
15.3.2	Frequency Band Options	413
15.4	Satellite HTS and 5G	416
15.4.1	Cellular Mobile Technology Development	416
15.4.1.1	First Generation	416
15.4.1.2	Second Generation (2G)	417
15.4.1.3	Third Generation (3G)	417
15.4.1.4	3G Evolution	417
15.4.1.5	Fourth Generation (4G)	418
15.4.1.6	Fifth Generation (5G)	418
15.4.2	Satellite 5G Technologies	418
	References	422
Appendix	Error Functions and Bit Error Rate	423
A.1	Error Functions	423
A.2	Approximation for BER	425
Index	427	