

CONTENTS

Preface

Main talks

Hot baryon number violation and color conductivity P. Arnold, D. Son and L. G. Yaffe	1
Effective theories for hot non-Abelian dynamics D. Bödeker	12
The sphaleron rate: where we stand G. D. Moore	23
Non-perturbative aspects of hot QCD E. Iancu	34
Effective theories for real-time correlations in hot plasmas P. Arnold and L. G. Yaffe	47
Electroweak baryogenesis in the MSSM M. Quiros and M. Seco	59
Recent progress in electroweak baryogenesis J. M. Cline	70
Hunting down the quark-gluon plasma in relativistic heavy-ion collisions U. Heinz	81
Deconfinement and chiral symmetry restoration F. Karsch	101
How to find the QCD critical point K. Rajagopal	112
Phase diagram and Debye mass in thermally reduced QCD Ph. Boucaud and C. P. Korthals Altes	130
Baryogenesis at the QCD scale R. Brandenberger, I. Halperin and A. Zhitnitsky	141

Domain wall zoo in supersymmetric QCD A. V. Smilga	152
--	-----

Contributed talks

Non-equilibrium dynamics in non-Abelian gauge theories J. Baacke, K. Heitmann and C. Patzold	163
Dynamics of fermions and inhomogeneous Bose fields on a real-time lattice G. Aarts and J. Smit	168
Periodic instantons in SU(2) Yang-Mills-Higgs theory G. F. Bonini, S. Habib, E. Mottola, C. Rebbi, R. Singleton and P. G. Tinyakov	173
Nonperturbative contributions to the hot electroweak potential S. J. Huber and M. G. Schmidt	183
Endpoint of the electroweak phase transition F. Csikor, Z. Fodor, J. Heitger, Y. Aoki and A. Ukawa	190
The properties of the critical point in electroweak theory M. Tsypin	196
Analytical studies for the critical line and critical endpoint of the electroweak phase transition H. Meyer-Ortmanns and T. Reisz	201
Evidence for discrete chiral symmetry breaking in $N = 1$ supersymmetric Yang-Mills theory R. Kirchner, I. Montvay, J. Westphalen, S. Luckmann and K. Spanderen	206
Vortex tension and the phases of 3D U(1)+Higgs A. Rajantie	211
Catalysis of chiral symmetry breaking by external magnetic fields in three dimensional lattice QED K. Farakos, G. Koutsoumbas, N. Mavromatos and A. Momen	216
Baryogenesis and extended electroweak models I. Vilja	221

CP violation in the next to minimal supersymmetric standard model A. T. Davies, C. D. Froggatt and A. Usai	227
Quantum Boltzmann equation for mixing scalar fields M. Joyce, K. Kainulainen and T. Prokopec	232
Hard thermal loops in the electroweak theory C. Manuel	238
Critical slowing down and defect formation M. Pietroni	243
B-ball baryogenesis and D-term inflation J. McDonald	248
Testing B-ball cosmology with the CMB K. Enqvist	253
Calculation of the pre-exponential factor in bubble-nucleation rates N. Tetradis	258
Nuclear parton distributions K. J. Eskola, V. J. Kolhinen, P. V. Ruuskanen and C. A. Salgado	263
Gluon condensate and parton propagation in a quark-gluon plasma A. Schafer and M. H. Thoma	268
Screening masses of hot SU(2) gauge theory from the 3D adjoint Higgs model F. Karsch, M. Oevers and P. Petreczky	273
Static mass scales in hot gauge theories O. Philipsen	278
Measuring diquark condensation in lattice simulations of dense matter S. Hands and S. Morrison	283
Electrical conduction in the early Universe H. Heiselberg	288
Finite-temperature supersymmetry as a constrained supergravity C. Lucchesi	294
Leptogenesis and inflation D. Delepine	299

Electroweak baryogenesis with cosmic strings? J. R. Espinosa	304
Gauge invariant resummation of thermal fluctuations D. F. Litim	309
Electroweak origin of cosmological magnetic fields O. Törnkvist	314
Magnetic fields and the EW phase transition M. Laine	319
Gauge fixing and gluon propagator in X-gauges A. Cucchieri and T. Mendes	324
Nonequilibrium chiral perturbation theory A. G. Nicola	329
Equation of motion of a classical scalar field with back reaction of produced particles A. D. Dolgov and S. H. Hansen	334
Singlets and the electroweak phase transition S. J. Huber	339
Resummation, classical theory and applications A. Jakovac	344
Bubble wall profiles in supersymmetric models P. John	349
The heavy-quark potential in QCD at finite temperature C. DeTar, O. Kaczmarek, F. Karsch and E. Laermann	3 5 4
Effect of strong magnetic field on the first-order electroweak phase transition R. Fiore, A. Tiesi, L. Masperi, A. Megevand	3 5 9
Two colours QCD at nonzero chemical potential S. Morrison and S. Hands	364
Classical mean field description of colliding gauge fields and the “glue burst” B. Müller and W. Pöschl	369

The phase diagram of 2 flavour QCD with improved actions M. Oevers, F. Karsch, E. Laermann and P. Schmidt	374
Beyond HTL: the classical kinetic theory of Landau damping for self-interacting scalar fields in the broken phase A. Patkós and Z. S.&p	379
The QCD phase transition for two and three quark flavours F. Karsch, E. Laermann, M. Lütgemeier and A. Peikert	384
Stabilization of chromomagnetic fields at high temperature D. Persson	389
Dynamics of topological defects in electroweak theory M. N. Chernodub, F. V. Gubarev, E.-M. Ilgenfritz and A. Schiller	394
Momentum dependent meson masses near the critical temperature with improved Wilson quarks P. Schmidt and E. Laermann	400
$\mathcal{L}_{\pi^0\gamma\gamma}$ to $\mathcal{O}(T^2)$ <i>M. H. G. Tytgat</i>	405
List of participants	410