

Contents

Committee Members

ICEC 12 Sponsors

ICEC 12 Exhibitors

Forward

R.G. Scurlock and C.A. Bailey 1

Mendelssohn Award 1988

G. Klipping 2

Mendelssohn Award 1988 – Reply

J. B. Gardner 4

Plenary lectures

Present and future cryogenic applications, the United States situation

J.K. Hulm, C. Laverick and C.J. Mole 15

Industrial gas liquefaction and separation

G. G. Haselden 31

ETW – The European Transonic Windtunnel

D. Schimanski, B. Jawaid and A. Russell 43

Cryogenics of the Joint European Torus (JET) and the Next European Torus (NET)

W. Obert 53

The implications of higher critical temperature superconductive materials

P. Komarek 64

Cryogenics in Japan

T. Ohtsuka 74

Design of cryogenic equipment

Large scale

Improvement of the filling process of a 1 T MR-magnet by using a LHe/LN -transfer line

H-W Tiffe and H Hundeshagen 84

Computer aided cryostat design in Twente: recent developments

H.J.M. ter Brake and J. Flokstra 88

Liquid nitrogen cooling system for FTU Tokamak machine

S. Migliori, L. Bettinali, M. Gasparotto and A. Pizzuto 93

The cryogenic system for the Astromag test coil

M.A. Green, S. M. Levin, G.F. Smoot and C. Witebsky 98

Development of a high capacity cryogenic pump for supercritical helium

K. Haraguchi, A. Iwata, M. Yoshiwa, E. Tada, T. Kato, H. Yamamura, K. Kawano, M. Hoshino and S. Shimamoto 103

A conductor design for NET machine <i>R. Bruzzese, A. Catatti, R. Cerrata, A. Della Corte, G. Pasotti, M.V. Ricci, N. Sacchetti and M. Spadoni</i>	107
Design, test and performance of the liquid helium cryostats for the LEP superconducting quadrupole magnets <i>H. Blessing, Ph. Lebrun, S. Pichler, T.M. Taylor and G. Trinquart</i>	112
ALEPH solenoid cryogenic system <i>J.C. Lottin and R. Duthil</i>	117
 Small scale	
An optimization for designing cryogenic expansion turbine <i>Y. Gou, Y. Wu and J. Xu</i>	122
On-board fuel storage and supply system of a liquid hydrogen powered experimental passenger car <i>H. Fieseler, W. Hettinger and M. Kesten</i>	127
Cryogenic systems for intense pulsed ion beam sources; past, present and future <i>K. Kasuya, K. Horioka, J.B. Greenly, G.D. Rondeau, D.A. Hammer, S. Harada, K. Nakamura, H. Kondoh and K. Hasegawa</i>	132
Condensation of air in the venting system of a liquid helium cryostat <i>C. Schnapper</i>	137
The vacuum characteristics of FRP liquid helium dewars <i>L. Xu, R. Wang, and X. Lu</i>	142
 Heat transfer	
Solids	
Heat transfer analysis in multilayer insulation systems <i>S. Jacob, R. Karunanithi, S. Kasthuriengan and G. Manjunath</i>	148
Measurement of interlayer gas pressure in multilayer insula- tion <i>S. Jacob, R. Karunanithi, S. Kasthuriengan and G. Manjunath</i>	152
Thermal performance measurements of a graphite tube compact cryogenic support for the Superconducting Super Collider <i>J. D. Gonczy, W.N. Boroski, E. T. Larson, T.H. Nicol, R.C. Niemann, J.G. Otavka and M.K. Ruschman</i>	156
Effects of a radiation system and a wrapping method of multilayer insulation on heat transfer in cryogenic systems <i>T. Amano, A. Ohara and T. Yamada</i>	162
Intercept optimization of cryogenic supports <i>M.K. Abdelsalam and M.A. Hilal</i>	167

Comparison of the thermal performance of multilayer insulation materials on fabrication techniques <i>G.M. York</i>	172
Fluids	
The effect of coriolis forces on the temperature distribution in a liquid helium filled, rotating, open thermosyphon <i>R. M. Igra and R. G. Scurlock</i>	177
Transient thermal analysis of force-cooled conductors <i>L. Bottura</i>	182
Design and operation of a horizontal liquid helium flow facility <i>S. W. Van Sciver and J.G. Weisend II</i>	187
Boiling heat transfer studies on a 2 m narrow channel test-rig in liquid nitrogen <i>S.P. Ashworth, C. Beduz, R. Harper, T. Lavin and R.G. Scurlock</i>	192
Two-phase	
Characteristics of horizontal two-phase helium flow at low mass velocities <i>Yu P. Filippov, I.S. Mamedov and S. Yu Selyunin</i>	198
Pressure drop in forced two-phase cooling of the VENUS thin superconducting solenoid <i>T. Haruyama, T. Mito and Y. Doi</i>	202
Results of flow experiments with two-phase helium for cooling of superconductors <i>H. Katheder and M. Susser</i>	207
The enhanced boiling heat transfer of microfilm thermosyphon two-phase flow in liquid nitrogen <i>Y. Wu, J. Du and L. Chen</i>	212
Cooling	
Discussions on vapor- or gas-cooled superconducting magnet leads <i>C.S. Hong</i>	217
Controlled downward transfer of saturated liquid helium across large differences in elevation <i>H. Blessing, W. Erdt, Ph. Lebrun, L. Walckiers and W. Weingarten</i>	222
Cryogenic helium cooling in rotating parallel cooling ducts with common supply channels <i>B. Bodner and H. Köfler</i>	227
Development of advanced pulse tube refrigerators – co-axial and valved designs <i>R.N. Richardson</i>	232

18 kA vapour cooled current leads using stack of copper finned foils <i>D. Leroy and L. Oberli</i>	237
18 kA vapour cooled current leads to test superconducting magnet models for the proposed Large Hadron Collider at CERN using wire matrix heat exchangers <i>D. Hagedorn, F. Haug, L. Oberli, H. Benz, R.K. Maix and H. Sauter</i>	242
Current leads for ALEPH solenoid <i>C. Lesmond, J.C. Lottin and J.P. Lottin</i>	247
Helium II	
Helium II heat transport and permeability measurements in the pored membrane filters <i>S. Kasthuriangan, H. P. Kramer and A. Hofmann</i>	251
Gorter-Mellinck heat transport in He II transverse to tube banks and through ducts of nonuniform cross section <i>L. Dresner</i>	256
Heat transfer to pressurized superfluid helium <i>T. Gradt, D. Kasao, U. Ruppert and K. Liiders</i>	261
Onset of vaporization associated with counterflow in porous <i>T.H.K. Frederking, P.K. Khandhar and P. Abbassi</i>	266
Study of thermal counterflow jet in He II using a laser Doppler velocimeter <i>M. Murakami and T. Yamazaki</i>	271
Superheating of the He II phase above saturation conditions <i>B. P. M. Helvensteijn and S. W. Van Sciver</i>	276
Flow visualization of large-scale vortex ring propagating through He II <i>M. Murakami and M. Hanada</i>	281
A prototype refrigerator for subcooled superfluid helium at 1.8 K design and tests <i>P. Fabbriatore, G. Gemme, M. Losasso, A. Parodi, C. Salvo and R. Vaccarone</i>	286
Transient heat transfer into superfluid helium under confined conditions <i>Yu P. Filippov, V.M. Miklayev and I.A. Sergeev</i>	290
He II active phase separator suitable for space qualification <i>H.D. Denner, G. Klipping, U. Ruppert and Z. Szűcs</i>	294
Heat transfer to forced flow Helium II <i>H. P. Kramer</i>	299
Helium II heat transfer in a channel <i>M. Ohtsuka</i>	305
Combined heat and mass transport in superfluid He II <i>J. J. Tough and S.S. Courts</i>	310

Industrial applications

- Production and acceleration of solid deuterium pellets for fusion needs**
J. Lafferranderie, G. Claudet, F. Disdier, P. Kupschus and K. Sonnenberg 314
- Improvements in boiling heat transfer in cryogenic plant: model of co-operation between industry and university**
W.H. Aitken, C. Beduz and R.G. Scurlock 319
- New purification system with PSA and membrane for He liquefier**
K. Asahara, M. Taneda and J. Tsukuda 324
- Coal cleaning by superconducting open-gradient magnetic separator**
F. Chovanec, J. Pitel, V. Hencl, A.A. Kostin, S.G. Kozlova, V.N. Kriticki, J.P. Rabiner and Y.A. Baskirov 329
- Condensing and boiling performance of a 60cm plate-fin condenser-reboiler section at liquid nitrogen temperatures**
S.P. Ashworth, C. Beduz, A.J. de Sousa, T. Lavin and R.G. Scurlock 334
- Status of superconducting magnetic separation – July 1988**
J. H. P. Watson 339
- The design of plate fin heat exchanger used for petrochemical industry**
L.L. Hu, C.Q. Chen, Y.Z. Li, M.F. Lin and Y.Y. Wu 345
- Further remarks on the limitations of ambient vaporizers in continuous operation**
R.E. Bernert 351
- New, low-energy processes for cryogenic air separation**
K.B. Wilson, D. W. Woodward and D.C. Erickson 355
- The dual-zone brazed aluminium plate reboiler-condenser**
R.M. Thorogood, D.L. Bennett and A. Schwarzl 360
-
- ## Instrumentation
- Cold electronic system using 15 bit A/D converter and Southampton diode thermometer for precision thermometry between 77 K and 300 K**
R. M. Igra, M.G. Rao and R.G. Scurlock 365
- The use of thin foil heat flux gauges to determine plug closure in cryogenic pipe freezing**
M.J. Burton and R.J. Bowenl 369
- Level control in a superfluid helium bath using the fountain effect**
J. Lafferranderie, G. Claudet and F. Viargues 374
- Performance of Validyne pressure transducers in liquid helium**
A. Kashani, A.L. Spivak, R.A. Wilcox and C.E. Woodhouse 379

The effect of magnetic field and orientation on the Southampton diode thermometer in the temperature range 4.2-300 K <i>A.S. Bahaj, R.M. Igra and R.G. Scurlock</i>	384
Cryogenic torquer/positioner for ultra high vacuum <i>I. Arend, M. Budini, U. Ruppert, M. Schoele, Z. Szücs and H. Walter</i>	389
Experiences in the cooling magnetic resonance tomographs <i>G. Klipping</i>	394
The challenge of installing a cryomagnetic system in a hospital environment <i>R. Morad, A. Palkovich and T. Duby</i>	399
Whole-body horizontal bore magnet system for in-vivo spectroscopy applications <i>S. Burgess, P.J. Feenan and D.L. Rayner</i>	404
Properties	
Solid	
Measurement of thermophysical properties at low temperatures by rectangular-shaped pulse heating <i>T. Ito, Y. Takata, H. Kubota and T. Honnami</i>	409
Thermal conductivity and electrical resistivity of very high-purity copper at low temperatures <i>R. Li and T. Hashimoto</i>	414
Internal friction in aluminium 6082 at low temperatures <i>A.J. Boonstra, J.J. Wijnbergen, K.J. Wildeman and H. van Agthoven</i>	418
A new regenerator material $\text{Er}(\text{Ni}_{1-x}\text{Co}_x)_2$ with high specific heat in the range from 4.2 K to 20 K <i>R. Li and T. Hashimoto</i>	423
Motor insulation systems for cryogenic temperatures <i>W. Bitoh, M. Tsukiji, Y. Yanai and F. Miyamoto</i>	427
Magneto-thermal properties of sintered $\text{Gd}_3\text{Ga}_5\text{O}_{12}$: specific heat at low temperatures and high magnetic fields <i>E. Gmelin and W. Dai</i>	432
Permeation of helium through polymers at low temperatures <i>E. Behrend, U. Schmidtchen and W. Meyer</i>	437
Development and application of a modified low temperature epoxy adhesive <i>S. Jacob, R. Karunanithi, S. Kasthuriengan and G. Manjunath</i>	442
Studies on room temperature absorption of water on zeolites and activated charcoal and their residual gas analysis <i>S. Jacob, R. Karunanithi, S. Kasthuriengan and G. Manjunath</i>	446

Experimental investigation on the fouling of metal surfaces in boiling liquid nitrogen <i>M.F. Wu, V.J. Bartolo and C. Beduz</i>	451
Low temperature decay of vibrational resonance for bars made of DISPAL2 sintered Al -powder, alloy MIC-6 and AlMgSi1 <i>R. O. Katterloher</i>	455

Fluids

HEPROP-88: a computer code for helium properties <i>B.A. Hands, V. Arp and R.D. McCarty</i>	460
Thermodynamical property relations for air, oxygen, argon and nitrogen <i>C.Q. Chen and Y. Y. Wu</i>	464
The solubility of solutes in cryogenic liquids <i>M. F. Wu, A.J. Rest and R. G. Scurlock</i>	468
The high speed rotating frame-a novel method for obtaining thermodynamic standards data <i>R.M. Igra and R.G. Scurlock</i>	473
The Gruneisen parameter equations for cryogenic fluids <i>G. Chen and O. Meng</i>	478

Refrigeration

Large-scale

The HERA helium refrigerator plant: description and operating experience <i>H. Herzog, U. Wegmann, P. Beurer, H. Egolf, J. Wettstein, B. Ziegler, M. Clausen, H.J. Fiebig, Ch. Gerke, G. Horlitz, H. Lierl and K-D. Nowakowsky</i>	484
The HERA helium refrigeration plant: performance tests for various operating modes <i>M. Clausen, G. Horlitz, H. Lierl, K-D. Nowakowski, H. Herzog, H. Egolf and B. Ziegler</i>	490
Conceptual study of the superfluid helium cryogenic system for the CERN Large Hadron Collider (LHC) <i>G. Claudet, F. Disdier, A. Gauthier, Ph. Lebrun, M. Morpurgo and J. Schmid</i>	497
Cryogenic test of helium transfer line modules for HERA <i>W. Eschricht, G. Horlitz, U. Knopf, R. Lange, H. Lierl, J. Moje, D. Sellmark and H. Sindt</i>	505
Initial operation of the 1.8 K TORE SUPRA cryogenic system <i>G. Bon Mardion, G. Claudet, G. Ferlin, B. Gravit, B. Jager and L. Tavian</i>	511

Performance test results of cryogenic system for Demonstration Poloidal Coil <i>E. Tada, T. Kato, T. Hiyama, K. Kawano, M. Hoshino, H. Yamamura, M. Sato and S. Shimamoto</i>	519
Cold compressor development <i>W. Stehrenberger</i>	524
Expander cycles for 80 K refrigeration <i>H. Quack</i>	529
 Small-scale	
(i) Stirling cycle	
Design approaches to a new generation of Stirling cryocoolers <i>G. Huijgen and T. Stultiens</i>	534
Analysis of calculation of multi-stage Stirling refrigerator cycles <i>X. Gao and Y. Wu</i>	539
Thermodynamic analysis of Philips refrigerator <i>X. Jin and J. Chen</i>	544
Development of long-life multi-purpose cryocoolers in the range of 50 to 150 K, with related experiments <i>A.K. de Jonge and H.J. Helmonds</i>	549
A study of optimizing design of step displacer of plastic cryocooler <i>S.X. Bian, Z.X. Wu and X. Li</i>	555
Experimental investigation of the behaviour of 150 Watts Philips new generation cryocooler <i>J.F. Dijkstra, G.C. Goverde and P. den Breeijen</i>	560
A numerical model to calculate the gas leakage through a conical piston gap and to study the stability of a free piston in a Stirling cryocooler <i>M.J.M. Wolfs and H. de Jonge</i>	566
The influence of non-ideal effects of actuating medium on the performance of a plastic cryocooler <i>G. Chen, G. Sun and J. Liang</i>	571
The application of spiral groove bearings in the compressor of the Philips new generation cryocooler <i>R. den Heijer</i>	576
 (ii) Gifford-McMahon cycle and Vuilleumier	
Development of a 4K GM/JT cryocooler <i>Y-M. Kang, K. Sakitani, S. Taneya and K. Miura</i>	582
A Gifford-McMahon (G-M) cycle cryorefrigerator operating <i>M. Thirumaleshwar, P. K. Kush, R. C. Sharma, K.V. Madhusudanan, A. Bannerjee and M.V. Devarajan</i>	587

3K closed cycle refrigerator for SIS receivers at millimeter wavelengths <i>G. Claudet, R. Lagnier and E.J. Blum</i>	592
A Vuilleumier cryorefrigerator for spaceborne long life applications <i>G. Claudet, A. Ravex and P. Rolland</i>	597
 (iii) Magnetic and absorption	
Experimental results on magnetic and thermal properties of Europium sulfide relevant to magnetic refrigeration <i>Ph. Brédyl and P. Seyfert</i>	602
Construction and testing of a magnetic refrigeration device for the temperature range of 5 to 15 K <i>P. Seyfert, Ph. Brédyl and G. Claudet</i>	607
A static magnetic refrigerator <i>V.E. Keilin, I.A. Kovalev, V.D. Kovalenko, A.V. Kortikov, I.I. Mikhailov, N. V. Filin and V.A. Shaposhnikov</i>	612
Adiabatic demagnetization cooling system for far infrared detector <i>T. Yazawa, A. Sato, M. Sahashi, H. Ogiwara and J. Yamamoto</i>	621
A two-stage 80 K/140 K sorption cryocooler <i>S. Bard, J.A. Jones and H.R. Schemberl</i>	626
A compact dilution refrigerator with a fast turn around time <i>J.C. Schouten, R.J. Church and K. Neumaier</i>	631
Magnetic refrigerator with the superconducting magnet investigation for a cryostatting at the level of 1.8 K <i>V.A. Altov, V.V. Kurguzov, V.V. Sytchev and I.F. Tikhonov</i>	635
 Space cryogenics	
Superfluid helium on-orbit resupply <i>R.N. Eberhardt and S. M. Dominick</i>	641
Tests of a nearly ideal, high rate thermomechanical pump <i>M.J. DiPirro, E.R. Quinn and R.F. Boyle</i>	646
Temperature rise in superfluid helium pumps <i>P. Kittel</i>	652
Thermodynamics of tank to tank He II transfer <i>S. W.K. Yuan and T. C. Nast</i>	657
Liquid acquisition of superfluid helium in orbital systems <i>J.E. Anderson</i>	664
The current ISO-cryostat design <i>A. Seidel, M. Wanner and A.M. Davidson</i>	669
Thermal system of 3.0 m dia x 3.5 m long Thermovac Chamber <i>M. Thirumaleshwar</i>	676

Phase separators for normal and superfluid helium <i>M.J. DiPirro, D.C. McHugh and J. Zahniser</i>	681
 Superconducting cryoelectronics	
SQUID and other Josephson effects in bulk YBaCuO <i>G.B. Donaldson, M. Odenhal, C.M. Pegrum and J.R. Buckley</i>	686
The Southampton SQUID magnetometer facility <i>B.S. Janday, B.H. Blott, P.C. McDonald and R.A. Edwards</i>	690
Superradiance from arrays of long Josephson junctions <i>R. Monaco, S. Pagano and G. Cotabile</i>	695
Design and test of a superconducting microwave undulator for short wavelength synchrotron radiation generation <i>P. Fabricatore, P. Fernandes, R. Parodi, R. Boni, A. Savoia, B. Spataro, F. Tazioli, F. Rosatelli and U. Guerreschi</i>	700
 Superconducting energy storage and transformers	
Cryogenic considerations for large scale superconductive magnetic energy storage (SMES) <i>G.E. McIntosh, R. W. Boom, Y. M. Eyssa and X. Huang</i>	704
Design study of a superconducting magnet system of a SMES test plant for utilities <i>T. Shintomi and M. Masuda</i>	709
Study of room temperature, cryogenic, and superconducting DC cables and components for superconductive magnetic energy storage <i>X. Qian, R. L. Kustom, J. Wang and J.J. Skiles</i>	714
Development of 500 kVA AC 50 Hz superconducting coil <i>D. Ito, E. Shimizu, T. Fujioka, H. Ogiwara, S. Akita, T. Ishikawa and T. Tanaka</i>	719
Development of large-current capacity epoxy-impregnated 50 Hz superconducting coil <i>O. Tsukamoto, M. Yamamoto, T. Ishigohka, Y. Tanaka, T. Takao and S. Torii</i>	724
Preliminary test and quench analysis of a 72 kVA super- conducting four-winding power transformer <i>K. Funaki, M. Iwakuma, M. Takeo and K. Yamafuji</i>	729
Conceptual design of a power transformer with high T_c superconductor <i>M. Yamamoto, T. Ishigohka, K. Kaiho and Y. Kimura</i>	734
 Superconducting generators	
Full superconducting generator: stator and rotor design <i>Y. Brunet, P. Tixador, P. Vedrine, Y. Laumond and H. Nithard</i>	739

Operating performance and losses of coil joints in a superconducting rotor winding <i>H. Köfler and F. Ramsauer</i>	744
Transient thermal behaviour of current leads for SC generators when operated with fault currents of up to 150% nominal duty <i>B. Bodner, H. Köfler and F. Ramsauer</i>	749
Status of development of superconducting synchronous generators in China <i>C. Liu, Q. Guan, D. Wang and Q. Fu</i>	754
Superconducting magnet No.1 for 300 kW homopolar generator <i>L. Yan, D. Liu, Y. Li, Q. Lin, J. Qin and C. Yi</i>	763
Some considerations on superconducting generator with high response excitation through detail design of experimental 100 kVA generator <i>T. Nitta, T. Okada, S. Hayashi, M. Tari and M. Kumagai</i>	768
Superconducting Magnets	
The CLEO II magnet – design, manufacture and tests <i>C. M. Monroe, J.S.H. Ross, G.E. Shrimpton and K.D. Smith</i>	773
A racetrack magnet constructed using filamentary Nb ₃ Sn <i>E.N. Andreev, E.U. Klimenko, E.K. Koshurnikov, S.I. Novikov, V.N. Shakhtarin and A.K. Shikov</i>	780
Development of a forced-cooling cable-in-conduit superconducting coil <i>Y. Sanada, T. Hamajima, M. Shibui, M. Naganuma, M. Shimada, O. Osaki, T. Fujioka, M. Nishi, H. Tsuji, H. Nakajima, T. Ando and S. Shimamoto</i>	790
Stability of poloidal field coil conductors: test facility and subcable results <i>C. Schmidt</i>	794
Cryogenic test results for the string of four superconducting magnets <i>M.V. Levin, S.N. Logachev, V.V. Pleskach, S.E. Salimov and S.I. Zinchenko</i>	799
Cryogenics of the 1.8 K test station for 10 Tesla superconducting magnet models <i>F. Haug, D. Hagedorn and L. Oberli</i>	804
Cryogenic testing of HERA superconducting magnets <i>H.R. Barton Jr, M. Clausen, Ch. Gerke and S. Rettig</i>	810
Conceptual design of a superconducting solenoid for a magnetic SSC detector <i>R. W. Fast, J. H. Grimson, R.D. Kephart, H.J. Krebs, M.E. Stone, D. Theriot and R.H. Wands</i>	815
4.8 Tesla asymmetric split-pair superconducting magnet for polarized neutron diffraction studies <i>S. Burgess, P.J. Feenan and D.L. Rayner</i>	820

Cryogenic tests on HERA dipoles <i>R. Musenich, A. Bonito-Oliva, G. Gaggero, S. Parodi, S. Pepe, P. Valente and R. Penco</i>	826
Development of 10 T-(NbTi) ₃ Sn forced flow cooled super- conducting coil <i>F. Iida, Y. Hotta, R. Takahashi, N. Hara, Y. Suzuki, K. Kuroda and N. Tada</i>	831
Stress and strain analysis of the superconducting coils for the AGOR cyclotron <i>C. Commeaux</i>	836
The concept of a superconducting magnet system for the Nuclotron <i>H.G. Khodzhibagiyev and A.A. Smirnov</i>	841
Study of superconducting helicoid stability <i>V.E. Keilin, I.A. Kovalev, S.L. Krulov and D.B. Pavin</i>	845
Quench behaviour of industrial produced HERA dipoles <i>R. Musenich, A. Bonito-Oliva, M. Losasso, G. Masullo, P. Valente and R. Penco</i>	852
 Superconductivity	
Below 25 K	
The mechanical and electrical effects of adding manganese to the copper matrix of multifilamentary niobium-titanium superconducting composites <i>T.S. Kreilick, E. Gregory, P. Valaris and J. Wong</i>	857
Enthalpy improved dielectric insulation for NbTi <i>W.N. Lawless, C.F. Clark and R. W. Boom</i>	864
Study on low-purity holmium core for high-field supercon- ducting solenoid <i>X. Li and L. Yan</i>	869
Preliminary results on properties of ductile superconducting alloys for operation to 10 Tesla and above <i>E. Gregory, T.S. Kreilick, F.S. von Goeler and J. Wong</i>	874
MARISA, a test facility for research in applied superconduc- tivity <i>P. Fabbriatore, A. Parodi and R. Vaccarone</i>	879
An analysis of loss measurement systems for high-current superconductors <i>A.J.M. Roovers, W. Uijtewaaland L.J.M. van de Klundert</i>	883
The effect of self-field and geometry on the voltage-current characteristics of multifilamentary wires <i>H. Boschman, D. ter Avest, H. H.J. ten Kate and L.J.M. van de Klundert</i>	888
Numerical solutions of the current distribution in super- conducting rectangular cables <i>R.A. Hartmann, F. M. Welling, F. P. H. van Beckum and L.J. M. van de Klundert</i>	893

Magnetic shield effects of superconducting NbTi-Cu multi-layer films <i>S. Ogawa, M. Yoshitake, T. Sugioka, M. Inoue and Y. Saji</i>	898
A multiple sample holder for J_c measurements on HERA cables <i>P. Fabbricatore, A. Matrone, A. Parodi, R. Parodi, C. Salvo and R. Vaccarone</i>	903
Experimental investigation of pressure rise of quenching cable-in-conduit superconductor <i>T. Ando, M. Nishi, M. Hoshino, M. Oshikiri, E. Tada, T. Painter, S. Shimamoto, T. Uede and I. Itoh</i>	908
A 12 T, 1.8 K test facility <i>B. Gallet, J.C. Gélèbart, P. Genevey, C. Leschevin, C. Lesmond and J.C. Lottin</i>	913
A considerable rise of the superconducting transition temperature of heterophase titanium alloys due to sample cooling rate increase <i>V.I. Eremin and V.A. Moskalenko</i>	917
Simulation of helium pressure rise in hollow conductor in case of superconductivity loss <i>A.F. Volkov, L.B. Dinaburg and V.V. Kalinin</i>	922
Above 25 K	
Microwave surface resistance of $YBa_2Cu_3O_{7-d}$ <i>M. Kobayashi, K. Okabe, S. Tanuma, I. Sankawa, M. Sato, T. Konaka and K. Ishihara</i>	927
Stability of possible high T_c oxide superconductors as current carriers <i>S.L. Wipf</i>	931
A power engineering view of higher temperature superconductivity <i>A. D. Appleton</i>	936
Stability of high T_c superconductors cooled in a liquid nitrogen pool <i>S.P. Ashworth, C. Beduz, R.G. Scurlock and Y. Yang</i>	943
The thermal instability of stabilized superconductors with high T_c <i>V.A. Altov, A.A. Akhmetov and V.V. Sytchev</i>	950
Fabrication of Y-Ba-Cu-O thick film for the magnetic shield <i>M. Itoh and H. Ishigaki</i>	958
Specific heat measurements on $Y_{1-x}Pr_xBa_2Cu_3O_{7-y}$ compounds <i>N. Sankar, V. Sankaranarayanan, R. Srinivasan, G. Rangarajan, K.A. Thomas and G.V. Subba Rao</i>	963
Intergranular coupling for current transport in 'non-metallic' superconducting materials <i>T.S. Radhakrishnan, Y. Hariharan, B.K. Guha, M.P. Janawadkar and V.S. Sastry</i>	968

Y-Ba-Cu oxide superconductor prepared by a diffusion process <i>K. Tachikawa, M. Sugimoto, N. Sadakata, M. Nakagawa and O. Kohno</i>	973
Characteristics of transport J_c of bulk $YBa_2Cu_3O_{7-y}$ prepared with ordinary powder sintering process <i>J.R. Wang, J.P. Li, P.F. Xu, X.K. Teng, K.G. Wang, S.Q. Wang and L. Zhou</i>	978
High T_c superconductors: will they replace helium temperature superconductors for magnets? <i>M.A. Green</i>	983
High magnetic field production with superconductors at 77 K <i>J. H. P. Watson</i>	988
Flux compression in superconductors <i>U. E. Israelsson, D. M. Strayer, H. W. Jackson and D.D. Elleman</i>	993
A magnetic shielding study of high T_c superconductor $Y_1Ba_2Cu_3O_{7-d}$ <i>Y.J. Qian, J. W. Qiu, Z.M. Tang, J.R. Wang, J.P. Li, X.R. Teng, P.F. Xu and X.K. Teng</i>	998
Characterization and superconducting properties of high T_c oxide wire <i>M. Nakagawa, Y. Ikeno, N. Sadakata, A. Kume, K. Gotoh and O. Kohno</i>	1002
High T_c superconducting thin film by sputtering process <i>M. Nakagawa, Y. Iijima, N. Sadakata and O. Kohno</i>	1007
Preparation of high T_c superconducting ceramic films on metallic sheet and insulating substrate <i>M. Akinaga, D. Abukay and L. Rinderer</i>	1012
Critical current density of high T_c oxide superconducting tapes made by hydrogen reduction method <i>K. Osamura, S. Ochiai and T. Takayama</i>	1017
Phase-formulation and superconductivity in the Y-Ba-Cu-Ag-O system <i>Y. Dimitriev, B. Samuneva, Y. Pirov, E. Gattef, Y. Ivanova, V. Dimitrov, E. Kashchieva, V. T. Kovachev and E.S. Vlachov</i>	1022
Superconducting properties of Y-Ba-Cu-As-O system <i>V.T. Kovachev, E.S. Vlachov, K.A. Nenkov and V.A. Lovchinov</i>	1026
Author Index	1030