

Contents

	<i>Preface</i>	ix
	<i>Acknowledgements</i>	xxii
	Part I: Technical aspects of bosonization	1
1	A simple case of Bose-Fermi equivalence: Jordan-Wigner transformation	3
2	One-dimensional fermions. States near the Fermi points	5
I	Chiral anomaly	8
II	Anomalous commutators	10
3	Gaussian model. Lagrangian formulation	16
I	Bosonization	21
II	Interaction with an electromagnetic field; gauge invariance	23
4	Conformal symmetry and finite size effects	25
I	Gaussian model in the Hamiltonian formulation	28
5	Virasoro algebra	34
I		39
II	Subalgebra $\mathfrak{sl}(2)$	40
6	Structure of Hilbert space in conformal theories	41
I	Differential equations for correlation functions	43
II	Dotsenko-Fateev bosonization scheme for the minimal models	47
7	Current (Kac-Moody) algebras; the first assault	53
I	Sugawara Hamiltonian for Wess-Zumino-Novikov-Witten model	55
II	Knizhnik-Zamolodchikov (KZ) equations	58
8	Relevant and irrelevant fields	61

9	Bost-Einstein Condensation in two dimensions; Beresinskii-Kosterlitz-Thouless transition	67
10	The sine-Gordon model	73
I	The renormalization group analysis	73
II	Exact solution of the sine-Gordon model	82
11	Spin $S=1/2$ Heisenberg-Ising chain	93
I	Explicit expression for the dynamical magnetic susceptibility	98
12	Ising model	101
13	More about the WZNW model	115
I	Special cases	115
	I.1 $SU_1(2)$ WZNW model as a Gaussian model	115
	I.2 $SU_2(2)$ WZNW model and the Ising model	117
	I.3 $SU_4(2)$ as a theory of two bosonic fields	119
	I.4 $SU_{10}(2)$ as a theory of three bosonic fields	119
II	Deformation of the WZNW model and coset constructions	120
14	Non-Abelian bosonization	122
I	WZNW model in the Lagrangian formulation	122
II	Derivation of the Lagrangian	125
III	Calculation of a nontrivial determinant	129
	Part II: Application of the bosonization technique to physical models in $(1+1)$-dimensions	133
15	Interacting fermions with spin	141
16	Spin-1/2 Tomonaga-Luttinger liquid	147
17	Instabilities of a Tomonaga-Luttinger liquid	155
I	Electron-phonon interaction	155
	I.1 Incommensurate band filling, the effect on K_d	155
	I.2 Commensurate band filling	159
	I.3 Appendix	160
II	Spectral gap in the spin sector	161
III	Optical conductivity	167
IV	Gap in the charge sector at half-filling and the case of small doping	170
V	Appendix. RG equations for the model of one-dimensional electrons from the $SU(2)$ current algebra	174
18	Interacting fermions with broken spin rotational symmetry	179
I	$U(1)$ -symmetric Thirring model: relation to sine-Gordon and massive Thirring models	181
II	XYZ Thirring model	184
III	Spin correlation functions	186

IV	The role of magnetic field	191
IV.1	Spin-flop transition in the XYZ model	195
IV.2	Toy model for an orbital antiferromagnet	196
19	What may happen with a Tomonaga–Luttinger liquid in three dimensions	203
I	Appendix. Fermionic Green's function	208
I.1	Coordinate space Green's function	209
I.2	The spectral function ($v_c > v_s$)	209
I.3	Fourier transform of the Green's function ($v_c > v_s$)	212
I.4	The spectral function, $v_s > v_c$	216
I.5	Fourier transform of Green's function, $v_s > v_c$	217
20	Two weakly coupled Tomonaga–Luttinger liquids; spinless case	219
21	Spin liquids in one dimension: example of spin ladders	232
I	Coupling of identical chains; the Abelian bosonization	234
II	Correlation functions for the identical chains	239
II.1	Staggered susceptibility of the conventional (Haldane) spin liquid	242
II.2	Dimerized spin liquid	245
III	Inequivalent chains; non-Abelian bosonization	248
IV	String order parameter in the spin-ladder model	253
V	Appendix A. The topological term emerging from the Wess–Zumino term	255
VI	Appendix B. Hidden $Z_2 \times Z_2$ symmetry and string order parameter in the bond-alternating $S = 1/2$ Heisenberg chain	256
22	Spin-1/2 Heisenberg chain with alternating exchange	260
I	Appendix. Multiparticle formfactors	270
23	Superconductivity in a doped spin liquid	274
I	Bosonization and fermionization	276
II	Superconducting fluctuations	279
III	Conclusions	281
IV	Appendix. Conditions for suppression of the single-particle tunneling	282
24	Edge states in the quantum Hall effect	284
	Part III: Single impurity problems	289
25	Potential scattering	292
I	Introduction	292
II	Reduction of the local scattering problem to one dimension	293
III	The scattering phase	298

26	X-ray edge problem (Fermi liquids)	302		
I	Introduction	302		
II	Statement of the problem	305		
	II. 1 Many-body formulation	306		
	II.2 One-particle formulation	310		
III	Linked clusters expansion	312		
IV	Nozieres-De Dominicis solution	3	1	7
V	Exact solution for the overlap integral	321		
VI	Bosonization approach to the X-ray edge problem	327		
	VI. 1 Boundary condition changing operator (chiral anomaly)	328		
	VI.2 X-ray response functions via bosonization	331		
VII	Appendix A. Parquet approximation	332		
VIII	Appendix B. The Wiener-Hopf method	345		
IX	Appendix C. Orthogonality of Slater determinants	347		
27	Impurities in a Tomonaga-Luttinger liquid	350		
I	Introduction	350		
II	Weak-coupling analysis of a single impurity	351		
	II.1 Bosonization of the impurity Hamiltonian	352		
	II.2 Lagrangian formulation: local action	355		
	II.3 Renormalization group analysis of local operators	356		
III	Strong-coupling analysis	358		
	III.1 Open boundary bosonization	360		
	III.2 Strong-coupling fixed point	363		
IV	Exact solution at $K = 1/2$ and the conductance	365		
V	Relation of the impurity backscattering model to the Caldeira-Leggett model	369		
VI	X-ray edge problem in Tomonaga-Luttinger liquids	374		
28	Multi-channel Kondo problem	384		
I	Introduction	384		
II	Qualitative analysis	386		
III	The Toulouse limit	389		
IV	The Emery-Kivelson solution	392		
	IV.1 Green's functions and zero-field free energy	395		
	IV.2 Magnetic field effects	403		
	IV.3 Wilson ratio	408		
V	The Toulouse limit for the four-channel Kondo model	408		
VI	Coulomb blockade	413		
	VI.1 One-dimensional electrons in point contacts	413		
	VI.2 Coulomb blockade and two-channel Kondo model	416		
	<i>General bibliography</i>	421		
	<i>Index</i>	422		