

CONTENTS

GENERAL INFORMATION	1
4.1. INTRODUCTION	5
4.1.A. Thermochemistry	7
4.1.B. Thermophysical properties of condensed phases	9
4.1.C. Gaseous state	12
4.2. THORIUM CHALCOGENIDES	13
4.2.A. Thorium sulphides	13
4.2.A.1. ThS(c)	15
4.2.A.1.a. Thermochemistry	15
4.2.A.1.b. Thermophysical properties	16
4.2.A.1.c. Vaporization	17
4.2.A.2. ThS(g)	19
4.2.A.3. ThS _{1.50} (c) (½Th ₂ S ₃)	20
4.2.A.3.a. Thermochemistry	20
4.2.A.3.b. Thermophysical properties	21
4.2.A.4. ThS _{1.71} (c) (¼Th ₇ S ₁₂)	21
4.2.A.4.a. Thermochemistry	22
4.2.A.4.b. Thermophysical properties	22
4.2.A.5. ThS ₂ (c)	22
4.2.A.5.a. Thermochemistry	23
4.2.A.5.b. Thermophysical properties	24
4.2.A.6. ThS ₂ (g)	25
4.2.A.7. ThS _{2.50} (c)	26
4.2.A.7'.a. Thermochemistry	26
4.2.A.7'.b. Thermophysical properties	27
4.2.B. Thorium selenides	27
4.2.B.1. ThSe(c)	29
4.2.B.1.a. Thermochemistry	29
4.2.B.1.b. Thermophysical properties	29
4.2.B.2. ThSe(g)	29
4.2.B.3. ThSe _{1.50} (c) (½Th ₂ Se ₃)	29
4.2.B.3'.a. Thermochemistry	30
4.2.B.3'.b. Thermophysical propertiesI.....	30

4.2.B.4. ThSe _{1.71} (c) ($\frac{1}{7}$ Th ₇ Se ₁₂)	30
4.2.B.4.a. Thermochemistry	30
4.2.B.4.b. Thermophysical properties	30
4.2.B.5. ThSe ₂ (c)	31
4.2.B.5.a. Thermochemistry	31
4.2.B.5.b. Thermophysical properties	31
4.2.B.6. ThSe ₂ (g)	31
4.2.B.7. ThSe _{2.50} (c) ($\frac{1}{2}$ Th ₂ Se ₅)	31
4.2.B.7.a. Thermochemistry	32
4.2.B.7.b. Thermophysical properties	32
4.2.B.8. ThSe ₃ (c)	32
4.2.B.8.a. Thermochemistry	32
4.2.B.8.b. Thermophysical properties	32
4.2.C. Thorium tellurides	33
4.2.C.1. ThTe(c)	33
4.2.C.1.a. Thermochemistry	34
4.2.C.1.b. Thermophysical properties	34
4.2.C.2. ThTe(g)	34
4.2.C.3. ThTe _{1.71} (c) ($\frac{1}{7}$ Th ₇ Te ₁₂)	34
4.2.C.3.a. Thermochemistry	34
4.2.C.3.b. Thermophysical properties	35
4.2.C.4. ThTe ₂ (c)	35
4.2.C.4.a. Thermochemistry	35
4.2.C.4.b. Thermophysical properties	35
4.2.C.5. ThTe ₂ (g)	35
4.2.C.6. ThTe ₃ (c)	36
4.2.C.6.a. Thermochemistry	36
4.2.C.6.b. Thermophysical properties	36
4.3. PROTACTINIUM CHALCOGENIDES	36
4.4. URANIUM CHALCOGENIDES	36
4.4.A. Uranium sulphides	36
4.4.A.1. US(c)	40
4.4.A.1.a. Thermochemistry	40
4.4.A.1.b. Thermophysical properties	40
4.4.A.1.c. Vaporization	40
4.4.A.2. US(g)	51
4.4.A.3. U ₂ S ₂ (g)	51
4.4.A.4. US _{1.50} (c) ($\frac{1}{3}$ U ₂ S ₃)	51
4.4.A.4.a. Thermochemistry	51
4.4.A.4.b. Thermophysical properties	51

4.4.A.5. US _{1.67} (c) ($\frac{1}{3}$ U ₃ S ₅)	56
4.4.A.5.a. Thermochemistry	57
4.4.A.5.b. Thermophysical properties	57
4.4.A.6. US _{1.90} (c) (US ₂ , a)	57
4.4.A.6.a. Thermochemistry	60
4.4.A.6.b. Thermophysical properties	60
4.4.A.7. US,(c) (US ₂ , β)	64
4.4.A.7.a. Thermochemistry	65
4.4.A.7.b. Thermophysical properties	65
4.4.A.7.c. Vaporization	69
4.4.A.8. US ₂ (g)	69
4.4.A.9. US _{2.50} (c)	72
4.4.A.9.a. Thermochemistry	72
4.4.A.9.B. Thermophysical properties	72
4.4.A.10. US,(c)	72
4.4.A.10.a) Thermochemistry	73
4.4.A.10.b) Thermophysical properties	74
4.4.B. Uranium selenides	76
4.4.B.1. USe(c)	78
4.4.B.1.a. Thermochemistry	79
4.4.B.1.b. Thermophysical properties	79
4.4.B.2. USe(g)	81
4.4.B.3. USe _{1.33} (c) ($\frac{1}{3}$ U ₃ Se ₄)	82
4.4.B.3.a. Thermochemistry	82
4.4.B.3.b. Thermophysical properties	82
4.4.B.4. USe _{1.50} (c) ($\frac{1}{2}$ U ₂ Se ₃)	82
4.4.B.4.a. Thermochemistry	83
4.4.B.4.b. Thermophysical properties	84
4.4.B.5. USe _{1.67} (c) ($\frac{1}{3}$ U ₃ Se ₅)	85
4.4.B.5.a. Thermochemistry	86
4.4.B.5.b. Thermophysical properties	86
4.4.B.6. USe _{1.71} (c) ($\frac{1}{7}$ U ₇ Se ₁₂)	86
4.4.B.7. USe _{2+x} (c) (USe ₂ , α)	87
4.4.B.7.a. Thermochemistry	87
4.4.B.7.b. Thermophysical properties	89
4.4.B.8. USe ₂ (c) (USe ₂ , β)	91
4.4.B.8.a. Thermochemistry	92
4.4.B.8.b. Thermophysical properties	92
4.4.B.9. USe ₂ (g)	92
4.4.B.10. USe ₃ (c)	92
4.4.B.10.a) Thermochemistry	93
4.4.B.10.b) Thermophysical properties	93

4.4.C.	Uranium tellurides	93
4.4.C.1	UTe(c)	96
4.4.C.1.a.	Thermochemistry	96
4.4.C.1.b.	Thermophysical properties	97
4.4.C.2.	UTe(g)	97
4.4.C.3.	UTe _{1.33+x} (c) ($\frac{1}{3}$ U ₃ Te ₄)	97
4.4.C.3.a.	Thermochemistry	98
4.4.C.3.b.	Thermophysical properties	98
4.4.C.4.	UTe _{1.50} (c) ($\frac{1}{2}$ U ₂ Te ₃)	98
4.4.C.4.a.	Thermochemistry	99
4.4.C.4.b.	Thermophysical properties	99
4.4.C.S.	UTe _{1.71} (c) ($\frac{1}{3}$ U ₃ Te ₅ , $\frac{1}{7}$ U ₇ Te ₁₂)	99
4.4.C.S.a.	Thermochemistry	99
4.4.C.S.b.	Thermophysical properties	100
4.4.C.6.	UTe ₂ (c)	100
4.4.C.6.a.	Thermochemistry	100
4.4.C.6.b.	Thermophysical properties	101
4.4.C.7.	UTe ₂ (g)	101
4.4.C.8.	UTe _{2.50} (c) ($\frac{1}{2}$ U ₂ Te ₅)	101
4.4.C.8.a.	Thermochemistry	102
4.4.C.8.b.	Thermophysical properties	102
4.4.C.9.	UTe ₃ (c)	102
4.4.C.9.a.	Thermochemistry	102
4.4.C.9.b.	Thermophysical properties	102
4.4.C.10.	UTe _{3.38} (c)	103
4.4.C.10.a	Thermochemistry	104
4.4.C.10.b	Thermophysical properties	104
4.4.C.11.	UTe ₅ (c)	105
4.4.C.11.a.	Thermochemistry	105
4.4.C.11.b.	Thermophysical properties	105
4.5.	NEPTUNIUM CHALCOGENIDES	i 05
4.S.A.	Neptunium sulphides	105
4.5.A.1.	NpS(c)	105
4.S.A.1.a.	Thermochemistry	106
4.S.A.1.b.	Thermophysical properties	106
4.5.A.2.	NpS _{1.33+x} (c) ($\frac{1}{3}$ Np ₃ S ₄ , $\frac{1}{2}$ Np ₂ S ₃ , γ)	106
4.S.A.2.a.	Thermochemistry	106
4.S.A.2.b.	Thermophysical properties	106
4.5.A.3.	NpS _{1.50} (c) ($\frac{1}{2}$ Np ₂ S ₃ , α)	107
4.S.A.3.a.	Thermochemistry	107
4.S.A.3.b.	Thermophysical properties	107

4.5.A.4. NpS _{1.67} (c) ($\frac{1}{3}$ Np ₃ S ₅)	107
4.5.A.4.a. Thermochemistry	108
4.5.A.4.b. Thermophysical properties	108
4.5.A.5. NpS _{2.50} (c) ($\frac{1}{2}$ Np ₂ S ₅)	108
4.5.A.5.a. Thermochemistry	108
4.5.A.5.b. Thermophysical properties	108
4.5.A.6. NpS ₃ (c)	108
4.5.A.6.a. Thermochemistry	109
4.5.A.6.b. Thermophysical properties	109
4.5.B. Neptunium selenides	109
4.5.B.1. NpSe(c)	109
4.5.B.1.a. Thermochemistry	109
4.5.B.1.b. Thermophysical properties	110
4.5.B.2. NpSe _{1.33+x} (c) ($\frac{1}{3}$ Np ₃ Se ₄ , $\frac{1}{2}$ Np ₂ Se ₃ , γ)	110
4.5.B.2.a. Thermochemistry	110
4.5.B.2.b. Thermophysical properties	110
4.5.B.3. NpSe _{1.67} (c) ($\frac{1}{3}$ Np ₃ Se ₅)	110
4.5.B.3.a. Thermochemistry	111
4.5.B.3.b. Thermophysical properties	111
4.5.B.4. NpSe ₃ (c)	111
4.5.B.4.a. Thermochemistry	111
4.5.B.4.b. Thermophysical properties	111
4.5.C. Neptunium tellurides	112
4.5.C.1. NpTe(c)	112
4.5.C.1.a. Thermochemistry	112
4.5.C.1.b. Thermophysical properties	112
4.5.C.2. NpTe _{1.33+x} (c) ($\frac{1}{3}$ Np ₃ Te ₄ , $\frac{1}{2}$ Np ₂ Te ₃ , γ)	112
4.5.C.2.a. Thermochemistry	113
4.5.C.2.b. Thermophysical properties	113
4.6. PLUTONIUM CHALCOGENIDES	113
4.6.A. Plutonium sulphides	113
4.6.A.1. PuS(c)	116
4.6.A.1.a. Thermochemistry	116
4.6.A.1.b. Thermophysical properties	116
4.6.A.2. PuS _{1.33+x} (c) ($\frac{1}{3}$ Pu ₃ S ₄ , $\frac{1}{2}$ Pu ₂ S ₃ , γ)	118
4.6.A.2.a. Thermochemistry	119
4.6.A.2.b. Thermophysical properties	119
4.6.A.3. PuS _{1.40+x} (c) ($\frac{1}{3}$ Pu ₅ S ₇ , $\frac{1}{2}$ Pu ₂ S ₃ , β)	119
4.6.A.3.a. Thermochemistry	119
4.6.A.3.b. Thermophysical properties	119

4.6.A.4.	$\text{PuS}_{1.50}(\text{c}) \left(\frac{1}{2} \text{Pu}_2\text{S}_3 \right) \alpha$	119
4.6.A.4.a.	Thermochemistry	120
4.6.A.4.b.	Thermophysical properties	120
4.6.A.5.	$\text{PuS}_{1.90-x}(\text{c})$	121
4.6.A.5.a.	Thermochemistry	121
4.6.A.5.b.	Thermophysical properties	121
4.6.A.6.	$\text{PuS}_2(\text{c})$	122
4.6.A.6.a.	Thermochemistry	122
4.6.A.6.b.	Thermophysical properties	122
4.6.B.	Plutonium selenides	122
4.6.B.1.	$\text{PuSe}(\text{c})$	123
4.6.B.1.a.	Thermochemistry	123
4.6.B.1.b.	Thermophysical properties	123
4.6.B.2.	$\text{PuSe}_{1.33+x}(\text{c}) \left(\frac{1}{3} \text{Pu}_3\text{Se}_4, \frac{1}{2} \text{Pu}_2\text{Se}_3 \right) \gamma$	123
4.6.B.2.a.	Thermochemistry	123
4.6.B.2.b.	Thermophysical properties	124
4.6.B.3.	$\text{PuSe}_{1.50}(\text{c}) \left(\frac{1}{2} \text{Pu}_2\text{Se}_3 \right)$	124
4.6.B.3.a.	Thermochemistry	124
4.6.B.3.b.	Thermophysical properties	124
4.6.B.4.	$\text{PuSe}_{1.90+x}(\text{c})$	124
4.6.B.4.a.	Thermochemistry	125
4.6.B.4.b.	Thermophysical properties	125
4.6.B.S.	$\text{PuSe}_2(\text{c})$	125
4.6.B.S.a.	Thermochemistry	125
4.6.B.S.b.	Thermophysical properties	125
4.6.C.	Plutonium tellurides	126
4.6.C.1.	$\text{PuTe}(\text{c})$	126
4.6.C.1.a.	Thermochemistry	126
4.6.C.1.b.	Thermophysical properties	126
4.6.C.2.	$\text{PuTe}_{1.33+x}(\text{c}) \left(\frac{1}{3} \text{Pu}_3\text{Te}_4, \frac{1}{2} \text{Pu}_2\text{Te}_3 \right) \gamma$	126
4.6.C.2.a.	Thermochemistry	127
4.6.C.2.b.	Thermophysical properties	127
4.6.C.3.	$\text{PuTe}_{1.50}(\text{c}) \left(\frac{1}{2} \text{Pu}_2\text{Te}_3 \right)$	127
4.6.C.3.a.	Thermochemistry	127
4.6.C.3.b.	Thermophysical properties	127
4.6.C.4.	$\text{PuTe}_{1.90+x}(\text{c})$	128
4.6.C.4.a.	Thermochemistry	128
4.6.C.4.b.	Thermophysical properties	128
4.6.C.S.	$\text{PuTe}_3(\text{c})$	128

4.7. TRANSPLUTONIUM CHALCOGENIDES	129
4.7.A. Americium sulphides	129
4.7.A.1. AmS(c)	129
4.7.A.2. AmS _{1.33+x} (c) ($\frac{1}{2}$ Am ₂ S ₃ γ)	129
4.7.A.3. AmS _{1.50} (c) ($\frac{1}{2}$ Am ₂ S ₃ α ; $\frac{1}{2}$ Am ₂ S ₃ β)	129
4.7.A.4. AmS _{2-x} (c)	130
4.7.B. Americium selenides	130
4.7.B.1. AmSe(c)	130
4.7.B.2. AmSe _{1.33+x} (c) ($\frac{1}{3}$ Am ₃ Se ₄)	131
4.7.B.3. AmSe _{2-x} (c)	131
4.7.C. Americium tellurides	131
4.7.C.1. AmTe(c)	131
4.7.C.2. AmTe _{1.33+x} (c) ($\frac{1}{3}$ Am ₃ Te ₄)	132
4.7.C.3. AmTe _{1.50} (c) ($\frac{1}{2}$ Am ₂ Te ₃)	132
4.7.C.4. AmTe ₂ (c)	132
4.7.C.S. AmTe ₃ (c)	133
4.7.D. Curium chalcogenides	133
4.7.E. Berkelium and californium chalcogenides	134
4.8. THERMODYNAMIC PROPERTIES OF THE CHALCOGENS	134
4.8.A. Sulphur	135
4.8.A.1. Condensed state	135
4.8.A.2. Gaseous state	135
4.8.A.2.1. Disulphur, ideal gas, thermodynamic functions	135
4.8.A.2.2. Disulphur, ideal gas, standard enthalpy of formation	138
4.8.A.2.3. Monosulphur, ideal gas, thermodynamic functions..	138
4.8.A.2.4. Monosulphur, ideal gas, standard enthalpy of formation	138
4.8.B. Selenium	139
4.8.B.1. Condensed state	139
4.8.B.2. Gaseous state	139
4.8.B.2.1. Diselenium, ideal gas, thermodynamic functions . . .	139
4.8.B.2.2. Diselenium, ideal gas, standard enthalpy of formation	141
4.8.B.2.3. Monoselenium, ideal gas, thermodynamic functions	151
4.8.B.2.4. Monoselenium, ideal gas, standard enthalpy of formation	151

4.8.C. Tellurium	153
4.8.C.1. Condensed state	153
4.8.C.2. Gaseous state	153
4.8.C.2.1. Ditellurium, ideal gas, thermodynamic functions	153
4.8.C.2.2. Ditellurium, ideal gas, standard enthalpy of formation	155
4.9. PHYSICAL PROPERTIES OF THE ACTINIDE CHALCOGENIDES	160
4.10. HEAT-CAPACITY CONTRIBUTIONS FROM A POPULATION OF EXCITED ELECTRONIC STATES IN THE ACTINIDES	161
4.10.A. General considerations	161
4.1 O.B. $5f^1$ -configuration (Th ³⁺ , Pa ⁴⁺ U ⁵⁺ Np ⁶⁺) 	171
4.1 O.C. $5f^2$ -configuration (Th ²⁺ Pa ³⁺ , U ⁴⁺ , Np ⁵⁺ Pu ⁶⁺) 	173
4.10.C.1. Octahedral ligand field	173
4.10.C.2. Cubic ligand field	174
4.10.C.3. Tetragonal ligand field	178
4.10.C.4. Trigonal ligand field	178
4.10.C.5. Other ligand fields	179
4.10.D. $5f^3$ -configuration (Pa ²⁺ U ³⁺ Np ⁴⁺ Pu ⁵⁺) 	180
4.1 O.E. $5f^4$ -configuration (U ²⁺ , Np ³⁺ Pu ⁴⁺) 	181
4.10.F. $5f^5$ -configuration (Np ²⁺ Pu ³⁺ Am ⁴⁺) 	182
4.10.G. $5f^6$ -configuration (Pu ²⁺ Am ³⁺) 	182
REFERENCES	183
Appendices	
TABLES OF THERMODYNAMIC FUNCTIONS	201
Appendix A.4.1	
THERMODYNAMIC FUNCTION VALUES FOR ACTINIDE CHALCOGENIDES	201
Appendix A.4.2	
THERMODYNAMIC FUNCTION VALUES FOR THE CHALCOGENS	245