

Contents

Visit our homepage on: <http://www.physica-status-solida.com>
Full text on: <http://www.interscience.wiley.com>

This Table of Contents is organized thematically according to the topics presented at the conference. Please note that papers with page numbers marked (b) are reprinted from phys. stat. sol. (b) **235**, No. 1, 13–154 (2003). You may find papers with phys. stat. sol. (b) and phys. stat. sol. (c) citations in the two sections of this volume, separated by coloured sheets for easy orientation.

Preface	593
Committees	595
Shallow states in gallium nitride	
DX behaviour of Si donors in AlGaN alloys Martin S. Brandt, Roland Zeisel, Sebastian T. B. Gönnenwein, Martin W. Bayerl, and Martin Stutzmann	(b) 13–19
Residual donors in wurtzite GaN homoepitaxial layers and heterostructures G. Neu, M. Teisseire-Dominelli, C. Morhain, F. Semond, N. Grandjean, B. Beaumont, E. Frayssinet, W. Knap, A. M. Witowski, M. L. Sadowski, M. Leszczynski, and P. Prystawko	(b) 20–25
Optical properties of Si-, Ge- and Sn-doped GaN A. Shikanai, H. Fukahori, Y. Kawakami, K. Hazu, T. Sota, T. Mitani, T. Mukai, and Sg. Fujita	(b) 26–30
Dynamics of trapping on donors and relaxation of the B-exciton in GaN K. P. Korona, A. Wysmolek, R. Stepniewski, M. Potemski, J. Kuhl, J. M. Baranowski, G. Martinez, I. Grzegory, and S. Porowski	(b) 31–35
Resonant interaction of LO phonons with excited donor states in GaN A. Wysmolek, M. Potemski, R. Stepniewski, J. M. Baranowski, D. C. Look, S. K. Lee, and J.Y.Han..	(b) 36–39
Paramagnetic defects in neutron irradiated bulk GaN crystals J. H. Kim, I.-W. Park, S. H. Choh, S. S. Park, B. G. Kim, and Y. H. Kang	(c) 597–600
Properties of zinc acceptor and exciton bound to zinc in ammonothermal GaN K. P. Korona, R. Doradziński, M. Palczewska, M. Pietras, M. Kamińska, and J. Kuhl	(b) 40–43
Shallow donor centers in gallium nitrides V. V. Emtsev, V. Yu. Davydov, K. V. Emtsev, D. S. Poloskin, G. A. Oganesyan, V. V. Kozlovskii, and E. E. Haller	(c) 601–604
Shallow states in II- VI semiconductors	
Optical identification of impurity levels in strongly phosphorus-doped wide-gap II-VI bulk semimagnetic semiconductors Le Van Khoi, J. Kossut, and R. R. Galazka	(b) 44–47
Mixing of impurity levels by a built-in electric field in a CdMgTe/CdZnTe heterostructure J. Lusakowski, G. Cywiński, K. Korona, W. Knap, and J. Kossut	(c) 605–608
FIR photon energy independent intra-impurity transitions in uniformly iodine-doped CdTe/Cd _x Mg _{1-x} Te quantum well M. Szot, K. Karpierz, J. Kossut, and M. Grynberg	(c) 609–612

Anti-Stokes luminescence in ternary $Zn_{1-x}Mg_xSe$ compounds at liquid helium temperature	A. A. Belov, F. Firszt, V. S. Gorelik, A. L. Karuzskii, E. I. Mahov, H. Męczyńska, A. V. Perestoroinin, P. P. Sverbil, and J. Szatkowski	(c) 613-617
High temperature electrical conductivity in donor-doped II-VI compounds	K. Lott, O. Volobujeva, A. Öpik, T. Nirk, L. Tünn, and M. Nöges	(c) 618-621
Investigation of excess Zn in ZnO	K. Lott, O. Volobujeva, M. Raukas, L. Tünn, A. Grebennik, and A. Vishnjakov	(c) 622-625
Electrical and optical characterization of n-type ZnO thin films	K. Yoshino, T. Hata, T. Kakeno, H. Komaki, M. Yoneta, Y. Akaki, and T. Ikari	(c) 626-630
Impurity levels of high quality p-doped $ZnTe$ single crystal	Kenji Yoshino, Minoru Yoneta, Atsutoshi Arakawa, Kenzo Ohmori, Hiroshi Saito, and Masakazu Ohishi	(c) 631-634
Chemical etching-induced defects in n-type $ZnSe$ crystal grown by physical vapor transport	M. Yoneta, H. Kato, K. Yoshino, M. Ohishi, H. Saito, and K. Ohmori	(c) 635-639
Shallow states in GaAs and InAs		
Selective magneto-luminescence spectroscopy of donor-acceptor pairs in n-GaAs	A. Wysmolek	(b) 48-53
Picosecond time-resolved studies of excited state lifetime of Be acceptor in GaAs/AlAs multiple quantum wells	W.-M. Zheng, M. P. Halsall, P. Harrison, J.-P. R. Wells, I. V. Bradley, and M. J. Steer	(b) 54-57
Far-infrared spectroscopy of shallow acceptors in semi-insulating GaAs evidence for defect interactions with EL2	H. Ch. Alt, Y. Gomeniuk, and U. Kretzer	(b) 58-62
Anomalous PL brightening caused by impact formation of a (D^+X) complex during an impact ionization avalanche in n-GaAs	Kazunori Aoki	(c) 640-643
MOCVD n-InAs thin layers compared with MBE samples – far infrared magnetophotoconductivity	Z. Romanowski, M. Szot, K. Karpierz, R. Boiek, R. Stepniewski, and M. Grynberg	(c) 644-647
Effects of hydrostatic stress on the density of impurity states and donor-related optical absorption spectra in GaAs-(Ga,Al)As quantum wells	S. Y. López, N. Porras-Montenegro, and C. A. Duque	(c) 648-651
Donor-related density of states and polarizability in a GaAs-(Ga,Al)As quantum-well under hydrostatic pressure and applied electric field	A. L. Morales, A. Montes, S. Y. Lopez, N. Raigoza, and C. A. Duque	(c) 652-656
Recombination of excitons bound on donor-acceptor impurity pairs in S-doped type II GaAs/AlAs superlattices	D. V. Gulyaev, A. M. Gilinsky, A. I. Toropov, A. K. Bakarov, and K. S. Zhuravlev	(c) 657-660
Localized and resonant shallow donor states in GaAs/InGaAs double-quantum-well heterostructures	N. A. Bekin, L. V. Krasilnikova, S. G. Pavlov, and V. N. Shastin	(c) 661-664
Study of acceptor centers in GaAs after high temperature annealing. Experiments and calculation	A. Nouiri, Y. Sayad, and A. Djemel	(c) 665-668
Optically detected magnetic resonance of shallow donors in GaAs observed in photoluminescence kinetics	A. E. Nickolaenko, A. M. Gilinsky, O. A. Shegai, T. S. Shamirzaev, and K. S. Zhuravlev	(c) 669-672

Shallow states in silicon and germanium

Editor's Choice

Photoluminescence studies of isotopically enriched silicon

D. Kataiskaj, M. L. W. Thewalt, T. Ruf, and M. Cardona (b) 63-74

Extended theory for local-phonon-coupled low-energy anharmonic excitation of oxygen in silicon: Calculation of line intensity ratio

H. Yamada-Kaneta (c) 673-679

Double thermal donors in Czochralski-grown silicon heat-treated under atmospheric and high hydrostatic pressures

V. V. Emtsev Jr., C. A. J. Ammerlaan, V. V. Emtsev, G. A. Oganesyan, B. A. Andreev, D. I. Kuritsyn, A. Misiuk, B. Surma, and C. A. Londos (b) 75-78

Study of IR absorption and photoconductivity spectra of thermal double donors in silicon

B. A. Andreev, V. V. Emtsev, D. I. Kryzhkov, D. I. Kuritsyn, and V. B. Shmagin (b) 79-84

On the impurity photoconductivity of uniaxially stressed p-Ge

V. Ya. Aleshkin, A. V. Gavrilenko, V. I. Gavrilenko, D. V. Kozlov, A. T. Dalakjan, and V. N. Tulupenko (c) 680-682

Coulomb related Landau spectra of axial and double acceptors in germanium

P. Fisher, R.E.M. Vickers, and K. Ishida (c) 683-686

Resonant states in doped quantum wells

A. Blom, M. A. Odnoblyudov, I. N. Yassievich, and K.A. Chao (b) 85-88

Shallow acceptors in Si/SiGe quantum well heterostructures

V. Ya. Aleshkin, V. I. Gavrilenko, and D. V. Kozlov (c) 687-689

Formation of shallow donors and acceptors in silicon irradiated with either electrons or high-energy ions and annealed at temperatures of 400-700 °C

I. V. Antonova, S. A. Smagulova, and L. N. Safronov (c) 690-693

Defect-impurity interactions in irradiated tin-doped Cz-Si crystals

L. I. Khirunenko, O. A. Kobzar, Yu. V. Pomozov, M. G. Sosnin, N. A. Tripachko, V. P. Markevich, L. I. Murin, and A. R. Peaker (c) 694-697

Depth profile of thermal donors in NTDCZSi

Y. X. Li, M. X. Pan, T. J. Liu, Q. Y. Hao, H. Y. Liu, C. C. Liu, Y. S. Xu, D. R. Yang, and D.L.Que.. (c) 698-701

Radiation-induced defects and their transformations in oxygen-rich germanium crystals

V. P. Markevich, V. V. Litvinov, L. Dobaczewski, J. L. Lindström, L. I. Murin, and A.R.Peaker. (c) 702-706

Hydrogen and compensation effects in semiconductors

Hydrogen as a shallow center in semiconductors and oxides

Chris G.VandeWalle (b) 89-95

Conductivity via impurities in low-doped uncompensated silicon

A.P.Melnikov (b) 96-101

Impurity pairs

Ya. E. (c) 707-710

Muon and hyd

A. Weidinger, Alberto Vilão, μ SR (c) 711-714

Hydrogen passivation of the Si _{Ga} donor in GaP		
W. Ulrici, B. Clerjaud, and D. Cote	(b) 102–106	
Shallow donor activity of S-H, Se-H, and Te-H complexes in silicon		
J. Coutinho, V. J. B. Torres, R. Jones, A. Resende, and P. R. Briddon	(b) 107–110	
Study of complex free-carrier profiles in hydrogen implanted and annealed silicon		
M. Kaniewska, I. V. Antonova, and V. P. Popov	(c) 715–720	
N-type (P Sb) and p-type (B) doping of hydrogenated amorphous Si by reactive rfco-sputtering		
Y. Ohmura, M. Takahashi, M. Suzuki, A. Emura, N. Sakamoto, T. Meguro, and Y. Yamamoto	(b) 111–114	
Singly ionized magnesium-oxygen complex impurities in silicon		
L.T. Ho	(c) 721–725	
Complexes of point defects and impurities in electron-irradiated n-type Cz-Si pre-doped with hydrogen		
A. Nakanishi, N. Fukata, and M. Suezawa	(b) 115–120	
Nitrogen–hydrogen complexes in GaAs and GaAs _{1-x} N _x alloys		
Yong-Sung Kim and K. J. Chang	(b) 121–125	

THz radiation

Optically pumped terahertz semiconductor bulk lasers		
S. G. Pavlov, H.-W. Hübers, E. E. Orlova, R. Kh. Zhukavin, H. Riemann, H. Nakata, and V.N. Shastin	(b) 126–134	
THz lasing of SiGe/Si quantum-well structures due to shallow acceptors		
M. S. Kagan, I. V. Altukhov, E. G. Chirkova, V. P. Sinis, R. T. Troeger, S. K. Ray, and J. Kolodzey	(b) 135–138	
Electrically pumped far-infrared population inversion in heterostructures doped by shallow impurity centers		
S.G.Pavlov	(c) 726–729	
THz radiation from optically pumped n-type GaAs/InGaAs multi quantum well heterostructures		
N. A. Bekin, L. V. Krasilnikova, R. Kh. Zhukavin, B. N. Zvonkov, and V. N. Shastin	(c) 730–733	

Theory and shallow states in other materials

“Some like it shallower” -p-type doping in SiC		
Peter Deák, Bálint Aradi, Adam Galaj and Uwe Gerstmann	(b) 139–145	
Far-infrared optical spectrum of donor impurities in quantum dots in a magnetic field		
M. Pacheco, A. Leon, and Z. Barticevic	(b) 146–150	
Exciton-donor complexes in a semiconductor quantum dot		
A. A. Avetisyan, A. P. Djotyan, and E. M. Kazaryan	(c) 734–739	
Charged donor in a quantum well subjected to electric and strong magnetic fields		
B. S. Monozon and P. Sdhmelcher	(c) 740–746	
Stability of D ¹ in quantum wells under strong magnetic fields		
I. D. Mikhailov, F. J. Betancur, R. A. Eseorcia, and J. Sierra-Ortega	(c) 747–753	
On the virial theorem value and scaling of Coulomb-bound states in semiconductor heterostructures: effects of magnetic fields		
M. de Dios-Leyva, O. Fernandez-Gómez, E. Reyes-Gómez, and L. E. Oliveira	(c) 754–758	
Characterization of Sb-doped CuInS ₂ crystals		
H. Komaki, K. Yoshino, Y. Akaki, M. Yoneta, and T. Ikari	(c) 759–762	

Shallow and deep excited states of mesoscopic structure in AgI- γ Al ₂ O ₃ composites Shosuke Mochizuki and Fumito Fujishiro	(c) 763-766
Shallow- and deep-luminescence centers in AgI-based superionic conductor glass Shosuke Mochizuki and Fumito Fujishiro	(c) 767-770
Acceptor states detection by microwave and current modulation spectroscopy M. A. Chemikov and O. A. Ryabushkin.	(c) 771-775
Multiphonon emission process on DX-like centers in indium doped Pb _{0.75} Sn _{0.25} Te N. Romcević, D. R. Khokhlov, D. Stojanović, M. Romcević, and A. V. Nikorich	(c) 776-779
Superdiffusion of impurity atoms in damage-free regions of semiconductors Takao Wada and Hiroshi Fujimoto	(c) 780-787
Electron beam doping of impurity atoms into semiconductors by superdiffusion Takao Wada and Hiroshi Fujimoto	(c) 788-794
Donor centers in zinc germanium diphosphide produced by electron irradiation W. Gehlhoff, D. Azamat, and A. Hoffmann	(b) 151-154
Coordination positron-trapping centers in vitreous chalcogenide semiconductors O. Shpotyuk, J. Filipecki, A. Kozdras, and A. Kovalskiy	(c) 795-798
Structural and Electronic Properties of 240° Nanocones R.Mota,M.Machado, and P.Piquini.	(c) 799-802
Author Index	803