

## CONTENTS

### **STATEMENTS FROM CO-OPERATING ORGANIZATIONS**

Radiation protection for personnel in international standards.....	iii
<i>H. Duschka, Secretary IEC/TC 62</i>	

Radiation protection instrumentation standards developed by the International Electrotechnical Commission (IEC).....	v
<i>J.-C. Thevenin, I.M.G. Thompson</i>	

Statement of the International Society of Radiology.....	x
--	---

### **RADIATION RISKS IN THE WORKPLACE IN PERSPECTIVE (Topical Session 1)**

Occupational exposure to ionizing radiation in Tanzania (1995-1 999) (IAEA-CN-91/1).....	3
<i>W.E. Muhogora, A.M. Nyanda, W.M. Ngoye, U.S. Lema</i>	
Evaluation of personnel dosimetry data in Guatemala (IAEA-CN-9 1/8). ....	8
<i>J.A. Guillen</i>	
Occupational exposure to x radiation in Poland (IAEA-CN-9 1/17). ....	13
<i>Jl Jankowski, D. Kluszczyński, J. Kacprzyk, Z. Kamiński</i>	
Individual monitoring of external radiation in Poland (IAEA-CN-9 1/21). ....	18
<i>A. Koczynski, J. Jankowski</i>	
Radiological and non radiological risks: the search for a global approach (IAEA-CN-9 1/26).....	23
<i>P. Deboodt</i>	
Monitoring of occupational exposures in Albania ( 1996-200 1) (IAEA-CN-9 1/27).....	27
<i>K. Dollani, Jl Mbrica, L. Qafmolla</i>	
Perspectives on occupational radiation protection in developing countries (IAEA-CN-9 1/92).....	30
<i>G.R. Liebenberg, G.P. de Beer</i>	
A historical review of occupational dose distributions (IAEA-CN-91/118).....	34
<i>S. Kumazawa</i>	
Strategy of control by source as a base for protecting workers against risks arising from exposure to ionizing radiation in the Russian Federation (IAEA-CN-91/126).....	39
<i>Vl Kutkov, O. Kochetkov, A. Panfilov</i>	

### **INFRASTRUCTURE DEVELOPMENT (Topical Session 2)**

The regulatory infrastructure — issues, experiences and thoughts: perspective Bangladesh (IAEA-CN-91/4).....	47
<i>O.A. Kazi</i>	
The regulatory infrastructure for protecting workers and the public against exposure to ionizing radiation in Ethiopia (IAEA-CN-91/7).....	51
<i>G. Gebeyehu</i>	
Status of occupational radiation protection in Lithuania (IAEA-CN-91/10).....	62
<i>A. Mas tauskas</i>	

Monitoring and control of occupational radiation exposure in Croatia (IAEA-CN-9 1/20).....	<b>68</b>
<i>M Novakovic, S. Grgic, D. Kubelka</i>	
Development of the occupational radiation protection in the Republic of Kazakhstan (IAEA-CN-91/28).....	74
<i>A. Kim</i>	
Control of radiation sources through regulatory inspections of radiation safety in Brazilian industries (IAEA-CN-91/29) .....	78
<i>F. C. Augusto da Silva, Jl C. Leocadio, A.S. de Pinho, M Lourenço, J.O. de Aquino, I. de Freitas Melo, MS. Nicola, W. V. dos Santos</i>	
An overview of application and radiation safety aspects of linear accelerators in Brazilian industry (IAEA-CN-9 1/30).....	85
<i>M J. M. Lourenço, F. C.A. da Silva</i>	
Status of operational implementation of basic safety standards in Iran (IAEA-CN-91/35).....	89
<i>M Ghiassi-Nejad, S. Borhan Azad, MR. Divband</i>	
Ideas — European project for developing general guidelines for internal dose assessment (IAEA-CN-91/36).....	95
<i>A. Andras, M Bailey, Vl Berkovski, C.-M Castellani, H. Doerfel, C. Hurtgen, J.-R. Jourdain, B. Le-Guen</i>	
Model for a national radiation protection infrastructure in Haiti (IAEA-CN-9 1/54).....	100
<i>J.-P. Guiteau</i>	
The overview of the legislation framework of the personal monitoring and the system of occupational exposure evaluation in the Czech Republic (IAEA-CN-9 1/62).....	105
<i>K. Petrová, Z. Prouza</i>	
Training in radiological protection — the next steps (IAEA-CN-91/63).....	110
<i>R.A. Paynter</i>	
The inspection activities of the radioprotection and dosimetry program of Rio de Janeiro State (IAEA-CN-91/71).....	114
<i>A.L. Lassance Cunha, A. C.P. Azevedo, E.A.P. Galvao, A. Oliveira</i>	
The success of implementation of radiation protection laws (RPL) in Fars Province industries and centers with radiation applications (IAEA-CN-91/81).....	120
<i>K. Hadad, S. Mehdizadeh, M Beitollahi</i>	
RCA -A regional approach to radiation protection enhancement and harmonization: the Philippine perspective (IAEA-CN-91/83).....	124
<i>E. M. Valdezco</i>	
Qualified expert's training: the ERPC (European radiation protection course) (IAEA-CN-91/84).....	129
<i>T Juhel, P.N. Lirsac</i>	
<b>Development of infrastructure for occupational exposure monitoring in Ghana</b> (IAEA-CN-91/95).....	<b>135</b>
<i>C Schandorf, E.O. Darko, Jl Yeboah, S.D. Asiamah</i>	
Swiss personal dosimetry ordinance 1999 (IAEA-CN-9 1/98).....	139
<i>H. Jossen, G. Fischer, A. Leupin, H. Menzel, R. Mini, J.-F. Valley, U. Weidmann, H. Weitze, C. Wernli, W. Zeller</i>	
A concept of the national system for individual dosimetric monitoring and registration of individual doses in Ukraine (IAEA-CN-9 1/16).....	144
<i>Vl Chumak, A. Boguslavskaya</i>	

Overall structure of regulatory documents for protecting workers of the nuclear facilities against exposure to ionizing radiation in the Russian Federation (IAEA-CN-91/127) .....	149
<i>V. Kutkov, O. Kochetkov, A. Panfilov</i>	
The regulatory activity of the Ministry of Health of the Republic of Belarus for radiation protection of workers (IAEA-CN-9 1/144) .....	156
<i>R. Astashka</i>	
Licensing of existing controlled facilities in Australia (IAEA-CN-9 1/1 50) .....	159
<i>S. Sarkar</i>	
National dose registry in Switzerland — ten years of experience (IAEA-CN-9 1/1 57) .....	164
<i>M. Moser, D. Frei</i>	
Developing a model regulation for naturally occurring radioactive material in the United States (IAEA-CN-91/158) .....	168
<i>C. C. Cardwell</i>	

## **STATUS OF OPERATIONAL IMPLEMENTATION OF BASIC SAFETY STANDARDS (Topical Session 3)**

New' Romanian radiation protection regulatory framework (IAEA-CN-9 1/65) .....	173
<i>A.L. Rodna, A. Coroianu</i>	
Implications of ICRP publication 88 for the radiation protection of female workers (IAEA-CN-91/80) .....	179
<i>D. Noßke, K. Karcher, H. Landfermann</i>	
Evaluation of procedures in personnel dosimetry in radiology services of Caracas (IAEA-CN-91/89) .....	183
<i>A. R. Diaz A</i>	
About the interest of an agreement for a European passport for workers in European nuclear fuel cycle installations (IAEA-CN-91022) .....	187
<i>M. Gonin, C. Bailloeuil, A. Pétrequin, M. Teissier, J.-M. Giraud, A. Flury-Herard, A. Miele, F. Pic, C. Roullet, P. Bérard, B. Quesne</i>	
Development of occupational radiation protection regulations in Russia (IAEA-CN-91/123) .....	192
<i>P. Vl Ramzaev, S.I. Ivanov, E. Vl Ivanov, E.I. Komarov, A.N. Barkovsky</i>	
Guide for routine individual monitoring of the internal exposure at the nuclear power plant (IAEA-CN-91/128) .....	197
<i>V. Kutkov, Vl Romantsov, V. Tkachenko</i>	
Experience in implementation of radiation safety standards at the mining and chemical combine (IAEA-CN-91/133) .....	202
<i>V. Russanov</i>	
Experience in implementation of radiation protection standards at the research institute of atomic reactors (IAEA-CN-91/134) .....	206
<i>V. Oussoltsev</i>	
The European ALARA network: a tool for improving radiation protection management in Europe, a reference within and outside Europe (IAEA-CN-91/146) .....	209
<i>C. Lefaure, Jl Croft, K. Schnuer</i>	

## MONITORING OF OCCUPATIONAL RADIATION EXPOSURES (Topical Session 4)

Harmonizing of occupational radiation monitoring in Malaysia (IAEA-CN-9 1/2) . . . . .	215
<i>N. Mod Ali, T. Kadni, R. Mohd Shariff</i>	
Digital dosimeter "ALARA OD2" — "ORT" and personal dosimetry (IAEA-CN-91/19) . . . . .	219
<i>I. Prlic, S. Milkovic-Kraus, Ž. Radalj, G. Marovic, M. Vrtar, Z. Cerovac,         H. Cerovac, V. Tercek</i>	
Calibration of the IRD-CNEN HPGe detection system for in vivo measurement of Am-241 in lungs, liver and skeleton (IAEA-CN-91/32) . . . . .	225
<i>B.M. Dantas, A.L.A. Dantas, H.B. Spitz</i>	
Proposed proficiency testing of personnel dosimetry laboratories for accreditation program in Indonesia (IAEA-CN-91/33) . . . . .	230
<i>A. Azhar</i>	
Quality assurance in personal dosimetry in Switzerland (IAEA-CN-9 1/43) . . . . .	235
<i>J-F. Valley, G. Fischer, H. Jossen, A. Leupin, H. Menzel, R. Mini,         U. Weidmann, H. Weitze, C. Wernli, W. Zeller</i>	
A Monte Carlo approach for assessing skull burdens of actinides using a mathematical phantom (IAEA-CN-9 1/49) . . . . .	241
<i>S. Bhati, R. C. Shanna, V. V. Raj</i>	
Implementation of Hp(10) and Hp(0.07) for personal monitoring in Ghana (IAEA-CN-91/53) . . . . .	246
<i>C. Schandorf, S.D. Asiamah, E.O. Darko, J. Yeboah</i>	
High dose rate workplace characterisation using passive dosimetric systems (IAEA-CN-91/58) . . . . .	251
<i>V. Chumak, E. Bakhanova, S. Shylo, V. Volosky, G. Chernyshov</i>	
Current status of individual internal dose monitoring at the object shelter of the Chomobyl site (IAEA-CN-91/60) . . . . .	256
<i>O.A. Bondarenko, P.B. Aryasov, D. V. Melnichuk, S.Y. Medvedev,         M.A. Frizyuk, V. Ryndenko, A.A. Komeev, A. V. Dmitrienko,         S. V. Suchostavskiy, V.P. Rozumnyi</i>	
The thermoluminescent dosimeter of IPEN — a descriptive work of basic operation and production (IAEA-CN-9 1/66) . . . . .	261
<i>J.E. Manzoli, R.N. de Carvalho</i>	
The reduction of limits of detection in <i>in-vivo</i> counting of low energy photon emitters by optimizing the shape and sizes of detectors (IAEA-CN-9 1/68) . . . . .	264
<i>J.L. Genicot, D. Franck, A. Damen</i>	
Intercalibration and validation of personal dose monitoring of professional radiation workers at the Semipalatinsk nuclear test site (IAEA-CN-91178) . . . . .	269
<i>P. Hill, O. Artemyev, F. Busch, A. Kim, L. Ptitskaya, S. Subbotin, M. Akhmetov</i>	
A new technique for performing <i>in vivo</i> efficiency calibration measurements suitable for chestwall thicknesses in excess of 4-cm (IAEA-CN-9 1/93) . . . . .	273
<i>H. Spitz, A. Robbins, D. Stempfley, J. Hudson, D. Johnson</i>	
The BTI bubble detectors as operational personal dosimeters: three years of experience at the Belgian nuclear research center SCK-CEN (IAEA-CN-91/97) . . . . .	279
<i>F. Vanhavere, P. Deboodt</i>	

Experience with a direct ion storage personal dosimetry system (IAEA-CN-91000).....	284
<i>M. Boschung, A. Fiechtner, C. Wemli</i>	
Radiation tests of an operational dosimeter for neutrons complying with IEC 1323 (IAEA-CN-91007).....	289
<i>Q. Chau, M. Ndontchueng-Moyo, T. Lahaye, S. Ménard, T. Bolognese-Milsztajn</i>	
Implementation of a quality system based on NORM ISO 17025 in a film dosimetry service (IAEA-CN-9 l/l 13).....	293
<i>D. Souza-Santos, J. Hunt</i>	
Problems with application of Hp( 10) and approach to assessment of effective dose (IAEA-CN-91/117).....	298
<i>E. Bakhanova, V. Chumak</i>	
The options for the decrease of minimum detectable activities of precise measurements of low level samples of the environment for gamma emitters released in case of the routine operation of the nuclear reactor (IAEA-CN-91/131).....	303
<i>I.A. Gusev, V.N. Yatcenko, V.P. Stoliarov</i>	
Intercomparison of individual monitoring systems for Latin American countries under IAEA model project (IAEA-CN-9 l/l 39).....	307
<i>T.A. da Silva, M.E. Figueiredo, P. Ferruz-Cruz, G. Massera</i>	

## OCCUPATIONAL RADIATION PROTECTION IN MEDICINE (Topical Session 5)

Individual radiation monitoring in medical practice in Romania (IAEA-CN-9 1/14). . . . .	315
<i>C. Milu, R. Marin, A. Dumitrescu</i>	
Results of personal dosimetry in interventional radiology (IAEA-CN-9 1 /16). . . . .	319
<i>J. Jankowski, W. Chruscielewski, J. Olszewski, M. Cygan</i>	
Occupational radiation protection in medicine in Estonia (IAEA-CN-91/18). . . . .	322
<i>I. Filippova</i>	
Development of a training tool to reduce personal exposure during medical interventional procedures (IAEA-CN-91/42). . . . .	325
<i>F.R. Verdun, J. C. Stauffer, M. Narbel, P. Schnyder, L. Kappenberger, J-F. Valley, S. Wicky</i>	
Dose constraints to the individual annual doses of exposed workers in nuclear medicine laboratories (IAEA-CN-9 1/44). . . . .	329
<i>V. Kamenopoulou, A. Dimitriou, A. Anitsi, A. Boziari, P. Dimitriou</i>	
Occupational exposure for workers in radiotherapy centres in Sudan (1999-200 1) (IAEA-CN-9 1/46). . . . .	333
<i>A.A. Ahmed, I.A. Shaddad</i>	
Exposure of medical staff during CT- fluoroscopy guided lung biopsy (IAEA-CN-9 1/5 1). . . . .	338
<i>K. Nishizawa, T. Uruma, N. Yanagawa, K. Iwai</i>	
Dose trend analysis of selected occupational categories at a large medical center (IAEA-CN-9 1/52). . . . .	342
<i>A.N. Al-Haj, C.S. Lagarde, A.M. Lobriguito</i>	
Occupational radiation exposure of medical staff in Ukraine: results of individual monitoring by central dosimetry service in 198 l-2000 (IAEA-CN-9 1/57). . . . .	347
<i>L. Stadnyk, I. Yavon, I. Panchenko</i>	

Implementation of an occupational monitoring program at the hospital Universitário Clementino Fraga Filho- UFRJ ( <b>IAEA-CN-91/75</b> ).....	352
<i>S. R. Oliveira, A. C. P. Azevedo</i>	
Occupational doses in interventional radiology. Problems and challenges after a three-year follow-up programme ( <b>IAEA-CN-911105</b> ).....	* 357
<i>E. Vano, L. Gonzalez, J.M Fernandez, C. Prieto, E. Guibelalde</i>	
Staff doses in procedures of intracoronary brachytherapy using beta sources ( <b>IAEA-CN-91/106</b> ).....	362
<i>C. Prieto, E. Vano, J.M Fernandez, M. Sabate, L. Gonzalez, P. Aviles</i>	
Occupational radiation exposure during radiosynoviorthesis and vascular brachytherapy ( <b>IAEA-CN-9 1/1 12</b> ).....	367
<i>I. Barth, JI Mielcarek</i>	
Analysis of the occupational doses in medicine ( <b>IAEA-CN-91/115</b> ).....	373
<i>R.A. Sacc, J. Rubiolo, F. Herrero, L. Contini</i>	
Problems and tendencies in promotion of radiological protection in medicine in Russia ( <b>IAEA-CN-91/125</b> ).....	376
<i>S.A. Kalnitsky, E. V. Ivanov, E.I. Komarov, A.A. Gontsov</i>	
Radiation protection measures inside angiography room ( <b>IAEA-CN-9 1/1 36</b> ).....	381
<i>S.M Kamal, MA. Gomaa, M.H Khalil</i>	
<b>OCCUPATIONAL RADIATION PROTECTION IN WORKPLACES INVOLVING EXPOSURE TO NATURAL RADIATION (Topical Session 6)</b>	
Individual dosimetry in the Kara-Balta mining combine ( <b>IAEA-CN-91/24</b> ).....	389
<i>B. Tolongutov, N. Kojomatov, Vl Trenin</i>	
Radon exposure in subsurface workplaces ( <b>IAEA-CN-9 1/3 8</b> ).....	393
<i>I. Bikit, M Krmar, S. Curcic, L. Conkic, M Veskovic, N. Todorovic</i>	
Individual dosimetry of Czech companies aircrew 1998-2000 ( <b>IAEA-CN-91/55</b> ).....	397
<i>F. Spurny, A. Malusek, I. Kovář</i>	
Indoor radon ( <sup>222</sup> Rn) levels in coastal and Rift Valley regions of Kenya ( <b>IAEA-CN-9 1/56</b> ).....	401
<i>D.M Maina, A.M. Kinyua, S.K. Nderitu, JO. Agola, M.J Mangala</i>	
Cosmic radiation exposure of commercial flight crew ( <b>IAEA-CN-9 1/79</b> ).....	406
<i>MA. Waters, TF. Bloom, B. Grajewski</i>	
An assessment of comfort zone and indoor radon concentration of the Vinca research reactor "RA" ( <b>IAEA-CN-9 1/82</b> ).....	410
<i>Z.S. Zunic, R.M. Lucic, J.P. McLaughlin</i>	
Recent investigations on the exposure of aircrew to cosmic radiation ( <b>IAEA-CN-9 1/99</b> ).....	415
<i>J-F. Bottollier-Depois, D. Bartlett, P. Beck, F. Wissman, L. Lindborg, D. O'Sullivan, L. Tommasino</i>	
Assessment of radiation exposure of uranium mine workers in India ( <b>IAEA-CN-91/111</b> ).....	421
<i>A. HI Khan, G. Jha, G. K. Srivastava, S. Jha, V.N. Jha, VS. Srivastava, R.L. Patnaik</i>	
Radiation exposures to miners in Polish coal mines ( <b>IAEA-CN-9 1/1 37</b> ).....	426
<i>J. Skowronek</i>	

Strategies and methods for optimisation of internal exposure of workers from industrial natural sources (SMOPIE) (IAEA-CN-91/138).....	431
<i>J. van der Steen, A.W. van Weers, C. Lefaure, J.-P. Degrange, L. Vaillant, P.V. Shaw, O. Witschger</i>	
Concepts for the control of occupational exposure to natural radiation sources (IAEA-CN-91/141).....	436
<i>E. Ettenhuber</i>	
Occupational radiological protection in oil and natural gas industries (IAEA-CN-91/142).....	442
<i>I.Pr. Stamat, S.I. Ivanov</i>	
Impacts of the application of exemption regulation to the non-nuclear industry in Indonesia (IAEA-CN-9 1/1 52).....	447
<i>E. Hiswara</i>	
Evaluation of occupational radiological safety on offshore and onshore oil fields installations (IAEA-CN-91/153).....	452
<i>L.E.S. de C. Matta, J. M de O. Godoy, V.R. Crispin, MC. Reis</i>	

## OCCUPATIONAL RADIATION PROTECTION IN INDUSTRIAL AND RESEARCH FACILITIES (Topical Session 7)

Follow-up of the effects of over-exposure to $^{192}\text{Ir}$ industrial radiography source and lessons learned from it (IAEA-CN-91/15).....	459
<i>A. Jalil</i>	
Reconstruction dosimetry — a study of a radiological accident in Brazilian industrial gamma radiography (IAEA-CN-9 1/3 1).....	463
<i>F.C.A. Da Silva, J.G. Hunt, A. Ramalho, E.L. Livia, A.F.A. Pinto</i>	
Occupational radiation protection in handling of spent sources from industrial and medical facilities (IAEA-CN-9 1/47).....	471
<i>. Ortiz</i>	
Testing and certification of industrial radiographers (IAEA-CN-91/94). .	474
<i>T. Cardwell</i>	
Control of occupational exposure in a university research reactor (IAEA-CN-91/101) .....	478
<i>M. Tschurlovits</i>	
Radiation safety controls in Mössbauer laboratories (IAEA-CN-91/109) .....	483
<i>S. Vaccari, E. Papotti, G. Pedrazzi, I. Ortalli</i>	

## OCCUPATIONAL RADIATION PROTECTION IN NUCLEAR FACILITIES (Topical Session 8)

Radiological safety aspects in Indian nuclear power plants (IAEA-CN-9 1/5). .	491
<i>B. Ramamirtham, P.M. Wagh</i>	
Occupational radiation protection programme at Ignalina NPP: requirements and practical implementation (IAEA-CN-9 1/9).....	495
<i>G. Klevinskas</i>	
Analysis of contract workers' doses in Slovenia (IAEA-CN-9 1/23) .....	500
<i>H. Janžekovič, M. Černilogar-Radež, M. Križman</i>	
Progress of occupational exposure control for nuclear facilities in China (IAEA-CN-9 1/48).....	504
<i>Liu Hua, Li Xutong</i>	

Analyse of occupational exposures at the Dukovany nuclear power plant (IAEA-CN-91/61) .....	510
<i>B. Jurochova, Z. Zelenka</i>	
Assessment of individual dose from occupational radiation exposure at GNPS (1996-2000) (IAEA-CN-9 1/70) .....	513
<i>Fan Zhiguo</i>	
Conservative personnel dose estimation at the WER- 1000 unit decommissioning in Ukraine (IAEA-CN-9 1/90) .....	517
<i>L.L. Litvinsky, Y.N. Lobach, O.A. Purtov, A.E. Scripov</i>	
Radiation monitoring system of the Püspokszilagy radioactive waste treatment and disposal facility (IAEA-CN-9 1/96) .....	523
<i>L. Juhász, A. M. Motoc, J. Kasza</i>	
Health physics experiences in the operation of fast breeder test reactor (FBTR) (IAEA-CN-91/110) .....	527
<i>S. Bala Sundar, S. Viswanathan, M.T. Jose, N. Suriyamurthy, V. Meenakshisundaram</i>	
Monitoring of tritium occupational exposure at Cernavoda NPP (IAEA-CN-91/114) .....	532
<i>C. Chitu, V. Simionov</i>	
An occupational radiation protection guideline for nuclear facilities (IAEA-CN-91021) .....	537
<i>M. Champion, J.M. Deligne, S. Lorthioir, S. Supervil</i>	
Regulatory experience in occupational exposure and contractors in Laguna Verde nuclear power plant (IAEA-CN-91/149) .....	542
<i>R. F. Ortega</i>	
<b>PROBABILITY OF CAUSATION OF OCCUPATIONAL HARM ATTRIBUTED TO RADIATION EXPOSURE (Topical Session 9)</b>	
Health effects following long-term exposure to thorium dusts: a twenty-year follow-up study in China (IAEA-CN-9 1/6) .....	549
<i>Chen Xing-an, Cheng Yong-e, Xiao Huijuan, Feng Guodong, Deng Yun-hui, Feng Zhi-Liang, Chen Liang, Han Xuan Mao, Yang Ying-Jie, Dong Zhi Huan, Zheng Rong</i>	
Non-random genome distribution of translocations formed after exposure to gamma radiation: the need for standardization of the FISH method in biodosimetry (IAEA-CN-9 1/40) .....	554
<i>A. Fucic, R. Lasan, V. Hitrec, A. Mijic</i>	
Assessment of routine hematological indices in occupational exposure of the Kozloduy NPP personnel (IAEA-CN-9 1/41) .....	558
<i>D. Panova, I. Guleva, J. Djounova</i>	
Retrospective dosimetry of clean-up workers in Chernobyl (IAEA-CN-9 1/59) .....	563
<i>V. Chumak, S. Sholom, E. Bakhanova, L. Pasalskaya, N. Musijachenko</i>	
Comparison of ICRP 30 models to newer models (IAEA-CN-91/85) .....	568
<i>D. Allen, W. Neton, L. Elliott</i>	
United States energy employees occupational illness compensation program: adjudication of radiation-related cancer claims utilizing dose reconstruction and probability of causation procedures (IAEA-CN-91186) .....	572
<i>L. Elliott, T. Katz, J. Neton, M. Schubauer-Berigan</i>	
A method for determining organ dose from external exposure monitoring data (IAEA-CN-91/87) .....	576
<i>T.D. Taulbee, J. W. Neton, L. Elliott</i>	

Guidelines for determining the probability of causation under the US Energy Employees Occupational Illness Compensation Program Act of 2000 (IAEA-CN-91/88).....	581
<i>M. Schubauer-Berigan, L.J. Elliott, T. Katz, J. Neton</i>	
The UK compensation scheme for radiation-linked diseases (IAEA-CN-91/108).....	585
<i>M. Lewis</i>	
Some reflections on occupational radiological health impairment and workmen compensation (Chernobyl case) (IAEA-CN-91/124).....	590
<i>E.I. Komarov, E.V. Ivanov</i>	
Lung and larynx cancers in coal mines in Upper Silesia (IAEA-CN-91/135).....	594
<i>J. Skowronek, B. Zemla</i>	
Influence of small doses of ionizing radiations on hematopoiesis (IAEA-CN-91/148).....	598
<i>M. Milačić</i>	