

# Contents

1	Introduction	1
1.1	Introduction . . . . .	1
1.2	Conformal and Nonconformal Surfaces . . . . .	2
1.3	Lubrication Regimes . . . . .	3
1.3.1	Historical Perspective . . . . .	3
1.3.2	Hydrodynamic Lubrication . . . . .	4
1.3.3	Elastohydrodynamic Lubrication . . . . .	5
1.3.4	Boundary Lubrication . . . . .	7
1.3.5	Partial Lubrication . . . . .	17
1.3.6	Stribeck Curve . . . . .	17
1.4	Closure . . . . .	19
1.5	Problems . . . . .	20
2	Bearing Classification and Selection	23
2.1	Iutroduction . . . . .	23
2.2	Bearing Classification . . . . .	24
2.2.1	Dry Rubbing Bearings . . . . .	24
2.2.2	Impregnated bearings . . . . .	24
2.2.3	Conformal Fluid Film Bearings . . . . .	25
2.2.4	Rolling-Element Bearings . . . . .	27
2.3	Bearing Selection . . . . .	28
2.4	Closure . . . . .	37
2.5	Problems . . . . .	37
3	Surface Topography	39
3.1	Introduction . . . . .	39
3.2	Geometric Characteristics of Surfaces . . . . .	40
3.3	Contacting Measurement Methods . . . . .	41
3.3.1	Stylus Profilometry . . . . .	41
3.3.2	Atomic Force Microscopy . . . . .	42
3.4	Noncontacting Measurement Devices . . . . .	43
3.5	Reference Lines . . . . .	45
3.5.1	Mean, or M System . . . . .	47

3.5.2 Ten-Point Average . . . . .	47
3.5.3 Least Square . . . . .	47
3.6 Computation of Surface Parameters . . . . .	48
3.7 Autocorrelation Parameter . . . . .	55
3.8 Distribution of Slope and Curvature . . . . .	56
3.9 Film Parameters for Different Lubrication Regimes . . . . .	57
3.10 Transition Between Lubrication Regimes . . . . .	58
3.11 Closure . . . . .	60
3.12 Problems . . . . .	61
4 Lubricant Properties . . . . .	63
4.1 Introduction . . . . .	63
4.2 Basic Chemistry . . . . .	64
4.2.1 Hydrocarbons . . . . .	64
4.2.2 Alcohols . . . . .	66
4.2.3 Fatty Acids . . . . .	67
4.2.4 Cyclic Hydrocarbons . . . . .	68
4.3 Petroleum or Mineral Oil Base Stocks . . . . .	70
4.4 Synthetic Oil Base Stocks . . . . .	71
4.4.1 Synthetic Hydrocarbons . . . . .	71
4.4.2 Organic Esters . . . . .	73
4.4.3 Polyglycols . . . . .	74
4.4.4 Phosphate Esters . . . . .	74
4.4.5 Silicon-Containing Compounds . . . . .	74
4.4.6 Halogen-Containing Compounds . . . . .	75
4.4.7 Halogenated Polyaryls . . . . .	76
4.4.X Fluorocarbons . . . . .	76
4.4.9 Perfluoropolyglycols . . . . .	76
4.5 Grease Base Stocks . . . . .	76
4.5.1 Thickeners . . . . .	77
4.5.2 Lubricating Oil . . . . .	79
4.6 Gases . . . . .	80
4.7 Emulsions . . . . .	82
4.8 Lubrifiant Additives . . . . .	84
4.9 Newtonian Fluids . . . . .	85
4.10 Newton's Postulate . . . . .	86
4.11 Units of Absolute Viscosity . . . . .	87
4.12 Kinematic Viscosity . . . . .	88
4.13 Viscosity Grade System . . . . .	89
4.14 Viscosity-Pressure Effects . . . . .	91
4.15 Viscosity-Temperature Effects . . . . .	97
4.16 Viscosity-Pressure-Temperature Effects . . . . .	99
4.17 Viscosity-Shear Rate Effects . . . . .	101
4.18 Viscosity Index . . . . .	102
4.19 Oxidation Stability . . . . .	105

4.20 Pour Point . . . . .	106
4.21 Density . . . . .	106
4.22 Limiting Shear Stress . . . . .	110
4.23 Fluid Rheology Models . . . . .	113
4.24 Formulation of Fluid Rheology Models . . . . .	115
4.25 Closure . . . . .	118
4.26 Problems . . . . .	119
<b>5 Bearing Materials</b>	<b>123</b>
5.1 Introduction . . . . .	123
5.2 Material Characteristics . . . . .	123
5.3 Metallics . . . . .	125
5.3.1 Tin- and Lead-Base Alloys . . . . .	125
5.3.2 Copper-Lead Alloys . . . . .	129
5.3.3 Bronzes . . . . .	129
5.4 Nonmetallics . . . . .	129
5.4.1 Carbon Graphites . . . . .	131
5.4.2 Phenolics . . . . .	132
5.4.3 Nylon . . . . .	134
5.4.4 Teflon . . . . .	134
5.5 Form of Bearing Surfaces . . . . .	134
5.6 Materials and Manufacturing Processes Used for Rolling-Element Bearings . . . . .	135
5.6.1 Ferrous Alloys . . . . .	136
5.6.2 Ceramics . . . . .	139
5.7 Properties of Common Bearing Materials . . . . .	139
5.7.1 Density . . . . .	140
5.7.2 Modulus of Elasticity and Poisson's Ratio . . . . .	142
5.7.3 Linear Thermal Expansion Coefficient . . . . .	143
5.7.4 Thermal Conductivity . . . . .	143
5.7.5 Specific Heat Capacity . . . . .	147
5.8 Closure . . . . .	152
5.9 Problem . . . . .	153
<b>6 Viscous Flow</b>	<b>155</b>
6.1 Introduction . . . . .	156
6.2 Petrov's Equation . . . . .	156
6.3 Navier-Stokes Equations . . . . .	158
6.3.1 Surface Forces . . . . .	158
6.3.2 Body Forces . . . . .	160
6.3.3 Inertia Forces . . . . .	161
6.3.4 Equilibrium . . . . .	161
6.3.5 Standard Forms . . . . .	162
6.4 Continuity Equation . . . . .	165
6.5 Flow Between Parallel Flat Plates . . . . .	167

6.6 Flow in a Circular Pipe . . . . .	169
6.7 Flow Down a Vertical Plane . . . . .	171
6.8 Viscometers . . . . .	172
6.8.1 Capillary Viscometers . . . . .	172
6.8.2 Rotational Viscometers . . . . .	174
6.8.3 Falling-Sphere Viscometer . . . . .	175
6.9 Closure . . . . .	177
6.10 Problems . . . . .	178
<b>7 Reynolds Equation</b>	<b>181</b>
7.1 Introduction . . . . .	182
7.2 Dimensionless Numbers . . . . .	182
7.2.1 Reynolds Number . . . . .	183
7.2.2 Taylor Number . . . . .	185
7.2.3 Froude Number . . . . .	186
7.2.4 Euler Number . . . . .	187
7.3 Reynolds Equation Derived . . . . .	188
7.3.1 From Navier-Stokes and Continuity Equations . . . . .	188
7.3.2 From Laws of Viscous Flow and Principle of Mass Conservation . . . . .	192
7.4 Physical Significance of Terms in Reynolds Equation . . . . .	193
7.4.1 Density Wedge Term $[(u_a + u_b) h/2] (\partial \rho / \partial x)$ . . . . .	195
7.4.2 Stretch Term $(\rho h/2) [\partial (u_a + u_b) / \partial x]$ . . . . .	196
7.4.3 Physical Wedge Term $[\rho (u_a + u_b) / 2] (\partial h / \partial x)$ . . . . .	<b>196</b>
7.4.4 Normal Squeeze Term $\rho (w_a - w_b)$ . . . . .	197
7.4.5 Translation Squeeze Term $-\rho u_a (\partial h / \partial x)$ . . . . .	197
7.4.6 Local Expansion Term $h (\partial \rho / \partial t)$ . . . . .	198
<i>i.5 Standard Reduced Forms of Reynolds Equation</i> . . . . .	198
7.6 Different Normal Squeeze and Sliding Motions . . . . .	201
7.7 Closure . . . . .	204
7.8 Problems . . . . .	204
<b>8 Hydrodynamic Thrust Bearings - Analytical Solutions</b>	<b>209</b>
8.1 Introduction . . . . .	210
8.2 Mechanism of Pressure Development . . . . .	210
8.3 General Thrust Bearing Theory . . . . .	213
8.4 Parallel-Surface Sliding Bearing . . . . .	217
8.5 Fixed-Incline Slider Bearing . . . . .	218
8.5.1 Pressure Distribution . . . . .	218
X.5.2 Normal Load Component . . . . .	221
X.5.3 Tangential Force Components . . . . .	221
8.5.4 Shear Force Components . . . . .	222
X.5.5 Friction Coefficient . . . . .	223
8.5.6 Volume Flow Rate . . . . .	224
8.5.7 Power Loss and Temperature Rise . . . . .	224

8.5.8 Center of Pressure . . . . .	225
X.5.9 Velocity Profile and Stream Function . . . . .	22G
<b>X.6 Parallel-Step Slider Bearing . . . . .</b>	<b>229</b>
X.6.1 Pressure Distribution . . . . .	231
8.6.2 Normal and Tangential Load Components . . . . .	233
8.6.3 Friction Coefficient and Volume Flow Rate . . . . .	235
X.6.4 Power Loss, Temperature Rise, and Center of Pressure	235
<b>8.7 Closure . . . . .</b>	<b>236</b>
<b>X.8 Problems . . . . .</b>	<b>237</b>
<b>9 Hydrodynamic Thrust Bearings - Numerical Solutions . . . . .</b>	<b>241</b>
9.1 Introduction . . . . .	242
9.2 Finite-Width, Parallel-Step-Pad Slider Bearing . . . . .	242
9.2.1 Pressure Distribution . . . . .	243
9.2.2 Normal Load Component . . . . .	246
9.2.3 Results . . . . .	249
9.3 Fixed-Incline-Pad Slider Bearing . . . . .	250
9.4 Pivoted-Pad Slider Bearing . . . . .	258
9.5 Thrust Bearing Geometry . . . . .	264
9.6 Closure . . . . .	265
9.7 Problems . . . . .	265
<b>10 Hydrodynamic Journal Bearings - Analytical Solutions . . . . .</b>	<b>269</b>
10.1 Introduction . . . . .	270
10.2 Infinitely-Wide-Journal-Bearing Solution . . . . .	271
10.2.1 Full Sommerfeld Solution . . . . .	273
10.2.2 Half Sommerfeld Solution . . . . .	278
10.2.3 Reynolds Boundary Conditions . . . . .	280
10.3 Short-Widh-Journal-Bearing Theory . . . . .	280
10.4 Closure . . . . .	285
10.5 Problems . . . . .	286
<b>11 Hydrodynamic Journal Bearings - Numerical Solutions . . . . .</b>	<b>287</b>
11.1 Introduction . . . . .	288
11.2 Operating and Performance Parameters . . . . .	288
11.3 Design Procedure . . . . .	290
11.4 Optimization Techniques . . . . .	297
11.5 Dynamic Effects . . . . .	298
11.6 Nonplain Configurations . . . . .	299
11.7 Closure . . . . .	301
11.8 Problems . . . . .	302
<b>12 Hydrodynamic Squeeze Film Bearings . . . . .</b>	<b>305</b>
12.1 Introduction . . . . .	306
12.2 Parallel-Surface Bearing of Infinite Width . . . . .	306
12.3 Journal Rearing . . . . .	312

12.4 Parallel Circular Plate . . . . .	314
12.5 Infinitely Long Cylinder Near a Plane . . . . .	316
12.6 Closure . . . . .	318
12.7 Problems . . . . .	318
<b>13 Hydrostatic Lubrication</b>	<b>321</b>
13.1 Introduction . . . . .	322
13.2 Formation of Fluid Film . . . . .	322
13.3 Pressure Distribution and Flow . . . . .	323
13.4 Normal Load Component . . . . .	325
13.5 Frictional Torque and Power Loss . . . . .	326
13.6 Pad Coefficients . . . . .	331
13.6.1 Circular Step Bearing Pad . . . . .	331
13.6.2 Annular Thrust Bearing . . . . .	333
13.6.3 Rectangular Sectors . . . . .	333
13.7 Compensating Elements . . . . .	335
13.7.1 Capillary Compensation . . . . .	336
13.7.2 Orifice Compensation . . . . .	337
13.7.3 Constant-Flow-Valve Compensation . . . . .	338
13.8 Closure . . . . .	339
13.9 Problems . . . . .	310
<b>14 Gas-Lubricated Thrust Bearings</b>	<b>345</b>
14.1 Introduction . . . . .	346
14.2 Reynolds Equation . . . . .	347
14.2.1 Limiting Solutions . . . . .	349
14.2.2 Slip Flow . . . . .	351
14.3 Parallel-Surface Bearing . . . . .	352
14.3.1 Low-Bearing-Number Results . . . . .	352
14.3.2 High-Bearing-Number Results . . . . .	353
14.3.3 Intermediate-Bearing-Number Results . . . . .	353
14.4 Parallel-Step Bearing . . . . .	354
14.4.1 Pressure Distribution . . . . .	354
14.4.2 Normal Load Component and Stiffness . . . . .	358
14.4.3 Optimizing Procedure . . . . .	359
14.4.4 Step Sector Thrust Bearing . . . . .	359
14.4.5 Results . . . . .	360
14.5 Spiral-Groove Bearing . . . . .	362
14.6 Closure . . . . .	364
14.7 Problems . . . . .	366
<b>15 Gas-Lubricated Journal Bearings</b>	<b>369</b>
15.1 Introduction . . . . .	370
15.2 Reynolds Equation . . . . .	370
15.3 Limiting Solution . . . . .	371

15.3.1 Low Bearing Numbers . . . . .	371
15.3.2 High Bearing Numbers . . . . .	372
15.4 Pressure Perturbation Solution . . . . .	374
15.5 Linearized <i>ph.</i> Solution . . . . .	377
15.6 Nonplain Journal Bearings . . . . .	380
15.6.1 Pivoted-Pad Journal Bearings . . . . .	380
15.6.2 Herringbone-Groove Journal Bearings	382
15.7 Foil Bearings . . . . .	386
15.8 Closure . . . . .	391
15.9 Problems . . . . .	392
16 Hydrodynamic Lubrication of Nonconformal Surfaces	395
16.1 Introduction . . . . .	396
16.2 Infinitely-Wide-Rigid-Cylinder Solution . . . . .	396
16.2.1 Pressure Distribution . . . . .	398
16.2.2 Load Components . . . . .	399
16.3 Short-Width-Rigid-Cylinder Solution . . . . .	401
16.3.1 Pressure Distribution . . . . .	401
16.3.2 Load Components . . . . .	402
16.4 Exact Rigid-Cylinder Solution . . . . .	402
16.4.1 Pressure Distribution . . . . .	402
16.4.2 Load Components . . . . .	404
16.5 General Rigid-Body Solution . . . . .	40G
16.5.1 Film Shape . . . . .	406
16.5.2 Pressure Distribution . . . . .	409
16.5.3 Normal Load Component . . . . .	411
16.5.4 Film Thickness Formulas . . . . .	412
16.6 Starvation Effects . . . . .	414
16.6.1 Film Thickness Formulas . . . . .	414
16.6.2 Pressure Distribution . . . . .	416
16.6.3 Fully Flooded-Starved Boundary . . . . .	418
16.7 Combined Squeeze and Entrainning Motion . . . . .	419
16.7.1 Pressure Distribution and Load . . . . .	419
16.7.2 Results and Discussion . . . . .	421
16.8 Closure . . . . .	425
16.9 Problems . . . . .	427
17 Simplified Solutions for Stresses and Deformations	431
17.1 Introduction . . . . .	432
17.2 Curvature Sum and Difference . . . . .	432
17.3 Surface Stresses and Deformations . . . . .	435
17.4 Subsurface Stresses . . . . .	438
17.5 Simplified Solutions . . . . .	439
17.6 Rectangular Conjunctions . . . . .	447
17.7 Closure . . . . .	449

1 7 . 8 P r o b l e m s	4	4	9
<b>18 Elastohydrodynamic Lubrication of Rectangular Conjunctions</b>			451
18.1                          Introduction			452
18.2                          Incompressible                          Solution			453
18.3                          Elastic                                  Deformation			456
18.4                          Compressible                                  Solution			460
18.5   Flow,   Loads,   and   Center   of   Pressure			463
18.5.1 Mass   Flow   Rate   per   Unit   Width			463
18.5.2 Tangential   Load   Components			463
18.5.3                          Shear                          Forces			465
1 8 . 5 4 C e n t e r   o f   P r e s s u r e			465
18.6                          Pressure                          Spike                          Results			466
18.6.1 Isoviscous   and   Viscous   Results			466
18.6.2 Details   of   Pressure   Spike   and   Film   Shape			468
18.6.3 Compressible   and   Incompressible   Results			470
18.7                          Useful                                  Formulas.			471
18.7.1 Pressure                          Spike                          Amplitude			472
1 8 . 7 . 2 P r e s s u r e   S p i k e   L o c a t i o n			476
18.7.3 Minimum                          and   Central   Film                          Thickness			478
18.7.4 Location                          of   F i l m                          F i l m                          Thickness			482
1X.7.5 Center                          of                                  Pressure			482
18.7.6 M   a   s   s F   l   o   w   R   a   t   e			485
18.8                          Closure			485
18.9                          Problem			487
<b>19 Elastohydrodynamic Lubrication of Elliptical Conjunctions</b>			489
19.1                          Introduction			490
19.2                          Relevant                                  Equations			490
19.3                          Dimensionless                                  Groupings			494
19.4                          Hard-EHL                                  Results			496
19.5 Comparison Between Theoretical and Experimental Film Thicknesses			,500
19.6                          Soft-EHL                                  Results			506
19.7                          Starvation                                  Results			508
19.7.1 Fully                          Flooded/Starved                          Boundary			509
19.7.2 Hard-EHL                                  Results			509
19.7.3 Soft-EHL,                                  Results			513
19.8                          Closure			518
19.9                          Problem			521
<b>20 Film Thicknesses for Different Regimes of Fluid Film Lubrication</b>			525
20.1                          Introduction			526
2 0 . 2 D i m e n s i o n l e s s Grouping			527

20.3 Isoviscous-Rigid Regime . . . . .	528
20.4 Viscous-Rigid Regime . . . . .	529
20.5 Isoviscous-Elastic Regime . . . . .	530
20.6 Viscous-Elastic Regime . . . . .	531
20.7 Procedure for Mapping the Different Lubrication Regimes . . . . .	532
20.8 Thermal Correction Factor . . . . .	536
20.9 Surface Roughness Correction Factor . . . . .	538
20.10 Closure . . . . .	544
20.11 Problem . . . . .	545
21 Rolling Element Bearings . . . . .	549
21.1 Introduction . . . . .	550
21.2 Historica Overview . . . . .	551
21.3 Bearing Types . . . . .	552
21.3.1 Ball Bearings . . . . .	552
21.3.2 Roller Bearings . . . . .	557
21.4 Geometry . . . . .	559
21.4.1 Geometry of Ball Bearings . . . . .	561
21.4.2 Geometry of Roller Bearings . . . . .	567
21.5 Kinematics . . . . .	571
21.6 Separators . . . . .	574
21.7 Static Load Distribution . . . . .	575
21.7.1 Load Deflection Relationships . . . . .	575
21.7.2 Radially Loaded Ball and Roller Bearings . . . . .	576
21.7.3 Thrust-Loaded Ball Bearing . . . . .	579
21.7.4 Preloading . . . . .	582
21.8 Rolling Friction and Friction Losses . . . . .	583
21.8.1 Rolling Friction . . . . .	583
21.8.2 Friction Losses . . . . .	586
21.9 Lubrication Systems . . . . .	587
21.9.1 Solid Lubrication . . . . .	588
21.9.2 Liquid Lubrication . . . . .	588
21.10 Fatigue Life . . . . .	592
21.10.1 Contact Fatiguc Theory . . . . .	592
21.10.2 Weibull Distribution . . . . .	593
21.10.3I, Lundberg-Palingren Theory . . . . .	595
21.10.4 AFBMA Methods . . . . .	599
21.10.5 Life Adjustment Factors . . . . .	599
21.11 Dynamic Analyses and Computer Codes . . . . .	602
21.11.1 Quasi-Static Analyses . . . . .	602
21.11.2 Dynamic Analyses . . . . .	603
21.12 Ioannides-Harris Theory . . . . .	604
21.13 Applications . . . . .	604
21.13.1 Cylindrical Roller Bearing Example . . . . .	604
21.13.2 Radial Ball Bearing Example . . . . .	609

21.14 Closure	614
2   1 . 1 5 P r o b l e m s	6 1 4
<b>22 Additional Lubrication Applications</b>	<b>621</b>
<b>22.1 Introduction</b>	<b>622</b>
2 2 . 2 I n v o l u t e G e a r s	622
22.3 Continuously Variable-Speed Drives	625
22.3.1 Elasticity Calculations	627
22.3.2 Elastohydrodynamic Film Thickness Calculations	629
<b>22.4 Railway Wheels Rolling on Wet or Oily Rails</b>	<b>631</b>
22.4.1 Initial Calculation	632
22.4.2 Water	633
22.4.3 Oil.	. 634
22.5 Natural Joints	636
22.5.1 Natural Joints	636
22.5.2 A r t i f i c i a l J o i n t s	640
22.6 Closure	646
22.7 Problems	647
<b>23 Thermohydrodynamic and Thermoelastohydrodynamic Lubrication</b>	<b>653</b>
<b>23.1 Thermohydrodynamic Lubrication</b>	<b>654</b>
23.1.1 Introduction	654
23.1.2 Thermal Resistances	655
23.1.3 Thermal Loading Parameters and Their Relative Importance	6 5 6
23.1.4 Thermal Hydrodynamic Lubrication Regimes	659
<b>23.2 Thermoelastohydrodynamic Lubrication</b>	<b>660</b>
23.2.1 Lubrication	660
23.2.2 Theoretical and Numerical Schemes	662
23.2.3 Outline of Approach	663
2 3 . 2 . 4 Results and Discussion	664
<b>23.3 Closure</b>	<b>675</b>
2           3           .           4 Problems	6 7 8
<b>A Calculation of Elastic Deformations</b>	<b>683</b>
<b>B Corrections to Be Applied to Weighting Factors Due to X</b>	<b>687</b>
<b>C Calculation of Jacobian Factors</b>	<b>689</b>
<b>D Definition of Weighting Factors</b>	<b>691</b>