

# Contents

<b>Preface</b>	<b>vii</b>
<b>I Introduction</b>	<b>1</b>
<b>1 Introduction</b>	<b>3</b>
1.1 Models in Mathematical Biology . . . . .	3
1.2 Ordinary Language Models . . . . .	5
1.2.1 Qualifications . . . . .	7
1.2.2 Dale's Principle . . . . .	9
1.3 Weakness of Synaptic Connections . . . . .	11
1.3.1 How Small Is $\varepsilon$ ? . . . . .	11
1.3.2 Size of PSP . . . . .	12
1.3.3 A Common Misinterpretation . . . . .	15
1.3.4 Spike Delays . . . . .	16
1.3.5 Changes of Synaptic Efficacy . . . . .	17
1.4 Empirical Models . . . . .	18
1.4.1 Activities of Neurons . . . . .	19
1.4.2 Redundancy of the Brain . . . . .	20
1.4.3 Additive Neural Network . . . . .	21
1.4.4 Wilson-Cowan Model . . . . .	23
<b>2 Bifurcations in Neuron Dynamics</b>	<b>25</b>
2.1 Basic Concepts of Dynamical System Theory . . . . .	25

2.1.1	Dynamical Systems . . . . .	26	4.1.1	Families of Dyna . . . . .
2.2	Local Bifurcations . . . . .	32	4.1.2	Observations . . . . .
2.2.1	Saddle-Node . . . . .	32	4.1.3	Models . . . . .
2.2.2	The Cusp . . . . .	38	4.1.4	Canonical Mode . . . . .
2.2.3	The Pitchfork . . . . .	41	4.1.5	Example: Linear . . . . .
2.2.4	Andronov-Hopf . . . . .	42	4.1.6	Example: The V . . . . .
2.2.5	Bogdanov-Takens . . . . .	48	4.1.7	Example: Phase . . . . .
2.2.6	Quasi-Static Bifurcations . . . . .	50	4.2	Normal Forms . . . . .
2.3	Bifurcations of Mappings . . . . .	54	4.2.1	Example: Normal . . . . .
2.3.1	Poincaré Mappings . . . . .	55	4.2.2	Normal Forms A . . . . .
2.3.2	Time- $T$ (Stroboscopic) Mappings . . . . .	56	4.3	Normally Hyperbolic In . . . . .
2.3.3	Periodically Forced Brain Systems . . . . .	57	4.3.1	Invariant Manifo . . . . .
2.3.4	Periodically Forced Additive Neuron . . . . .	58	4.3.2	Normal Hyperbolic . . . . .
2.3.5	Saddle-Node Bifurcation . . . . .	60	4.3.3	Stable Submanifo . . . . .
2.3.6	Flip Bifurcation . . . . .	61	4.3.4	Invariant Foliati . . . . .
2.3.7	Secondary Andronov-Hopf Bifurcation . . . . .	63	4.3.5	Asymptotic Pha . . . . .
2.4	Codimension of Bifurcations . . . . .	65	4.3.6	Center Manifolds . . . . .
2.5	Multidimensional Systems . . . . .	67	4.3.7	Direct Product . . . . .
2.6	Soft and Hard Loss of Stability . . . . .	68	4.3.8	Weakly Connect . . . . .
2.7	Global Bifurcations . . . . .	71		
2.7.1	Saddle-Node on Limit Cycle . . . . .	72		
2.7.2	Saddle Separatrix Loop . . . . .	76		
2.7.3	Double Limit Cycle . . . . .	79		
2.8	Spiking . . . . .	82		
2.8.1	Class 1 Neural Excitability . . . . .	85		
2.8.2	Class 2 Neural Excitability . . . . .	88		
2.8.3	Amplitude of an Action Potential . . . . .	89		
2.9	Bursting . . . . .	90		
2.9.1	Slow Subsystem . . . . .	91		
2.9.2	Parabolic Bursting . . . . .	93		
2.9.3	Square-Wave Bursting . . . . .	96		
2.9.4	Elliptic Bursting . . . . .	96		
2.9.5	Other Types of Bursting . . . . .	99		
<b>3</b>	<b>Neural Networks</b>	<b>103</b>		
3.1	Nonhyperbolic Neural Networks . . . . .	103		
3.1.1	The Olfactory Bulb . . . . .	105		
3.1.2	Generalizations . . . . .	106		
3.2	Neural Network Types . . . . .	108		
3.2.1	Multiple Attractor NN . . . . .	109		
3.2.2	Globally Asymptotically Stable NN . . . . .	109		
3.2.3	Nonhyperbolic NN . . . . .	110		
<b>4</b>	<b>Introduction to Canonical Models</b>	<b>111</b>		
4.1	Introduction . . . . .	112		

## II Derivation of Canonical Models

<b>5</b>	<b>Local Analysis of WCNM</b>	
5.1	Hyperbolic Equilibria . . . . .	
5.2	Nonhyperbolic Equilibria . . . . .	
5.2.1	The Center Manifold . . . . .	
5.3	Multiple Saddle-Node, . . . . .	
5.3.1	Adaptation Conditions . . . . .	
5.3.2	Multiple Saddle-Node . . . . .	
5.3.3	Multiple Cusp Points . . . . .	
5.3.4	Multiple Pitchforks . . . . .	
5.3.5	Example: The Andronov-Hopf . . . . .	
5.3.6	Time-Dependent . . . . .	
5.3.7	Variables and Parameters . . . . .	
5.3.8	Adaptation Conditions . . . . .	
5.4	Multiple Andronov-Hopf . . . . .	
5.4.1	Ginzburg-Landau . . . . .	
5.4.2	Equality of Frequencies . . . . .	
5.4.3	Distinct Frequencies . . . . .	
5.4.4	Distance to an Attractor . . . . .	
5.4.5	Time-Dependent . . . . .	
5.5	Multiple Bogdanov-Takens . . . . .	
5.5.1	Violation of Admissibility . . . . .	
5.5.2	Other Choices . . . . .	

4.1.1 Families of Dynamical Systems . . . . .	112
4.1.2 Observations . . . . .	114
4.1.3 Models . . . . .	114
4.1.4 Canonical Models . . . . .	117
4.1.5 Example: Linear Systems . . . . .	118
4.1.6 Example: The VCON . . . . .	119
4.1.7 Example: Phase Oscillators . . . . .	120
4.2 Normal Forms . . . . .	122
4.2.1 Example: Normal Form for Andronov-Hopf Bifurcation	125
4.2.2 Normal Forms Are Canonical Models . . . . .	126
4.3 Normally Hyperbolic Invariant Manifolds . . . . .	126
4.3.1 Invariant Manifolds . . . . .	126
4.3.2 Normal Hyperbolicity . . . . .	127
4.3.3 Stable Submanifolds . . . . .	130
4.3.4 Invariant Foliation . . . . .	131
4.3.5 Asymptotic Phase . . . . .	131
4.3.6 Center Manifold Restrictions Are Local Models . .	135
4.3.7 Direct Product of Dynamical Systems . . . . .	135
4.3.8 Weakly Connected Systems . . . . .	138
<b>II Derivation of Canonical Models</b>	<b>141</b>
<b>5 Local Analysis of WCNNs</b>	<b>143</b>
5.1 Hyperbolic Equilibria . . . . .	144
5.2 Nonhyperbolic Equilibrium . . . . .	146
5.2.1 The Center Manifold Reduction . . . . .	146
5.3 Multiple Saddle-Node, Pitchfork, and Cusp Bifurcations . . . . .	151
5.3.1 Adaptation Condition . . . . .	151
5.3.2 Multiple Saddle-Node Bifurcation . . . . .	152
5.3.3 Multiple Cusp Bifurcation . . . . .	154
5.3.4 Multiple Pitchfork Bifurcation . . . . .	155
5.3.5 Example: The Additive Model . . . . .	155
5.3.6 Time-Dependent External Input $\rho$ . . . . .	159
5.3.7 Variables and Parameters . . . . .	161
5.3.8 Adaptation Condition . . . . .	162
5.4 Multiple Andronov-Hopf Bifurcation . . . . .	164
5.4.1 Ginzburg-Landau (Kuramoto-Tsuzuki) Equation .	169
5.4.2 Equality of Frequencies and Interactions . . . .	169
5.4.3 Distinct Frequencies . . . . .	171
5.4.4 Distance to an Andronov-Hopf bifurcation . . .	174
5.4.5 Time-Dependent External Input $\rho$ . . . . .	175
5.5 Multiple Bogdanov-Takens Bifurcations . . . . .	181
5.5.1 Violation of Adaptation Condition . . . . .	183
5.5.2 Other Choices of $\lambda$ and $\rho$ . . . . .	185

5.6 Codimensions of Canonical Models . . . . .	187
<b>6 Local Analysis of Singularly Perturbed WCNNs</b>	<b>189</b>
6.1 Introduction . . . . .	190
6.1.1 Motivational Examples . . . . .	190
6.2 Reduction to the Regular Perturbation Problem . . . . .	192
6.3 Center Manifold Reduction . . . . .	193
6.4 Preparation Lemma . . . . .	195
6.5 The Case $\mu = \mathcal{O}(\varepsilon)$ . . . . .	197
6.5.1 The Case $\dim y_i = 1$ . . . . .	198
6.6 Multiple Quasi-Static Andronov-Hopf Bifurcations . . . . .	199
6.7 The Case $\mu = \mathcal{O}(\varepsilon^2)$ . . . . .	200
6.7.1 Multiple Quasi-Static Saddle-Node Bifurcations . . . . .	200
6.7.2 Multiple Quasi-Static Pitchfork Bifurcations . . . . .	202
6.7.3 Multiple Quasi-Static Cusp Bifurcations . . . . .	204
6.8 The Case $\mu = \mathcal{O}(\varepsilon^k)$ , $k > 2$ . . . . .	204
6.9 Conclusion . . . . .	205
6.9.1 Synaptic Organizations of the Brain . . . . .	205
<b>7 Local Analysis of Weakly Connected Maps</b>	<b>209</b>
7.1 Weakly Connected Mappings . . . . .	210
7.2 Hyperbolic Fixed Points . . . . .	211
7.3 Nonhyperbolic Fixed Points . . . . .	211
7.3.1 Multiple Saddle-Node Bifurcations . . . . .	212
7.3.2 Multiple Flip Bifurcations . . . . .	214
7.3.3 Multiple Secondary Andronov-Hopf Bifurcations . . . . .	215
7.4 Connection with Flows . . . . .	216
<b>8 Saddle-Node on a Limit Cycle</b>	<b>219</b>
8.1 One Neuron . . . . .	220
8.1.1 Saddle-Node Point on a Limit Cycle . . . . .	220
8.1.2 Saddle-Node Bifurcation on a Limit Cycle . . . . .	225
8.1.3 Analysis of the Canonical Model . . . . .	227
8.1.4 Parabolic Burster . . . . .	229
8.2 Network of Neurons . . . . .	231
8.2.1 Size of PSP . . . . .	232
8.2.2 Adaptation Condition Is Violated . . . . .	234
8.2.3 Parabolic Bursting Revisited . . . . .	237
8.3 Adaptation Condition Is Satisfied . . . . .	241
8.3.1 Integrate-and-Fire Model . . . . .	242
<b>9 Weakly Connected Oscillators</b>	<b>247</b>
9.1 Introduction . . . . .	248
9.2 Phase Equations . . . . .	253
9.2.1 Malkin's Theorem for Weakly Connected Oscillators	255
9.2.2 Example: Coupled . . . . .	255
9.3 Averaging the Phase Equations . . . . .	256
9.3.1 Averaging Theory . . . . .	256
9.3.2 Resonant Relation . . . . .	256
9.3.3 Generalized Fourier Series . . . . .	256
9.3.4 Nonresonant $\Omega$ . . . . .	256
9.3.5 Resonant $\Omega$ . . . . .	256
9.3.6 A Neighborhood of . . . . .	256
9.4 Conventional Synaptic Connections . . . . .	257
9.4.1 Synaptic Glomerulus . . . . .	257
9.4.2 Phase Equations . . . . .	257
9.4.3 Commensurable Frequencies . . . . .	257
9.4.4 Example: A Pair of . . . . .	257
9.4.5 Example: A Chain of . . . . .	257
9.4.6 Oscillatory Association . . . . .	257
9.4.7 Kuramoto's Model . . . . .	257
9.5 Time-Dependent External Inputs . . . . .	258
9.5.1 Conventional Synapses . . . . .	258
9.6 Appendix: The Malkin Theorem . . . . .	258

### III Analysis of Canonical Models

<b>10 Multiple Andronov-Hopf Bifurcations</b>	<b>261</b>
10.1 Preliminary Analysis . . . . .	261
10.1.1 A Single Oscillator . . . . .	261
10.1.2 Complex Synaptic . . . . .	261
10.2 Oscillator Death and Self-Sustaining . . . . .	261
10.3 Synchronization of Two Interacting . . . . .	261
10.4 Oscillatory Associative Memory . . . . .	261
<b>11 Multiple Cusp Bifurcation</b>	<b>263</b>
11.1 Preliminary Analysis . . . . .	263
11.1.1 Global behavior . . . . .	263
11.1.2 Strong Input from . . . . .	263
11.1.3 Extreme Psychological . . . . .	263
11.2 Canonical Model as a GAN . . . . .	263
11.3 Canonical Model as an MCA . . . . .	263
11.4 Learning . . . . .	263
11.4.1 Learning Rule for . . . . .	263
11.4.2 Learning Rule for . . . . .	263
11.5 Multiple Pitchfork Bifurcations . . . . .	263
11.5.1 Stability of the O . . . . .	263
11.5.2 Stability of the O . . . . .	263
11.6 Bifurcations for $r \neq 0$ (Turing . . . . .	263

9.2.2 Example: Coupled Wilson-Cowan Neural Oscillators	260
9.3 Averaging the Phase Equations . . . . .	262
9.3.1 Averaging Theory . . . . .	263
9.3.2 Resonant Relations . . . . .	265
9.3.3 Generalized Fourier Series . . . . .	267
9.3.4 Nonresonant $\Omega$ . . . . .	269
9.3.5 Resonant $\Omega$ . . . . .	271
9.3.6 A Neighborhood of Resonant $\Omega$ . . . . .	273
9.4 Conventional Synaptic Connections . . . . .	273
9.4.1 Synaptic Glomeruli . . . . .	274
9.4.2 Phase Equations . . . . .	275
9.4.3 Commensurable Frequencies and Interactions . . . . .	277
9.4.4 Example: A Pair of Oscillators . . . . .	279
9.4.5 Example: A Chain of Oscillators . . . . .	282
9.4.6 Oscillatory Associative Memory . . . . .	285
9.4.7 Kuramoto's Model . . . . .	287
9.5 Time-Dependent External Input $\rho$ . . . . .	288
9.5.1 Conventional Synapses . . . . .	290
9.6 Appendix: The Malkin Theorem . . . . .	292
<b>III Analysis of Canonical Models</b>	<b>295</b>
<b>10 Multiple Andronov-Hopf Bifurcation</b>	<b>297</b>
10.1 Preliminary Analysis . . . . .	297
10.1.1 A Single Oscillator . . . . .	298
10.1.2 Complex Synaptic Coefficients $c_{ij}$ . . . . .	300
10.2 Oscillator Death and Self-Ignition . . . . .	302
10.3 Synchronization of Two Identical Oscillators . . . . .	305
10.4 Oscillatory Associative Memory . . . . .	308
<b>11 Multiple Cusp Bifurcation</b>	<b>311</b>
11.1 Preliminary Analysis . . . . .	311
11.1.1 Global behavior . . . . .	312
11.1.2 Strong Input from Receptors . . . . .	314
11.1.3 Extreme Psychological Condition . . . . .	314
11.2 Canonical Model as a GAS-Type NN . . . . .	316
11.3 Canonical Model as an MA-Type NN . . . . .	317
11.4 Learning . . . . .	319
11.4.1 Learning Rule for Coefficient $c_{ij}$ . . . . .	319
11.4.2 Learning Rule for Matrix $C$ . . . . .	320
11.5 Multiple Pitchfork Bifurcation . . . . .	321
11.5.1 Stability of the Origin . . . . .	322
11.5.2 Stability of the Other Equilibria . . . . .	323
11.6 Bifurcations for $r \neq 0$ (Two Memorized Images) . . . . .	326

11.6.1 The Reduction Lemma . . . . .	327
11.6.2 Recognition: Only One Image Is Presented . . . . .	329
11.6.3 Recognition: Two Images Are Presented . . . . .	331
11.7 Bistability of Perception . . . . .	332
11.8 Quasi-Static Variation of a Bifurcation Parameter . . . . .	334
<b>12 Quasi-Static Bifurcations</b>	<b>337</b>
12.1 Stability of the Equilibrium . . . . .	337
12.2 Dale's Principle and Synchronization . . . . .	339
12.3 Further Analysis of the Andronov-Hopf Bifurcation . . . . .	342
12.4 Nonhyperbolic Neural Networks . . . . .	343
12.5 Problem 1 . . . . .	344
12.6 Problems 2 and 3 . . . . .	346
12.7 Proofs of Theorems 12.4 and 12.6 . . . . .	347
12.7.1 Proof of Theorem 12.4 . . . . .	348
12.7.2 Proof of Theorem 12.6 . . . . .	349
<b>13 Synaptic Organizations of the Brain</b>	<b>353</b>
13.1 Introduction . . . . .	353
13.2 Neural Oscillators . . . . .	355
13.3 Multiple Andronov-Hopf Bifurcation . . . . .	356
13.3.1 Converted Synaptic Coefficients . . . . .	358
13.3.2 Classification of Synaptic Organizations . . . . .	359
13.3.3 Synchronization of Two Identical Neural Oscillators	362
13.4 Learning Dynamics . . . . .	365
13.4.1 Memorization of Phase Information . . . . .	367
13.4.2 Synaptic Organizations and Phase Information . .	372
13.5 Limit Cycle Neural Oscillators . . . . .	375
13.5.1 Phase Equations . . . . .	375
13.5.2 Synchronization of Two Identical Oscillators . .	377
<b>References</b>	<b>381</b>
<b>Index</b>	<b>395</b>

Introduction

Part