

CONTENTS

1.	INTRODUCTION	1
2.	BACKGROUND	3
2.1.	Sample material and testing in accordance with ASTM E 1921	4
2.2.	Best estimate of T_0 for sample material	6
2.3.	Best estimate of T_0 for RPV limiting material	6
2.4.	Fluence function and projection	7
2.5.	Application definition and key parameters	9
2.6.	Deterministic evaluation	9
2.7.	Probabilistic analysis	10
3.	MATERIAL AND APPLICATION ISSUES	11
3.1.	Sample materials available	11
3.2.	Fluence and transition temperature limits	13
3.3.	Application issues	15
3.3.1.	P-T curves	15
3.3.2.	PTS	15
3.3.3.	Transferability of toughness values	16
3.3.4.	Acceptability of defects found during in-service inspection	17
3.4.	Master Curve approaches	17
4.	DETERMINATION OF T_0	18
4.1.	General evaluation procedure for T_0 determination	18
4.1.1.	Fracture toughness evaluation	18
4.1.2.	Validity check	19
4.1.3.	Prediction of size effects and transition temperature ..	19
4.1.4.	Determination of T_0	20
4.1.5.	Establishment of the transition temperature curve (Master Curve) and tolerance bounds	21
4.2.	Sequence of T_0 determination	22
4.2.1.	Selection of test temperatures and testing of specimens	22
4.2.2.	Determination of T_0 (ASTM E 1921)	24
4.2.3.	Checking the validity of T_0 (ASTM E 1921-02)	24

4.3.	Analysis of abnormal fracture toughness data	25
4.3.1.	Inhomogeneous materials	26
4.3.2.	Grain boundary fracture	29
4.3.3.	Extrapolation outside the standard validity window ..	30
4.4.	Uncertainty in T_0 and low bound curve for K_{Jc}	31
5.	DETERMINATION OF T_0 FOR RPV MATERIAL	32
5.1.	Methodology to determine T_0 for RPV material	32
5.2.	Example application	36
6.	FLUENCE PROJECTION INCLUDING ATTENUATION	38
6.1.	Introduction	38
6.2.	Embrittlement trend curves	39
6.3.	Considerations for attenuation	42
6.4.	Summary and recommendations	48
7.	DETERMINISTIC ANALYSIS AND METHODS	49
7.1.	Introduction	49
7.2.	Application of the ASME Code Cases N-629 and N-631	51
7.3.	Application of the Master Curve approach to WWER type reactors	53
7.4.	Generic values of RT_{T0}	55
7.5.	Evaluation of uncertainties	56
7.5.1.	Shift method	57
7.5.2.	Direct method	58
7.6.	Application of a Master Curve tolerance bound	59
7.7.	Relationship between margin (Y) and tolerance bound (X) ..	63
7.8.	Master Curve shape	65
8.	PROBABILISTIC APPLICATION	67
8.1.	Possible approaches	67
8.1.1.	Flaws	67
8.1.2.	Transients	68
8.1.3.	Uncertainties in material toughness values	68
8.2.	Probabilistic analysis	69
9.	CONCLUSION	73

APPENDIX I: SINTAP FRACTURE TOUGHNESS ESTIMATION: ANALYSIS OF DATA FOR INITIATION OF BRITTLE FRACTURE	75
I.1. Overview	75
I.2. Preliminary steps	75
I.3. SINTAP procedure	80
I.3.1. Stage 1: MML estimation of T_0	80
I.3.2. Stage 2: Lower tail estimation	80
I.3.3. Stage 3: Minimum value estimation	81
I.4. Determination of characteristic values	81
APPENDIX II: EXAMPLES OF ABNORMAL FRACTURE TOUGHNESS DATA ASSESSMENT	83
II.1. Examples: SINTAP application	83
II.2. Master Curve and grain boundary fracture	84
II.3. Examples: Application of the Master Curve outside the $-50^{\circ}\text{C} \leq T - T_0 \leq +50^{\circ}\text{C}$ range	87
II.3.1. General principle	87
II.3.2. Application near the lower shelf	87
II.3.3. Application near the upper shelf	87
II.3.4. Lower shelf adjustment: Background	88
II.3.5. Lower shelf adjustment: Application	89
APPENDIX III: PROMETHEY PROBABILISTIC MODEL FOR FRACTURE TOUGHNESS PREDICTION	91
III.1. The local criterion for cleavage fracture	92
III.2. The probabilistic model for the $K_{IC}(T)$ curve prediction	93
III.3. Experimental determination of parameters necessary for brittle fracture toughness prediction	94
APPENDIX IV: LIST OF ABBREVIATIONS AND SYMBOLS	96
REFERENCES	99
CONTRIBUTORS TO DRAFTING AND REVIEW	105