

Contents

Resumen	v
Abstract	vii
Contents	ix
List of symbols	xiii
1. Introduction and motivation	1
1.1. Quantum information and quantum computation	1
1.1.1. Quantum entanglement	4
1.2. A brief introduction to superconducting solid-states devices	6
1.2.1. Flux qubits	7
1.2.2. Transmons	9
1.3. Thesis outline	11
Resumen del capítulo 1: Introducción y motivación	12
2. Time-periodic quantum systems	15
2.1. Unitary evolution of time-periodic systems: Floquet theory	16
2.1.1. Floquet matrix method: solving a stationary eigenvalue-problem	17
2.1.2. Propagator method: solving the time-evolution operator	18
2.2. Time-periodic open quantum system: Floquet-Markov Master equation	19
2.2.1. Lindbladian form: secular approximation	25
2.2.2. Multiple thermal reservoirs	26
2.3. Landau-Zener-Stückelberg interferometry of driven-TLS	26
2.3.1. Model of a driven-TLS	27
2.3.2. Adiabatic-impulse model	28
2.3.2.1. LZS: slow-limit passage	32
2.3.2.2. LZS: fast-limit passage	33
2.3.3. Analogy with the Mach-Zehnder interferometer	35

Resumen del capítulo 2: Sistemas cuánticos periódicos en el tiempo	37
3. Landau-Zener-Stückelberg interferometry in SC-qubits in presence of quantum noise	39
3.1. Theoretical model for the Flux Qubit and its noise sources	40
3.2. LZS interferometry in open quantum system	42
3.2.1. Two levels regime	43
3.2.1.1. Unitary evolution and LZS interferometry	45
3.2.1.2. Longitudinal vs. transverse noise	48
3.2.1.3. Mixed noise	55
3.2.2. Multilevel regime: LZS diamonds	57
3.3. Concluding Remarks	61
Resumen del capítulo 3: Interferometría Landau-Zener-Stückelberg en qubits-SC en presencia de un ruido cuántico	63
4. Entanglement generation in two-coupled SC-qubits: the role of harmonic driving	65
4.1. Two-coupled qubits model	66
4.2. Concurrence in the Floquet basis	67
4.3. Effects of qubit-qubit coupling	70
4.3.1. Longitudinal coupling	71
4.3.2. Transverse coupling	76
4.3.2.1. $p = 0$ case	76
4.3.2.2. $p = 0.5$ case	80
4.3.2.3. p -mixing case	83
4.3.3. Lower-bound for the minimal entanglement creation	84
4.4. Concluding Remarks	86
Resumen del capítulo 4: Generación de entrelazamiento en un sistema de dos qubits-SC acoplados: el rol del campo armónico externo	88
5. Amplitude tuning of steady-state entanglement	91
5.1. Open quantum system: two-coupled qubits model	92
5.2. Concurrence as an entanglement measure for open systems	94
5.3. Amplitude tuning of steady entanglement	95
5.3.1. Symmetric transverse qubit-qubit coupling	95
5.3.1.1. Time-evolution of entanglement: creation, death and revival	99
5.3.1.2. Amplitude tuning of steady entanglement: mechanism	104
5.3.1.3. Finite-time LZS interferometry for concurrence	108

5.3.2. Other types of qubit-qubit coupling: longitudinal and non-symmetric transverse cases	110
5.4. Concluding Remarks	113
Resumen del capítulo 5: Manipulación del entrelazamiento mediante la sintonización de la amplitud del campo externo	115
6. SC-qubits as quantum simulators: simulating disordered systems	117
6.1. A brief introduction of disordered systems	118
6.1.1. Weak localization	119
6.1.2. Universal conductance fluctuations	120
6.2. Quantum simulator using driven SC-qubits	121
6.3. Highly-coherent encoded qubit: characterization and measurement scheme	128
6.4. LZS interferometry and disordered systems: experimental, numerical and analytical results	131
6.4.1. LZS interferometry with single driving: slow passage limit	132
6.4.2. LZS interferometry with double driving: slow passage limit	133
6.4.3. WL-like and UCF-like effects	135
6.4.4. Quantum simulator and random matrix theory predictions for disordered mesoscopic systems	137
6.5. Concluding Remarks	140
Resumen del capítulo 6: Qubits-SC como simuladores cuánticos de sistemas desordenados	141
7. Summary and Outlook	143
Resumen del capítulo 7: resumen y conclusiones	145
A. Entanglement measures	147
A.1. Concurrence	148
B. The rotating wave approximation: dressed basis	151
B.1. Calculation of relaxation and decoherence rates in the rotating wave approximation	152
C. Lower bound for time-averaged concurrence	157
D. Van Vleck nearly degenerate approximation: analytical calculation of the relaxation rates	161
D.1. SE-resonance case for $J^c < 0$	162
D.2. SE-resonance case for $J^c > 0$	164

E. Appendix: Chapter 5	167
E.1. Time-evolution of quantum tomography	167
E.1.1. Quantum tomography computed in different basis	167
E.1.2. Quantum tomography computed for the region $ \epsilon_0 \ll J^c /2$	168
E.1.3. Time-dynamics of quantum tomography for asymmetric system- bath coupling strengths	170
E.2. Steady-state entanglement for other types of thermal-baths	171
F. Analytical calculations: Chapter 6	173
F.1. Sinusoidal approximation for the diabatic frequency ε	173
F.2. Breaking time-reversal symmetry: analytical calculation of transition rate	177
Bibliography	183
Publications	203
Acknowledgments	205